

KRISBOW®

ABRASIVE



SCAN
FOR OUR LATEST VIDEO




SCAN
FOR BROCHURE & CATALOG



SCAN
FOR OUR STORE LOCATION

BUFFING WHEEL



Article No	Model No.	Description	Packing Dimension			Weight (g)
			Dia (mm)	Width (mm)	Hole Dia (mm)	
10084998	-	Buffing Wheel 8 x 1/2 x 5/8" White Color	200	12.7	16	202

SANDPAPER



Article No	Model No.	Description	Packing Dimension			Material	Weight (g)
			L (mm)	W (mm)	H (mm)		
10082224	IRAHS06	Sandpaper 230 x 280mm 60Grit 5Pcs	245	3	315	Aluminium oxide	214
10082225	IRAHS12	Sandpaper 230 x 280mm 120Grit 5Pcs	245	3	315		140
10082226	IRAHS24	Sandpaper 230 x 280mm 240Grit 5Pcs	245	3	315		110
10082227	IRAHS32	Sandpaper 230 x 280mm 320Grit 5Pcs	245	3	315		110



10242764, 10242765



10082228-10082230



10082231-10082233



10082234-10082236, 10082679, 10082680, 10082701

Article No	Model No.	Description	Packing Dimension			Material	Use for	Weight (g)
			L (mm)	W (mm)	H (mm)			
10242764	IRASP1	Sandpaper 100 x 140mm #60 5 EA Hok & Lop	180	5	110	Aluminium oxide	10124007	67
10242765	IRASP4	Sandpaper 100 x 140mm #240 5 EA Hok & Lop	180	5	110		67	
10082228	IRASDV4	Sandpaper 225mm 60Grit 5Pcs Hok & Lop 8Hole	234	3	258	Aluminium oxide	KW0101782 & KW0701783	210
10082229	IRASDV5	Sandpaper 225mm 120Grit 5Pcs Hok & Lop 8hole	234	3	258			156
10082230	IRASDV6	Sandpaper 225mm 240Grit 5Pcs Hok & Lop 8hole	234	3	258			122
10082231	IRASDV1	Sandpaper 125mm 60Grit 5Pcs Hok & Lop 8Hole	135	3	155	Aluminium oxide	KW0800305 & 100919863	64
10082232	IRASDV2	Sandpaper 125mm 120Grit 5Pcs Hok & Lop 8hole	135	3	155			52
10082233	IRASDV3	Sandpaper 125mm 240Grit 5Pcs Hok & Lop 8hole	135	3	155			44
10082234	IRASD1	Sandpaper 125mm 60Grit 5Pcs Self Adhesive	135	3	155	Aluminium oxide	KW0800300 & 10091982	66
10082235	IRASD2	Sandpaper 125mm 120Grit 5pcs Self Adhesive	135	3	155			54
10082236	IRASD3	Sandpaper 125Mm 240Grit 5Pcs Self Adhesive	135	3	155			44
10082679	IRASD4	Sandpaper 150mm 60Grit 5Pcs Adhesive	155	3	180	Aluminium oxide	10047424	104
10082680	IRASD5	Sandpaper 150mm 80Grit 5Pcs Adhesive	155	3	180			96
10082701	IRASD6	Sandpaper 150mm 120Grit 5Pcs Adhesive	155	3	180			70


SANDBELT



10082237-10082239




10082702-10082704



10082705-10082707

Article No	Model No.	Description	Packing Dimension			Material	Use for	Weight (g)
			L (mm)	W (mm)	H (mm)			
10082237	IRASB1	Sandbelt 50 x 686mm 60Grit 10Pcs	50	110	285	Aluminium oxide	10047425	424
10082238	IRASB2	Sandbelt 50 x 686mm 80Grit 10Pcs	50	110	285			370
10082239	IRASB3	Sandbelt 50 x 686mm 120Grit 10Pcs	50	110	285			330
10082702	IRASB4	Sandbelt 533 x 75mm 60Grit 3Pcs	80	40	180		KW0701007	162
10082703	IRASB5	Sandbelt 533 x 75mm 80Grit 3Pcs	80	40	180			146
10082704	IRASB6	Sandbelt 533 x 75mm 120Grit 3Pcs	80	40	180			116
10082705	IRASB7	Sandbelt 915 x 100mm 60Grit 3Pcs	105	40	50		10047424	356
10082706	IRASB8	Sandbelt 915 x 100mm 80Grit 3Pcs	105	40	50			308
10082707	IRASB9	Sandbelt 915 x 100mm 120Grit 3Pcs	105	40	50			430

CERAMIC POLISH




10124010



10124011



10124012



10124013

Article No	Model No.	Description	Packing Dimension			Use For	Weight (g)
			L (mm)	W (mm)	H (mm)		
10124010	IRAPP41	Ceramic Polish Pad 4 " G 50 3Ea/Set	104	23	104	KW0700655, 10060942 & 10060943	116
10124011	IRAPP42	Ceramic Polish Pad 4 " G 800 3Ea/Set	104	23	104		118
10124012	IRAPP43	Ceramic Polish Pad 4 " G 1500 3Ea/Set	104	23	104		126
10124013	IRAPP44	Ceramic Polish Pad 4 " G 3000 3Ea/Set	104	23	104		134

SCRUBBER AND SPONGE



10502664



10502663

Content :

- 1 ea Polishing Pad 100mm
- 1 ea Scrub Pad 100mm # 180
- 1 ea Scrub Pad 100mm # 400

Content :

- 1 ea Cone Brush 3.5 inch
- 1 ea Round Brush 2 inch
- 1 ea Round Brush 4 inch

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10502664	IRASS01	Scrubber and Sponge Set	150	60	60	950
10502663	IRACRB01	Cone and Round Brush Set	28	18	10	255



GRINDING WHEEL



10084992-10084997

10086695-10086696

Article No	Model No.	Description	Packing Dimension		Use for	Weight (Kg)
			Dia (cm)	W (cm)		
10086695	IRAGW0346	Grinding Wheel 3 x 1/2 x 1/2" A46 grit	7.62	1.27	KW0700939	0.12
10086696	IRAGW0360	Grinding Wheel 3 x 1/2 x 1/2" A60 grit	7.62	1.27	KW0700939	0.12
10084992	IRAGW0646	Grinding Wheel 6 x 1 x 1/2" A46 grit	15.24	1.27	KW0700073	0.88
10084993	IRAGW0660	Grinding Wheel 6 x 1 x 1/2" A60 grit	15.24	1.27	KW0700073	0.88
10084994	IRAGW0846	Grinding Wheel 8 x 3/4 x 1/2" A46 grit	20.32	1.27	KW0700074	1.36
10084995	IRAGW0860	Grinding Wheel 8 x 3/4 x 1/2" A60 grit	20.32	1.27	KW0700074	1.36
10084996	IRAGW1046	Grinding Wheel 10 x 1 x 3/4" A46 grit	25.4	1.905	KW0700075	2.462
10084997	IRAGW1060	Grinding Wheel 10 x 1 x 3/4" A60 grit	25.4	1.905	KW0700075	2.462

CUT OFF WHEEL



10472557



10472558



10472559



10419093

Features :

- General purpose disc for all metal cutting applications
- Use for mild steel, aluminium alloys and general steel (10472558, 10472559, 10419093)
- Use for stainless steel and high tensile strength material (10472557)

Article No	Model No.	Description	Specification			Weight (g)
			Material Information	Dimension (mm)	Speed (rpm)	
10472557	IRACW41	Cut Off Wheel 4", Super Thin	A60TBF41	105 x 1.2 x 15.88	Max. 15300	25
10472558	IRACW43	Cut Off Wheel 4"	A36TBF42	105 x 3 x 15.88	Max. 15300	56
10472559	IRACW14	Cut Off Wheel 14"	A 30 P	350 x 3 x 25.4	Max. 4400	650
10419093	IRACW16	Cut Off Wheel 16"	A36TBF41	400 x 3 x 25.4	Max. 3300	850

DEPRESSED CENTER WHEEL



10157554



10472562



KW0300306



KW0300312

Features :

- General purpose disc for all metal grinding application
- Use for mild steel, aluminium alloys and general steel

Article No	Model No.	Description	Specification			Weight (g)
			Material Information	Dimension (mm)	Speed (rpm)	
10157554	IRADCW41	Depressed Center Wheel 4", Sharp	A 24 SB	100 x 6 x 15,88	Max. 15000	100
10472562	IRADCW411	Depressed Center Wheel 4", Sharp	A 24 S	100 x 6 x 15,88	Max. 15300	100
KW0300306	IRADCW71	Depressed Center Wheel 7", Sharp	A 24 Q4 BF	180 x 6 x 22.2	Max. 8500	350
KW0300312	IRADCW72	Depressed Center Wheel 7", Hard	A 24 R-BF	180 x 6 x 22.2	Max. 8500	350

FLEXIBLE DEPRESSED WHEEL



10178238



10157556

Features :

- Suitable for stainless steel and high tensile strength material (10178238)
- Suitable for stone and glass (10157556)

Article No	Model No.	Description	Specification			Weight (g)
			Material Information	Dimension (mm)	Speed (rpm)	
10178238	IRAFDW1	Flexible Depressed Wheel 4", Stainless Steel	WA 80#	100 x 2.5 x 15.88	Max. 13500	100
10157556	IRAFDW2	Flexible Depressed Wheel 4", Stone & Glass	GC 80#	100 x 2.5 x 15.88	Max. 13500	100

FLAP DISC ALUMINIUM



Features :

- Krisbow flap disc can offer advantages over reinforce grinding wheel where superior surface finish would be achieved
- Aluminium oxide, versatile tool for general professional use and suitable for all angle grinder size
- Ideal for surface and edge grinding
- Suitable for steel, plastic and wood application

Article No	Model No.	Description	Specification			Weight (g)
			Material Information	Dimension (mm)	Speed (rpm)	
KW0300232	IRADA41	Flap Disc Aluminium Oxide 4"	Grit #40	100 x 16	Max. 15300	50
KW0300233	IRADA42		Grit #80			
KW0300234	IRADA43		Grit #120			

FLAP DISC ZIRCONIUM



Features :

- Krisbow flap disc can offer advantages over reinforce grinding wheel where superior surface finish would be achieved
- Zirconium oxide, special purpose tool for demanding surface grinding tasks with characterized by aggressive grinding action
- Suitable for weld dressing and surface grinding
- Suitable for steel and stainless steel

Article No	Model No.	Description	Specification			Weight (g)
			Material Information	Dimension (mm)	Speed (rpm)	
KW0300235	IRADZ41	Flap Disc Zirconium Oxide 4"	Grit #40	100 x 16	Max. 15300	50
KW0300236	IRADZ42		Grit #80			
KW0300237	IRADZ43		Grit #120			

DIAMOND GRINDING WHEEL



10095535

10095534

Features :

- Flat surface (10095535)
- Convex surface (100995534)
- Titanium coated
- Ideal for grinding on glass, ceramic, metal, and composite material

Article No	Model No.	Description	Specification			Weight (g)
			Material Information	Dimension (mm)	Speed (rpm)	
10095535	IRADG42	Diamond Grinding Wheel Flat Surface 4" Electroplating	Titanium	105 x 20 / 16	13300	50
10095534	IRADG41	Diamond Grinding Wheel Convex Surface 4" Electroplating				

DIAMOND CUT WHEEL


Article No	Model No.	Description	Application	Specification		Weight (g)
				Dimension (mm)	Speed (rpm)	
KW0300257	IRADW47	Diamond Cut Off Wheel Turbo Wet and Dry 4"	Stone, Brick and Marble/Tile	105 x 20/16	14500	100
10092866	IRADW43	Diamond Cut Wheel 105 x 2 x 16/20 mm Continous Rim	Marble/Tile, Granite & Stone	105 x 20/16	14500	
10092735	IRADW45	Diamond Cut Wheel 105x 1.9 x 16/20 mm Segment Rim	Marble/Tile, Concrete, Brick, Block & Stone	105 x 1.9 x 20/16	13300	
10092868	IRADW41	Diamond Cut Wheel 105 x 1.4 x 16/20 mm Thin Turbo Rim	Marble/Tile, Granite, Porcelain & Stone	105 x 1.4 x 20/16		
10092867	IRADW42	Diamond Cut Wheel 105 x 1.9 x 16/20 mm Turbo Rim	Marble/Tile, Concrete, Brick, Block & Stone	105 x 1.9 x 20/16		
10092869	IRADW44	Diamond Cut Wheel 105 x 2 x 16/20 mm TN Turbo Rim	Marble/Tile, Concrete, Brick, Block & Stone	105 x 2 x 20/16		

CIRCULAR SAW BLADE


10082113-10082121, 10343595

10082122, 10082123

Article No	Model No.	Description	Packing Dimension			Weight (Kg)
			L (mm)	W (mm)	H (mm)	
10082113	IRACSW12	Circular Saw Blade 105mm x 40T for Wood	14.7	0.8	17.8	0.09
10082114	IRACSW21	Circular Saw Blade 140mm x 24T for Wood	20.3	0.8	23	0.192
10082115	IRACSW22	Circular Saw Blade 140mm x 40T for Wood	20.3	0.8	23	0.202
10343595	IRACSW32	Circular Saw Blade 165mm x 40T for Wood	22.2	0.8	23	0.247
10082116	IRACSW41	Circular Saw Blade 180mm x 24T for Wood	22.2	0.8	26.4	0.302
10082117	IRACSW42	Circular Saw Blade 180mm x 40T for Wood	22.9	0.8	26.8	0.302
10082118	IRACSW62	Circular Saw Blade 250mm x 40T for Wood	29.1	0.8	35.8	0.768
10082119	IRACSW64	Circular Saw Blade 250mm x 80T for Wood	29.1	0.8	36	0.766
10082120	IRACSW73	Circular Saw Blade 300mm x 60T for Wood	34.2	1	37.7	1.13
10082121	IRACSW75	Circular Saw Blade 300mm x 100T for Wood	34.4	1.2	37.7	1.2
10082122	IRACSA55	Circular Saw Blade 254mm x 100T for Aluminum	29.3	1	35.5	0.804
10082123	IRACSA65	Circular Saw Blade 300mm x 100T for Aluminum	34.4	1.2	37	1.162

END CUP BRUSH



KW0300269, KW0300058



KW0300056, KW0300057

Features :

- Sturdy tools for heavy cleaning jobs and brushing large surface with coarse wire
- The small diameter makes them most suitable for use on hard to reach areas
- Fill material brass coated steel wire, crimped

Article No	Model No.	Description	Specification			Shank	Wire Diameter (mm)	Max.Speed (rpm)	Weight (g)
			Section Diameter (mm)	Width (mm)	Wire High (mm)				
KW0300269	IRAEB1	End Cup Brush 15mm	15	19	30	1/4"	0.3	4500	50
KW0300058	IRAEB2	End Cup Brush 25mm	25	22	30				60
KW0300056	IRAEB3	End Cup Brush 50mm	50	24	16				100
KW0300057	IRAEB4	End Cup Brush 75mm	75	24	20				150

WHEEL BRUSH WITH SHARK



Features :

- Sturdy tools for heavy cleaning jobs and brushing large surface with coarse wire
- The small diameter makes them most suitable for use on hard to reach areas
- Fill material brass coated steel wire, crimped

Article No	Model No.	Description	Specification			Shank	Wire Diameter (mm)	Max. Speed (rpm)	Weight (g)
			Section Diameter (mm)	Width (mm)	Wire High (mm)				
KW0300053	IRAWBS2	Wheel Brush 50mm with Shank	50	7	10	1/4"	0.3	4500	100
KW0300054	IRAWBS3	Wheel Brush 75mm with Shank	75	10	16				100
KW0300055	IRAWBS4	Wheel Brush 100mm with Shank	100	12	22				150

WHEEL BRUSH





Features :

- Aggressive, multiple row wheel brushes with brush coated steel wire, crimped (0.3 mm)
- Use for medium to heavy brush applications

Picture Legend

- D = Diameter (mm)
- A = Width (mm)
- B = Arbor Hole Max (mm)
- R = Section Width (mm)
- T = Wire High (mm)



Article No	Model No.	Description	Dimension					Weight (kg)	Max.Speed (rpm)	Weight (g)
			D (mm)	A (mm)	B (mm)	R (mm)	T (mm)			
KW0300040	IRAWB1	Wheel Brushes 100 x 16mm	100	16	20	30	17	0.25	8000	250
KW0300041	IRAWB2	Wheel Brushes 125 x 18mm	125	18	20	40	27	0.3	6000	300
KW0300042	IRAWB3	Wheel Brushes 150 x 25mm	150	25	32	50.8	28	0.7	6000	700
KW0300043	IRAWB4	Wheel Brushes 200 x 25mm	200	25	32	80	34	1.3	4500	1300
KW0300044	IRAWB5	Wheel Brushes 250 x 25mm	250	25	50.8	100	47	1.5	3000	1500



WHEEL BRUSH BURNISHING

Features :


- Brushing tools for single handed burnishing machine
- Brush coated steel wire, crimped (0,3 mm)
- Suitable for 10107913

Article No	Model No.	Description	Dimension			Wire Diameter (mm)	Max. Speed (rpm)	Weight (g)
			L (mm)	W (mm)	H (mm)			
10457946	IRAWBB2	Wheel Brush Burnishing 120 x 100mm	120	120	100	0.3	8500	1.4

CRIMP CUP BRUSH

Features :

- Crimped cup brush Ø 75 mm , for light or medium rust removal and deburring (KW0300045)
- Crimped cup brush Ø 80 mm & Ø 100 mm , for sturdy tools for heavy cleaning jobs and for brushing large surface (KW0300046 – KW0300048)
- Brushing tools for single handed angle grinders
- Brush coated steel wire, crimped (0,3 mm)


Picture Legend


- D = Diameter (mm)
- A = Width (mm)
- T = Wire High (mm)
- G = Thread (mm)

Article No	Model No.	Description	Dimension				Wire Diameter (mm)	Max.Speed (rpm)	Weight (g)
			D (mm)	A (mm)	T (mm)	G (mm)			
KW0300045	IRACB34	Crimp Cup Brush 75mm x m10 x 1.5mm	75	20	20	M10 x 1.5	0.3	12500	250
KW0300046	IRACB44	Crimp Cup Brush 80mm x m10 x 1.5mm	80	20	22	M10 x 1.5	0.3	8500	300
KW0300047	IRACB47	Crimp Cup Brush 80mm x m14 x 2mm	80	20	25	M14 x 2.0	0.3	8500	300
KW0300048	IRACB57	Crimp Cup Brush 100mm x m14 x 2mm	100	20	25	M14 x 2.0	0.3	8500	500

KNOTTED CUP BRUSH

Features :

- Brushing tools with tempered steel wire
- For high speed angle grinders
- Aggressive tools for fast heavy duty cleaning and brushing of large surfaces
- Remove carbon, paint, rust scale, and other kinds of contamination
- The removable bridle prevents the trim from flexing


Picture Legend

- D = Diameter (mm)
- A = Width (mm)
- T = Wire High (mm)
- G = Thread (mm)

Article No	Model No.	Description	Dimension				Wire Knots Diameter (mm)	Wire Knots Diameter (mm)	Max.Speed (rpm)	Weight (g)
			D (mm)	A (mm)	T (mm)	G (mm)				
KW0300049	IRAKB2	Knot Cup Brush 65mm	65	18	19	M10 x 1.5	0.5	18	12500	500
KW0300050	IRAKB3	Knot Cup Brush 75mm	75	18	22	M10 x 1.5	0.5	18	8500	600
KW0300051	IRAKB4	Knot Cup Brush 80mm	80	22	24	M14 x 2.0	0.5	22	8500	800
KW0300052	IRAKB5	Knot Cup Brush 100mm	100	22	24	M14 x 2.0	0.5	22	8500	950