

KRISBOW®
The Right Product at The Right Price



PAINTING EQUIPMENT



AIR SPRAY GUN, AIRBRUSH, SPRAY GUN with TANK and TURBINE HVLP

AIRBRUSH



Features :

- These air brush can be widely used :
- Spraying
 - Tattoo

- Tanning
- Model fingernail painting
- General airbrush

| Article No | KW1200272 | KW1200273 |
|-------------------------|--------------------|-------------------------------------|
| Description | Airbrush with Hose | Airbrush with Flow Control and Hose |
| Specification | | |
| Nozzle Size (mm) | 0.2 - 0.3 | |
| Air Pressure (bar) | 3.5 | |
| Air Consumption (ℓ/min) | 20 | |
| Cup Capacity (cc) | 7 | 9 |
| Glass Jar Capacity (cc) | 22 | - |
| Feed Type | Gravity & Suction | |
| Air Hose (mm) | 1800 | |
| Dimension (LxWxH) (cm) | 23.5 x 18 x 4.5 | |
| Weight (kg) | 1.8 | 1.6 |

SPRAY GUN

HVLP

HVLP



10168540

10168541

10168542

10168543

10168544

10168545

| Article No | 10168540 | 10168541 | 10168542 | 10168543 | 10168544 | 10168545 |
|-------------------------|---|--|--|--|---|---|
| Description | Spray Gun High Volume Low Pressure 1.8mm with Cup | Spray Gun High Volume Low Pressure 1.4mm Without Cup | Spray Gun Kit 1.8mm 2000cc Aluminium Cup | Spray Gun High Volume Low Pressure 1.4mm | Spray Gun Medium Pressure Suction 1.8mm | Spray Gun Medium Pressure Gravity 1.3mm |
| Specification | | | | | | |
| Nozzle Size (mm) | 1.8 | 1.4 | 1.8 | 1.4 | 1.8 | 1.3 |
| Air Pressure (bar) | 3.5 | | 4 | | 3.5 | 2 |
| Air Consumption (ℓ/min) | 200 | 200 | 210 | 200 | 110 | 128 |
| Cup Capacity(cc) | 1000 | - | 2000 | 600 | 1000c | 500 |
| Feed Type | Suction | | | Gravity | Suction | Gravity |
| Dimension (LxWxH) (cm) | 18 x 13 x 27 | 13 x 6 x 22 | 33 x 23 x 16 | 22 x 13 x 29 | 18 x 13 x 30 | 23 x 12 x 33 |
| Weight (kg) | 1.2 | 1 | 1.5 | 1 | 1.2 | 1 |

SPRAY GUN WITH TANK



Accessories :

- 1pc-rubber paint hose 3m
- 1pc-rubber air hose 3m
- Repair kit and wrench

Features :

- The 2 ¼ gallon paint tank can hold air pressure to maximum of 80 psi
- This paint tank is equipped with an air regulator, gauge, safety valve, and fluid outlet
- The 2 ¼ gallon capacity enables you to handle most any size job

TURBINE HVLP



KW1200230

KW1200287

| Article No | KW1200106 |
|-------------------------|---|
| Description | Paint Tank 2 Gallon with Pressure Spray Gun |
| Specification | |
| Nozzle Size (mm) | 1.7 |
| Air Pressure (bar) | 3.5 |
| Air Consumption (ℓ/min) | 312 |
| Tank Capacity (gallon) | 2 ¼ |
| Air Inlet (inch) | 1/4 |
| Hose Size (inch) | 3/8 |
| Dimension (LxWxH) (cm) | 29.5 x 30 x 38 |
| Weight (kg) | 9 |

| Article No | KW1200230 | KW1200287 |
|------------------------|--|-----------------------------------|
| Description | Turbine HVLP CPL Spray Gun and Aluminum Tank | HVLP Turbine Spray 1400W, 3 Stage |
| Specification | | |
| Nozzle Size (mm) | 1.8 | 1.3 |
| Input Power (W/V/Hz) | 1100/220/50 | 1400/220/50 |
| Air Pressure (bar) | 0.3 | 0.5 |
| Air Flow (ℓ/min) | 1650 | 2800 |
| Cup Capacity (cc) | 1000 | |
| Hose Length (m) | 4.5 | 8.5 |
| Dimension (LxWxH) (cm) | 50 x 28 x 30 | 32.5 x 25 x 32.5 |
| Weight (kg) | 6.7 | 8.5 |

PRESSURE TANK , PAINT HOSE and DIAPHRAGM PUMP

PRESSURE TANK



Optional Accessories :



10168541

Features :

- Movable with castors
- With paint strainer
- Supplied with air regulator
- Tank shell, with no welding seam ensure no air leak for KW12-28 & KW12-29
- Manual or air agitation
- 2 outlets for tanks over 20ℓ

| Article No | KW1200022 | KW1200023 | KW1200024 | KW1200025 | KW1200028 | KW1200029 |
|------------------------|------------------------------------|------------------------------------|---------------------------------|---------------------------------|---|---|
| Description | Manual Agitation Pressure Tank 20L | Manual Agitation Pressure Tank 40L | Air Agitation Pressure Tank 20L | Air Agitation Pressure Tank 40L | Bottom Outlet Air Agitation Pressure Tank 20L | Bottom Outlet Air Agitation Pressure Tank 40L |
| Specification | | | | | | |
| Tank Capacity (ℓ) | 20 | 40 | 20 | 40 | 20 | 40 |
| Air Pressure (bar) | 1.5-3.5 | | | | | |
| Max Air Pressure (bar) | 5.5 | | | | | |
| Dimension (LxWxH) (cm) | 42 x 36 x 71 | 41 x 36 x 86.5 | 41 x 36.5 x 71 | 41 x 36.5 x 86.5 | 42 x 36 x 71 | 41 x 36.5 x 99 |
| Weight (kg) | 26 | 30 | 28 | 30.5 | 28 | 30.5 |

PAINT HOSE



| Article No | Description | Weight (kg) | Hose Length (m) |
|------------|---|-------------|-----------------|
| KW1200030 | Air Paint Hose 6.5x10mmx7.5m with Fitting | 0.3 | 7.5 |

DIAPHRAGM PUMP



Features :

- Double diaphragm
- No spark, more safety
- Pick up hose with paint stainer
- With air regulator
- With recirculation hose (8m x 12mm)
- Twin paint outlets
- 3/8" (2 outlets), 1/4" (2 outlets)

| Article No | KW1200019 |
|------------------------------------|---|
| Description | Diaphragm Pump with Stand 4 Way Air Inlet |
| Specification | |
| Pressure ratio | 1 : 1 |
| Max. Air Pressure (bar) | 5 |
| Min. Transmitting Capacity (ℓ/min) | 5 |
| Max. Transmitting Capacity (ℓ/min) | 10.5 |
| Min. Pump Speed (rpm) | 80 |
| Max. Pump Speed (rpm) | 160 |
| Dimension (LxWxH) (cm) | 40 x 40 x 120 |
| Weight (kg) | 8 |

AIR TOOL KIT and AIR AGITATOR

AIR TOOL KIT

5pcs



Content :

- 1pc air duster
- 1pc recoil hose 5m
- 1pc spray gun suction
- 1pc tyre inflating gun
- 1pc oil gun

| | |
|------------------------|---------------------|
| Article No | KW1200093 |
| Description | Air Tool Kit (5pcs) |
| Specification | |
| Dimension (LxWxH) (cm) | 42 x 12 x 22 |
| Weight (kg) | 2 |

6pcs



Contents:

- 1pc blow gun
- 1pc inflating gun
- 3pcs needle set
- 1pc air hose 5m length

| | |
|------------------------|---------------------|
| Article No | KW1200249 |
| Description | Air Tool Kit (6pcs) |
| Specification | |
| Dimension (LxWxH) (cm) | 28.5 x 10 x 37 |
| Weight (kg) | 1 |

7pcs



Contents:

- 1pc spray gun grafitly
- 1pc blow gun
- 1pc air hose 5m length
- 1pc inflating gun
- 3pcs needle set

| | |
|------------------------|---------------------|
| Article No | KW1200250 |
| Description | Air Tool Kit (7pcs) |
| Specification | |
| Dimension (LxWxH) (cm) | 32 x 23 x 12 |
| Weight (kg) | 1.5 |

4pcs



Contents:

- 1pc washing gun
- 1pc tyre inflating gun
- 1pc air duster
- 1pc recoil hose 5m

| | |
|------------------------|----------------------|
| Article No | KW1200253 |
| Description | Air Tools Kit (4pcs) |
| Specification | |
| Dimension (LxWxH) (cm) | 39 x 35 x 10.5 |
| Weight (kg) | 1.5 |

AIR AGITATOR



KW1200031

KW1200237

WITH CLAMP



Features KW1200031:

- Stationary type with stand
- Max capacity of agitation: 20ℓ
- Triple piston air motor
- Free air consumption: 11 CFM
- Quiet and safety running
- Suitable for pail 20ℓ

Features KW1200237:

- Stationary type with clamp
- Max capacity of agitation: 200ℓ
- Free air consumption: 11 CFM
- Quiet and safety running
- Suitable for drum 200ℓ

| Article No | KW1200031 | KW1200237 |
|-----------------------------|------------------------------|---------------------------------------|
| Description | Air Agitator Stationary Type | Air Agitator 900mm Clamping Type CA-5 |
| Specification | | |
| Agitator Motor Power (HP) | 1/3 | 1/3 (with 5:7 reducer) |
| Paddle Length (MM) | 550 | 790 |
| Paddle Fan Diameter (MM) | 100 | 162 |
| Air Pressure (Bar) | | 6 |
| Air Consumption (L/Min) | 19 | 16 |
| No Load Speed (Rpm) | 2780 | 556 |
| Unit Dimension (LxWxH) (CM) | 53.5x45.5x74.5 | 30x16.5x107.5 |
| Gross Weight (Kg) | 7.8 | 9 |
| Net Weight (Kg) | 9 | 10 |

VISCOSITY CUP, SAND BLASTING, AIRLESS PISTON PUMP and AIRLESS DIAPHRAGM PUMP

VISCOSITY CUP



| | |
|------------------------------------|----------------------------|
| Article No | KW1200050 |
| Description | Viscosity Cup Professional |
| Specification | |
| Application | Painting |
| Volume (cc) | 36 |
| Hole Inside diameter (ID) (mm) | 3.81 ± 0.05 |
| Ideal Testing range (Mpa.s) (sec) | 10 ~ 60 |
| Dimension (LxWxH) (cm) | 26 x 7 x 5 |
| Weight (kg) | 0.31 |

SAND BLASTING MACHINE



KW1200169



KW1200170



Features:

Krisbow offers a wide range of efficient standard - injection - and pressure blasting cabins. All cabins are universal applicable for cleaning, derusting, descaling, hardening, burring, roughening, consolidating, polishing, and suitable for all abrasives. The charging is done over a front door or side doors. At our heavy cabins a crane or fork lift charging is also possible

| Article No | KW1200169 | KW1200170 |
|------------------------|-----------------------|----------------------------------|
| Description | Sand Blasting Machine | Sand Blasting Machine with stand |
| Specification | | |
| Air Hose (cm) | | 70 |
| Sand Hose (cm) | | 65 |
| Nozzle Size (mm) | | 5 (ceramic) |
| Working Space (cm) | 58 x 48 x 35 | 86 x 55.5 x 55.5 |
| Dimension (LxWxH) (cm) | 58.5 x 48.5 x 49 | 89 x 56 x 138 |
| Weight (kg) | 20 | 51 |

SAND BLASTING KIT



| | |
|-------------------------|-------------------|
| Article No. | KW1200252 |
| Description | Sand Blasting Kit |
| Specification | |
| Hose Length (m) | 3 |
| Air Consumption (ℓ/min) | 150 |
| Nozzle Size (mm) | 6 |
| Pipe Length (mm) | 310 |
| Air Orifices (mm) | 2/3 |
| Dimension (LxWxH) (cm) | 34 x 22 x 5 |
| Weight (kg) | 1 |

ROAD MARKING AIRLESS, AIRLESS PNEUMATIC PUMP and ELECTROSTATIC POWDER COATING

AIRLESS PISTON PUMP



Features :

Portable airless sprayer in hand-carrying type, equipped brushless motor smart controller & equipped high pressure piston pump

Content :

- 1 EA Airless Spray Gun
- 1 EA Extension Wand 50cm
- 1 EA Pressure Hose 15m
- 1 EA Suction Tube
- 1 EA Hand tool kit

| | |
|--------------------------|-----------------------------------|
| Article No. | 10193171 |
| Description | Airless Piston Pump 1050W 227 Bar |
| Specification | |
| Motor Power (W/HP) | 1050/1.4 |
| Voltage/Frequency (V/Hz) | 220/50 |
| Max. Flow (ℓ/min) | 2.6 |
| Max. Pressure (bar) | 227 |
| Suggest Nozzle (Inch) | 0.019 |
| Max. Nozzle (Inch) | 0.027 |
| Dimension (LxWxH) (cm) | 48 x 43 x 52 |
| Weight (Kg) | 21.5 |

AIRLESS DIAPHRAGM PUMP



Features :

Portable airless sprayer in hand-carrying type, equipped diaphragm pump, equipped 2-layers inlet filter & equipped hopper 5L

Content :

- 1 pc Airless Spray Gun
- 1 pc Extension Wand 50cm
- 1 pc Pressure Hose 15m
- 1 pc Suction Tube
- 1 pc Pressure Gauge
- 1 pc Easy Wearing Part
- 1 pc Hand Tool Kit

| | |
|--------------------------|--------------------------------------|
| Article No. | 10193172 |
| Description | Airless Diaphragm Pump 1100W 210 Bar |
| Specification | |
| Motor Power (W/HP) | 1100/1.5 |
| Voltage/Frequency (V/Hz) | 220/50 |
| Max. Flow (ℓ/min) | 2.1 |
| Max. Pressure (bar) | 210 |
| Suggest Nozzle (Inch) | 0.017 |
| Max. Nozzle (Inch) | 0.019 |
| Dimension (LxWxH) (cm) | 52 x 45 x 64 |
| Weight (Kg) | 31 |

ROAD MARKING AIRLESS



Features :

Equipped 2-airless spray guns, equipped digital display, engine support by Honda & equipped wheel for easy maneuverability

| | |
|------------------------------|---|
| Article No. | 10193761 |
| Description | Road Marking Airless 6HP 210 Bar Engine |
| Specification | |
| Motor Power (HP) | 6 |
| Working Flow Rate (ℓ/min) | 5.0 |
| Max. Tip Size (Inch) @ 2 Gun | 0.023 |
| Max. Pressure (bar) | 210 |
| Dimension (LxWxH) (cm) | 103 x 70 x 80 |
| Weight (Kg) | 127 |
| Stock Condition | Order by Request |

AIRLESS PNEUMATIC PUMP



Features :

Pressured air as the power, steady and reliable so that malfunction ratio is extremely low, pressure conversion ratio 30:1 & equipped trolley for easy movable

| | |
|------------------------------|--|
| Article No. | 10193762 |
| Description | Airless Pneumatic Pump 30:1 with Trolley |
| Specification | |
| Pressure conversion ratio | 30:1 |
| No-load displacement (L/min) | 6 |
| Inlet pressure (bar) | 3-6 |
| Air Consumption (ℓ/min) | 180-2000 |
| Cylinder diameter (mm/Inch) | 125/4.92 |
| Dimension (LxWxH) (cm) | 62 x 60 x 103 |
| Weight (Kg) | 52 |
| Stock Condition | Order by Request |

AIRLESS PNEUMATIC PUMP



Features :

Pressured air as the power, steady and reliable so that malfunction ratio is extremely low, pressure conversion ratio 45:1 & equipped trolley for easy movable



| | |
|------------------------------|--|
| Article No. | 10193763 |
| Description | Airless Pneumatic Pump 45:1 with Trolley |
| Specification | |
| Pressure Conversion Ratio | 45:1 |
| No-load displacement (L/min) | 13.8 |
| Inlet pressure (bar) | 3-6 |
| Air Consumption (L/min) | 220-2200 |
| Cylinder diameter (mm/Inch) | Φ220/8.7 |
| Dimension (LxWxH) (cm) | 62 x 60 x 113 |
| Weight (Kg) | 72 |
| Stock Condition | Order by Request |

RECIPROCATOR, AIRLESS SPRAY, TIP EXTENSION, TIP GUARD, and AIRLESS SPRAY GUN FILTER

AIRLESS SPRAY GUN EXCLUDE TIP



10193769



| | | |
|------------------------|-------------------------------|---|
| Article No. | 10193769 | Use For |
| Description | Airless Spray Gun Exclude Tip | |
| Specification | | |
| Dimension (LxWxH) (cm) | 25 x 15 x 25 | Airless Unit 10193171 ~ 10193172 and Airless Unit 10193761 ~ 10193763 |
| Weight (Kg) | 5 | |

Airless Spray Gun Repair Kit



10193773



10193775 - 10193782

| | | |
|------------------------|----------------------------------|----------------------------|
| Article No. | 10193773 | Use For |
| Description | Repair Kit For Airless Spray Gun | |
| Specification | | |
| Dimension (LxWxH) (cm) | 25 x 15 x 25 | Airless Spray Gun 10193769 |
| Weight (Kg) | 0.8 | |

| Article No | Description | Dimension (L x W x H) (cm) | Weight (Kg) | Use For |
|------------|--|------------------------------|-------------|----------------------------|
| 10193775 | Reversible Airless Spray Gun Tips Wtip-311 | 9 x 3 x 6 | 0.7 | Airless Spray Gun 10193769 |
| 10193776 | Reversible Airless Spray Gun Tips Wtip-313 | 9 x 3 x 6 | 0.7 | |
| 10193777 | Reversible Airless Spray Gun Tips Wtip-315 | 9 x 3 x 6 | 0.7 | |
| 10193778 | Reversible Airless Spray Gun Tips Wtip-411 | 9 x 3 x 6 | 0.7 | |
| 10193779 | Reversible Airless Spray Gun Tips Wtip-513 | 9 x 3 x 6 | 0.7 | |
| 10193780 | Reversible Airless Spray Gun Tips Wtip-515 | 9 x 3 x 6 | 0.7 | |
| 10193781 | Reversible Airless Gun Spray Tips Wtip-517 | 9 x 3 x 6 | 0.7 | |
| 10193782 | Reversible Airless Gun Spray Tips Wtip-519 | 9 x 3 x 6 | 0.7 | |

TIP EXTENSION



10193764 - 10193765

10193766



TIP GUARD



| | | |
|------------------------|---------------------------------|----------------------------|
| Article No. | 10193774 | Use For |
| Description | Tip Guard For Airless Spray Gun | |
| Specification | | |
| Dimension (LxWxH) (cm) | 10 x 7 x 7 | Airless Spray Gun 10193769 |
| Weight (Kg) | 1.5 | |

AIRLESS SPRAY GUN FILTER



| Article No. | 10193764 | 10193765 | 10193766 | Use For |
|--------------------------|---|---|-------------------------------------|----------------------------|
| Description | Tip Extension 60CM Straight Fixed Direction | Tip Extension 90CM Straight Fixed Direction | Tip Extension 60CM With Swivel Head | |
| Specification | | | | |
| Dimension (LxWxH) (cm) | 70 x 10 x 10 | 100 x 10 x 10 | 70 x 10 x 10 | Airless Spray Gun 10193769 |
| Weight | 2 | 4 | 2 | |

| Article No. | 10193770 | 10193771 | 10193772 | Use For |
|--------------------------|------------------------------------|--------------------------------------|-----------------------------------|----------------------------|
| Description | Gun Filter Mesh 60 White 10 Ea/Set | Gun Filter Mesh 100 Yellow 10 Ea/Set | Gun Filter Mesh 150 Red 10 Ea/Set | |
| Specification | | | | |
| Dimension (LxWxH) (cm) | 15 x 5 x 5 | | | Airless Spray Gun 10193769 |
| Weight (Kg) | 1 | | | |

HIGH PRESSURE HOSE



Features :

- Fiber, High pressure hose 10m, 1/4" NPS 3300Psi (22.8Mpa) (10193767)
- Fiber, High pressure hose 15m, 1/4" NPS 3300Psi (22.8Mpa) (10193768)

| Article No. | 10193767 | 10193768 |
|--------------------------|--|--|
| Description | High Pressure Hose Ø 6mm x 10m For Airless Spray Gun | High Pressure Hose Ø 6mm x 15m For Airless Spray Gun |
| Specification | | |
| Dimension (LxWxH) (cm) | 40 x 40 x 30 | 40 x 40 x 40 |
| Weight | 7 | 10 |

HIGH PRESSURE HOSE, POWDER COATING and ACCESSORIES

ELECTROSTATIC POWDER COATING



- Features :**
- Automatic mode for flat painting, angle and repainting process
 - Manual mode can be adjusted as needed

| | |
|----------------------------------|---------------------------------------|
| Article No. | 10193616/ JG0000019 |
| Description | Electrostatic Powder Coating PC19-800 |
| Specification | |
| Power (W/V/Hz) | 50/220/50 |
| Temperatur Range in Use (°C) | 0 – 50 |
| Gun Weight (Kg) | 0.5 |
| Max. Output Current (µa) | 180 |
| Max. Output Voltage (kV) | 100 |
| Max Powder (gr/min) | 600 |
| Max. Input Air Pressure (Bar) | 8 |
| Optimum Input Air Pressure (Bar) | 4 – 6 |
| Powder Hopper (L) | 50 |
| Dimension (LxWxH) (CM) | 60 x 80 x 113.5 |
| Weight (Kg) | 54 |

AUTOMATIC RECIPROCATOR



* Powder Coating Gun Not Include



- Features :**
- Japan mitsubishi inverter
 - Digital Inteligent model, 80 storable programs
 - Wheel back and forth movement - Travel 2 m (1,5 m/1,8 m/2,5m can be ordered)
 - Fouth automatic spray gun rods (Qty of the rods can be ordered)

| | |
|------------------------|---------------------------------------|
| Article No. | 10193760 |
| Description | Reciprocator 2M Travel F/ 4 Gun RT-26 |
| Specification | |
| Power (KW/V/Hz) | 750/220/50 |
| Sliding Range (m) | 2 |
| Sliding Speed | 5 – 30m/min |
| Dimension (LxWxH) (cm) | 50 x 50 x 230 |
| Weight (Kg) | 54 |

POWDER COATING GUN and ACCESSORIES



10010395



10198233-10198234



10198231-10198236



| Article No | Description | Dimension (L x W x H) (cm) | Weight (Kg) | Use For |
|------------|--------------------|------------------------------|-------------|---------------------------------------|
| 10010395 | Powder Coating Gun | 32 x 27.7 x 49 | 1.2 | Electrostatic Powder Coating PC19-800 |
| 10198233 | Flat Jet Nozzle | 4 x 4 x 8 | 0.4 | |
| 10198234 | Round Jet Nozzle | 4 x 4 x 8 | 0.5 | |
| 10198231 | Deflector 16mm | 4 x 1.6 x 1.6 | 0.25 | |
| 10197050 | Deflector 18mm | 4 x 1.8 x 1.8 | 0.3 | |
| 10197051 | Deflector 25mm | 4 x 2.5 x 2.5 | 0.35 | |
| 10198236 | Insert Sleeve | 3 x 3 x 4 | 0.3 | |

KRISBOW®

The Right Product at The Right Price

Download Our APP!



Distributed by: