

KRISBOW®

POWER TOOL



SCAN

FOR OUR LATEST VIDEO



SCAN

FOR BROCHURE & CATALOG



SCAN

FOR OUR STORE LOCATION

CORDLESS

CORDLESS SCREWDRIVER

Li-ion Tech.

BMC



Features :

- 2 position twist handle mechanism
- LED and battery indicator lamp
- Lithium-ion battery

Standard Accessories: :

- 27 Pcs Screwdriver Bits
- 8 Pcs Socket Bits
- 2 Pcs Hss Twist Drill Bits
- 1 Pc Bit Holder

Article No	10109266
Model No.	IRCS362
Description	Cordless Screwdriver 3.6V With BMC
Specification	
Head of Screwdriver (inch)	1/4
No. Load Speed (rpm)	200
Max. Torque (NM)	3
Battery Power (VDC)	3.6
Battery Type	Lithium Ion
Dimension L x W x H (mm)	180 x 50 x 150/50
Weight (g)	430

CORDLESS SCREWDRIVER 4V STRAIGHT

Li-ion Tech.



Features :

- Available USB Recharge
- Soft grip for superior Comfort and Control
- Lithium-ion battery

Standard Accessories: :

- 1 Pc Bit Holder
- 24 Pcs Screwdriver Bits

Article No	10434756
Model No.	IRCS4
Description	Cordless Screwdriver 4V Straight
Specification	
Head of Screwdriver (inch)	1/4
No Load Speed (rpm)	341
Max. Torque (NM)	5
Battery Power (VDC)	4
Battery Type	Lithium Ion
Dimension L x W x H (mm)	215 x 115 x 50
Weight (g)	700

CORDLESS GLUE GUN

Li-ion Tech.



Features :

- Fast heat 15 ~ 30 second
- Heat and battery indicator lamp
- Lithium-ion battery

Article No	10205884
Model No.	IRCG4
Description	Cordless Glue Gun 4V 1.5AH
Specification	
Glue Stick Diameter (mm)	7.2
Pre Heat Time	15 - 30 Sec
Battery Power (VDC)	4
Battery Type	Lithium Ion
Dimension L x W x H (mm)	170 x 65 x 120
Weight (g)	700

CORDLESS IMPACT DRILL

Li-ion Tech.

12V



Optional Accessories :

Battery Pack 12V 1.5Ah



10133880

Standard Accessories



Features :

- 2 stage speed gear
- Drilling function switch (drill/impact drill)
- Variable speed

Standard Accessories :

- 6 Pcs HSS Twist Drill Bits
- 6 Pcs Screwdriver Bits
- 1 Pc Bit Holder

Article No	10134723	
Model No.	IRCIDI21	
Description	Cordless Impact Drill 10mm 12V	
Specification		
Chuck Capacity (mm)	10 (Keyless Chuck)	
Max. Drilling	Ø Concrete (mm)	10
	Ø Steel (mm)	10
	Ø Wood (mm)	18
No Load speed	Speed 1 (rpm)	0 - 350
	Speed 2 (rpm)	0 - 1300
Torque (NM)	15 - 27	
Battery Power (VDC)	12	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	410 x 100 x 300	
Weight (g)	3500	

CORDLESS IMPACT DRILL SET

Li-ion Tech.

12V



Standard Accessories :

- 2 Pcs Screwdriver
- 10 Pcs 50mm (L) 1/4" Screwdriver Bits
- 1 Pc Bit Holder
- 1 Pc Utility Knife

- 1 Pc Combination Plier
- 1 Pc Claw Hammer
- 1 Pc Measuring Tape
- 5 Pcs Twist Drill Bits

Optional Accessories :

Battery Pack 12V 1.5Ah



10133880

Features :

- 2 stage speed gear
- Drilling function switch (drill/impact drill)
- Variable speed

Article No	10434920	
Model No.	IRCIDS121	
Description	Cordless Impact Drill Set 12V	
Specification		
Chuck Capacity (mm)	10 (Keyless Chuck)	
Max. Drilling	Ø Concrete (mm)	10
	Ø Steel (mm)	10
	Ø Wood (mm)	18
No Load speed	Speed 1 (rpm)	0 - 350
	Speed 2 (rpm)	0 - 1300
Torque (NM)	15 - 27	
Battery Power (VDC)	12	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	410 x 100 x 300	
Weight (g)	4200	

CORDLESS MINI GRINDER

Li-ion Tech.

12V



Optional Accessories :

Battery Pack 12V 1.5Ah



10133880

Standard Accessories



Features :

- Variable speed
- Rubber overmolded grips for maximum control
- Lithium-ion battery

Standard Accessories :

- 4 Pcs Felt Wheel
- 1 Pc Aluminum oxide grinding wheel
- 4 Pcs Sanding Belt
- 1 Pc Sanding Shank

Article No	10085873	
Model No.	IRCG121	
Description	Cordless Mini Grinder	
Specification		
Collet Size (mm)	3	
Variable Speed (rpm)	5000 - 18000	
Battery Power (VDC)	12	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	260 x 70 x 220	
Weight (g)	1200	

CORDLESS SANDER



Li-ion Tech.

12V

Optional Accessories :
Battery Pack 12V 1.5Ah



10133880

Standard Accessories



3 Pcs Sandpaper

Features :

- With dust filter box and vacuum adaptor
- Compact and light weight design
- Anti slip softgrip

Article No	10124007
Model No.	IRCS12
Description	Cordless Sander 12V
Specification	
Pad Size (mm)	135 x 135 x 95 (Hook and Loop)
Variable Speed (rpm)	5000 - 18000
Battery Power (VDC)	12
Battery Type	Lithium Ion
Dimension L x W x H (mm)	215 x 100 x 120
Weight (g)	760

CORDLESS DUAL FUNCTION SAW



Li-ion Tech.

12V

Optional Accessories :
Battery Pack 12V 1.5Ah



10133880

Standard Accessories



2 Pcs Jig Saw Blade

Features :

- Reciprocating Saw plus Jig Saw for different requirements
- With Fast Release Blade
- Anti Slip Soft Grip

Article No	10124008	
Model No.	IRCD12	
Description	Cordless Dual Function Saw 12V	
Specification		
Cutting Depth Capacity	Wood (mm)	20
	Steel (mm)	2
	PVC (mm)	16
Shank type	T-shank	
Stroke Length (mm)	14	
No Load Speed (rpm)	600 - 2500	
Blade Holder Type	Fast Release Blade	
Battery Power (VDC)	12	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	285 x 60 x 150	
Weight (g)	1148	

CORDLESS MULTI CUTTER



Li-ion Tech.

12V

Optional Accessories :
Battery Pack 12V 1.5Ah



10133880

Optional Accessories :
Accessories 40 Pcs
For Multi Cutter



10131469

Features :

- Compact & Light Weight Design
- Equipped with Variable Speed & Anti Slip Soft Grip
- Fast Change Blade System for Sanding Pad, Scraper & Saw Blade

Article No	10124009	
Model No.	IRCM12	
Description	Cordless Multi Cutter 12V	
Specification		
No Load Speed (Per-minute)	5000 - 15000	
Oscillation Angle (°)	2.8°	
Battery Power (VDC)	12	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	265 x 50 x 90	
Weight (g)	940	

Article No	10131469	
Model No.	IRAMC1	
Description	Accessories 40 pcs for Multi Cutter	
Specification		
Dimension L x W x H (mm)	280 x 255 x 45	
Weight (g)	695	

CORDLESS IMPACT DRILL

Li-ion Tech.

18V



Standard Accessories



Features :

- 2 stage speed gear
- Drilling function switch (drill/impact drill)
- Variable speed

Standard Accessories :

- 6 Pcs HSS Twist Drill Bits
- 6 Pcs Screwdriver Bits
- 1 Pc Bit Holder

Article No	10085869	
Model No.	IRCID181	
Description	Cordless Impact Drill 13mm 18V	
Specification		
Chuck Capacity (mm)	13 (Keyless Chuck)	
Max. Drilling	Ø Concrete (mm)	13
	Ø Steel (mm)	10
	Ø Wood (mm)	38
No Load speed	Speed 1 (rpm)	0 - 350
	Speed 2 (rpm)	0 - 1200
Torque (NM)	22 - 35	
Battery Power (VDC)	18	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	395 x 120 x 320	
Weight (g)	4000	

Optional Accessories :

Battery Pack 18V 2Ah

Battery Pack 18V 4Ah



10133879



10207847

CORDLESS MULTI HEAD

Li-ion Tech.

18V



Features :

- Multifunctional power head with multiple attachment
- Battery indicator LED Lamp
- Lithium - ion battery

Article No	10453556		
Model No.	IRCMH01		
Description	Cordless Multi Head 18 V		
Specification			
Impact Drill Head	Keyless Chuck Capacity (mm)	10	
	Max drilling Ø	Concrete (mm)	6
	No Load Speed (rpm)	Steel (mm)	8
	Torque (NM)	Wood (mm)	13
	No load speed (rpm)		0 - 350 / 0 - 1200
Jigsaw head	Torque (nm)		25
	Cutting Capacity	Wood (mm)	35
		Steel (mm)	3
	Stroke length (mm)		14
Oscillating Tool Head	No load speed (spm)		0 - 2300
	Oscillating Angle°		2.8
Air pump head	No load speed (rpm)		0 - 16000
	Maximum pressure (Psi)		120
Dimension L x W x H (mm)		255 x 180 x 250	
Weight (g)		4200	

Optional Accessories :

Battery Pack 18V 2Ah

Battery Pack 18V 4Ah



10133879



10207847

CORDLESS IMPACT WRENCH SQ

Li-ion Tech.



18V

Optional Accessories :

Battery Pack 18V 2Ah



10133879

Battery Pack 18V 4Ah



10207847

Standard Accessories



Features :

- Adjustable torque
- Comfortable & anti slip soft grip
- Equipped LED light

Standard Accessories :

- 2 Pcs Impact Socket bits 19mm
- 2 Pcs Impact Socket bits 21mm
- 1 Pc Battery Charger

Article No	10450273
Model No.	IRCIWB18
Description	Cordless Impact Wrench SQ 1/2" 18V
Specification	
Square Drive (inch)	1/2
Impact Rate (ipm)	0 - 3300
No Load Speed (rpm)	0 - 2200
Torque (NM)	100 / 150 / 200 / 350 / 400
Fastening Capacity Standart Bolt	M8 - M16
Fastening Capacity High Tensile Bolt	M8 - M12
Battery Power (VDC)	18
Battery Type	Lithium Ion
Dimension L x W x H (mm)	310 x 95 x 260
Weight (g)	3360

CORDLESS JIG SAW

Li-ion Tech.



18V

Optional Accessories :

Battery Pack 18V 2Ah



10133879

Battery Pack 18V 4Ah



10207847

Standard Accessories



Features :

- Fast change blade with die cast aluminum base
- Laser light
- Pendulum action

Standard Accessories :

- 2 Pcs T Shank Jig Saw Blade
- 1 Pc L-Key
- 1 Pc Ruler
- 1 Pc Vacuum Connector

Article No	10219814	
Model No.	IRCJS18	
Description	Cordless Jig Saw 45mm 18V	
Specification		
Cutting Capacity	Wood (mm)	45
	Steel (mm)	6
Shank Type	T-Shank	
Cutting Angle	0° - 45° (Left & Right)	
Stroke Length (mm)	25.4	
No Load Speed (Spm)	0 - 2400	
Blade Holder Type	Fast Release Blade	
Battery Power (VDC)	18	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	330 x 100 x 210	
Weight (g)	3500	

CORDLESS CIRCULAR SAW

Li-ion Tech.



18V

Optional Accessories :

Battery Pack 18V 2Ah



10133879

Standard Accessories



Features :

- Equipped With Front & Rear Handles for Maximum Control and Comfort
- Equipped With Aluminum Base
- Bevel Capacity 45°

Standard Accessories :

- 1 Pc Ruler
- 1 Pc Vacuum Connector
- 1 Pc Battery Charger

Article No	10205885	
Model No.	IRCCS18	
Description	Cordless Circular Saw 165mm 18V	
Specification		
Blade Diameter (mm)	165	
Hole Size (mm)	16	
Max Cutting Depth	90° (mm)	50
	45° (mm)	35
Bevel Capacity	45°	
No Load Speed (rpm)	3650	
Battery Power (VDC)	18	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	350 x 200 x 250	
Weight (g)	1200	

DRILL



ELECTRIC DRILL and IMPACT DRILL



KW0701001

KW0701000

10205883

- Features :**
- Variable Speed
 - Soft in line grip

Article No	KW0701001	KW0701000	10205883
Model No.	IRD10	IRID131	IRID132
Description	Electric Drill 10mm 400W	Impact Drill 13mm 650W	Impact Drill 13mm 850W 2-Speed
Specification			
Max. Drilling In Steel / Wood / Concrete (mm)	10 / 10 / Not Available	13 / 25 / 13	13 / 30 / 16
Input Power (W / V / Hz)	400 / 220 / 50	650 / 220 / 50	850 / 220 / 50
No. Load Speed (rpm)	0 – 2900	0 - 3000	0 - 2800 / 0 - 1100
Dimension L x W x H (mm)	220 x 60 x 175	300 x 70 x 230	365 x 85 x 260
Weight (g)	1500	2200	3600

IMPACT DRILL SET



10546881

10086697

- Features :**
- Variable Speed
 - Soft in line grip

Standard Accessories 10064703 :

- 5 pcs Masonry Drill Bits
- 9 pcs Twist Drill Bits
- 5 pcs Grinding Stones

Standard Accessories 10086697 :

- 1 pc Two way Screwdriver
- 1 pc Bit Extension
- 10 pcs Screwdriver Bits Plus Adapter
- 1 pc Spirit Level
- 1 pc Diagonal Cutting Plier
- 1 pc Combination Plier
- 5 pcs Combination Wrench
- 1 pc Adjustable Wrench
- 1 pc Measuring Tape 3M
- 1 pc Claw Hammer
- 1 pc Utility Knife
- 5 pcs Masonry Drill Bits
- 5 pcs Twist Drill Bits
- 1 pc Center Pin
- 1 pc Counter Sink Hexagonal ¼"

Article No	10546881	10086697
Model No.	IRIDS133	IRIDS132
Description	Impact Drill Set 13Mm 500W	Impact Drill Set 13Mm 600W
Specification		
Max. Drilling In Steel / Wood / Concrete (mm)	10 / 20 / 13	10 / 25 / 13
Input Power (W / V / Hz)	500 / 220-230 / 50	600 / 220 / 50
No. Load Speed (rpm)	0 - 3100	0 - 3100
Dimension L x W x H (mm)	280 x 65 x 195	410 x 100 x 300
Weight (g)	1900	5400



ROTARY HAMMER DRILL



10522084



10152243



Features :

- Equipped with operation mode selection switch
- Equipped with forward / reverse function lever (10522084)
- Equipped with active vibration control (10152243)

* Drill Bit not Include for 10152243

Article No	10522084	10152243
Model No.	IRRH261	IRRH32
Description	Rotary Hammer Drill 26mm 720W	Rotary Hammer Drill 32mm 1100W
Specification		
Max. Drilling In Steel / Wood / Concrete (mm)	13 / 30 / 26	13 / 40 / 32
Input Power (W / V / Hz)	720 / 220 / 50	1100 / 220 / 50
No. Load Speed (rpm)	1300	450
Impact Energy (J)	3	1 - 9
Impact Rate (bpm)	4500	4200
Dimension L x W x H (mm)	374 x 110 x 188	420 x 110 x 250
Weight (g)	2700	5700

DEMOLITION HAMMER



Standard Accessories

Features :

- Anti Vibration System
- Metal Housing & Gear Box
- 360° Auxillary Handle

Standard Accessories :

- 1 pc Hexagonal chisel Point
- 1 pc Hexagonal Chisel flat
- 1 pc Grease Tube

Article No	10511052
Model No.	IRDH281
Description	Demolition Hammer Hex 28mm 1600W
Specification	
Chisel Shank (mm)	28
Input Power (W / V / Hz)	1600 / 220 / 50
Impact Energy (J)	55
Impact Rate (bpm)	1450
Dimension L x W x H (mm)	885 x 195 x 360
Weight (g)	28000



GRINDER



ANGLE GRINDER



10060942



10060943



10060944



Features :

- High efficient motor provides best performance
- Spindle lock for quick and easy depressed center wheel changes
- Compact and lightweight design makes any task easier

Article No	10060942	10060943	10060944
Model No.	IRAG41	IRAG42	IRAG7
Description	Angle Grinder 100mm 540W	Angle Grinder 100mm 710W	Angle Grinder 180mm 2000W
Specification			
Max. Wheel Diameter (mm)	100		180
Hole Diameter of Wheel (inch)	5/8		7/8
Input Power (W/V/Hz)	540 / 220 / 50	710 / 220 / 50	2000 / 220 / 50
No. Load Speed (rpm)	12000	11000	8500
Dimension L x W x H (mm)	260 x 75 x 90	263 x 78 x 92	490 x 105 x 140
Weight (g)	2200	2500	5500



MINI GRINDER



10107082



KW0701037



10107083

Contents 10107082 :

- 1 pc Mini Grinder
- 10 pcs Grinding Stone
- 1 pc Cloth Wheel 25.4x3.2 mm
- 2 pcs Diamond Bit
- 1 pc Mandrel for Sanding Bands
- 1 pc Mandrel for Felt Wheels
- 1 pc Mandrel for Cut Off Wheels
- 8 pcs Cut Off Wheel
- 4 pcs Felt Wheels
- 2 pcs Sanding Bands
- 2 pcs Drill Bits
- 2 pcs Collet
- 1 pc Whet Stone
- 3 pcs Sanding Paper
- 1 pc Spanner
- 1 pc Height Adjustable Stand

Contents KW0701037 :

- 1 pc Mini Grinder
- 15 pcs Sanding Band : 6.35x12.7 mm
- 15 pcs Sanding Band : 12.7x12.7 mm
- 1 pc Cloth Wheel
- 1 pc Felt Wheel : 25.4x6.35 mm
- 4 pcs Felt Wheel : 12.7x9.5 mm
- 1 pc Felt Wheel Point
- 1 pc Rubber Emery Wheel
- 3 pcs Polished HSS Twist Drills
- 1 pc Sanding Shank : 12.7x12.7 mm
- 1 pc Sanding Shank : 6.35x12.7 mm

- 4 pcs Diamond Cutter
- 3 pcs HSS Cutter
- 6 pcs Aluminium Oxide Grinding Wheel With Shank
- 4 pcs Aluminium Oxide Grinding Wheel
- 4 pcs Silicon Carbide Grinding Wheel With Shank
- 4 pcs Silicon Carbide Grinding Wheel
- 2 pcs Nylon Brush
- 3 pcs Stainless Steel Brush
- 2 pcs Brass Brush
- 1 pc Polish Compound
- 35 pcs Cut Off Wheel Heavy Duty
- 47 pcs Cut Off Wheel Regular
- 4 pcs Collet Chrome Plated
- 2 pcs Mandrel for Cut Off Wheel
- 1 pc Mandrel for Cloth Wheel
- 1 pc Mandrel for Felt Wheel
- 2 pcs Cut Off Wheel Fibre Glass
- 1 pc Wrench
- 1 pc Flap Wheel
- 1 pc Dressing Stone

Contents 10107083 :

- 1 pc Mini Grinder
- 1 pc Flexible Shaft, Stand and Clamp
- 10 pcs Sanding Band
- 1 pc Cloth Wheel 25.4x3.2 mm
- 5 pcs Felt Wheel
- 1 pc Felt Wheel Point 10x19 mm
- 1 pc Rubber Emery Wheel
- 2 pcs Sanding Shank
- 1 pc Diamond Disc
- 11 pcs Diamond Cutter
- 4 pcs HSS Twist Drill (3.2*2, 2.4, 1.6 mm)
- 1 pc HSS Cutter
- 6 pcs Aluminium Oxide Grinding Wheel With Shank
- 6 pcs Aluminium Oxide Grinding Wheel
- 4 pcs Silicon Carbide Grinding Wheel With Shank
- 6 pcs Silicon Carbide Grinding Wheel
- 5 pcs Brush
- 1 pc Polish Compound
- 66 pcs Cut Off Wheel
- 68 pcs Sanding Disc
- 4 pcs Collet Chrome Plated (3.2*2, 2.4, 1.6 mm)
- 4 pcs Mandrel
- 5 pcs Cut Off Wheel Fibre Glass 32x1.2 mm
- 1 pc Wrench 9.5mm
- 1 pc Flap Wheel 32x9.5 mm

- 1 pc Dressing Stone SI Carbide 25.4x9.5 mm
- 6 pcs Silicon Carbide Grinding Wheel
- 5 pcs Brush
- 1 pc Polish Compound
- 66 pcs Cut Off Wheel
- 68 pcs Sanding Disc
- 4 pcs Collet Chrome Plated (3.2*2, 2.4, 1.6 mm)
- 4 pcs Mandrel
- 5 pcs Cut Off Wheel Fibre Glass 32x1.2 mm
- 1 pc Wrench 9.5 mm
- 1 pc Flap Wheel 32x9.5 mm
- 1 pc Dressing Stone SI Carbide 25.4x9.5 mm

Features :

- Compact & light weight design
- Comfortable & anti slip soft grip
- Low power, suitable for home application

Article No	10107082	KW0701037	10107083
Model No.	IRDGS1	IRDGS2	IRDGS
Description	Mini Grinder With Accessories 40 Pcs	Mini Grinder With Accessories 172 Pcs	Mini Grinder With Accessories 217 Pcs
Specification			
Chuck Collet Size (mm)	3.2	3	3.2
Input Power (W/V/Hz)	135 / 220 / 50	130 / 220 / 50	135 / 220 / 50
No. Load Speed (rpm)	10000 - 32000	8000 - 30000	10000 - 32000
Dimension L x W x H (mm)	300 x 120 x 50	310 x 270 x 60	350 x 230 x 90
Weight (g)	620	1600	2100

OPTIONAL ACCESSORIES:

Rotary Accessories
70 pcs

Rotary Accessories
238 pcs

Flexible Shaft



KW0701038



KW0701039



KW0701279

Article No	Description	Model No.	Dimension (mm)	Weight (g)
KW0701038	Rotary Accessories Set 70 pcs	IRARTS1	130 x 30 x 230	300
KW0701039	Rotary Accessories Set 238 pcs	IRARTS2	310 x 210 x 70	580
KW0701279	Flexible Shaft for KW0701036, KW0701037	IRAFS1	315 x 140 x 30	300

DIE GRINDER


* Grinding stone not include

Features :

- Long neck & compact design
- High speed 27000 Rpm for working effectively
- Rubber over molded grips for maximum control

Article No	KW0700845
Model No.	IRDG62
Description	Die Grinder 6mm 400W
Specification	
Chuck Collet Size (mm)	6
Input Power (W/V/Hz)	400 / 220 / 50
No. Load Speed (rpm)	27000
Dimension L x W x H (mm)	440 x 105 x 115
Weight (g)	2000

STRAIGHT GRINDER


* Grinding stone not include

Features :

- Long neck & compact design
- High speed 5300 Rpm for working effectively
- Rubber over molded grips for maximum control

Article No	KW0700856
Model No.	IRSG1
Description	Straight Grinder 125mm 710W
Specification	
Max. Wheel Diameter (mm)	125
Hole Diameter Of Wheel (mm)	20
Input Power (W/V/Hz)	710 / 220 / 50
No. Load Speed (rpm)	5300
Dimension L x W x H (mm)	400 x 145 x 145
Weight (g)	2300

BENCH GRINDER

Features :

- High quality on / off rocker switch for durability
- Equipped with flexible shaft grinder
- Equipped with eye shield for safety

Article No	KW0700939
Model No.	IRBG1
Description	Bench Grinder 1/15HP With Flexible Shaft
Specification	
Wheel Size (mm)	Ø 75 x 13 x Ø 12.7
Input Power (W/V/Hz)	50 / 220 / 50
No. Load Speed (rpm)	2850
Dimension L x W x H (mm)	160 x 130 x 150
Weight (g)	2050

POLISHER

ANGLE POLISHER



KW0700655



KW0700803



KW0700852



Features :

- Lock on / off knob is for easy operation
- Unit with variable speed is equipped for efficient working condition
- Spindle lock for easy disc replacement

Standard Accessories :

- 1 pc Wool Buffing Pad 5" (KW0700655)
- 1 pc Wool Buffing Pad 7" (KW0700803, KW0700852)

Article No	KW0700655	KW0700803	KW0700852
Model No.	IRAP5	IRAP7	IRSP7
Description	Angle Polisher 125mm 600W	Angle Polisher 180mm 1300W	Sander Polisher 180mm 570W
Specification			
Pad Size	125 mm	180 mm	
Input Power (W/V/Hz)	600 / 220 / 50	1300 / 220 / 50	570 / 220 / 50
No. Load Speed (rpm)	1200 - 5000	600 - 3000	1000 - 2400
Dimension L x W x H (mm)	260 x 85 x 205	450 x 95 x 120	225 x 100 x 240
Weight (g)	2000	3350	2800

WOOL POLISHING PAD



KW0700966



KW0700967

Material KW0700966/KW0700967:

- Applicable for car body or car interior polishing



Article No	Description	Model No.	Dimension (inch)	Weight (g)
KW0700966	Wool Buffing Pad	IRAWP5	5	100
KW0700967	Wool Buffing Pad	IRAWP7	7.5	150

SANDER



SANDER and PALM SANDER



10107081



10144922

Features :

- Easy to fitting and removal of sand paper
- Ergonomic handle for maximum control

Article No	10107081	10144922
Model No.	IRS93	IRPS1
Description	Sander 93 x 185mm 220W	Palm Sander 114 x 105mm 210W
Specification		
Pad Size (mm)	93 x 185	114 x 105
Input Power (W/V/Hz)	220 / 220 / 50	
No. Load Speed (rpm)	12000	
Dimension L x W x H (mm)	185 x 93 x 170	160 x 160 x 115
Weight (g)	2000	1330



Optional Accessories :
Hand Sandpaper



10082224-10082227

ORBITAL SANDER



Features :

- Self vacuum
- Variable speed
- Low vibration

Article No	10427999
Model No.	IROS1
Description	Orbital Sander 125MM 300W
Specification	
Pad Size (mm)	125
Input Power (W / V / Hz)	300 / 220 / 50
No. Load Speed (rpm)	4000 - 12000
Dimension L x W x H (mm)	185 x 165 x 130
Weight (g)	1800

BELT SANDER



Optional Accessories :
Sandbelt



10082702-10082704

Features :


- Equipped with variable speed for working more effective and efficient
- Equipped with front and rear handles for maximum control and comfort
- Easy to change of sandpaper belt

Article No	10151866
Model No.	IRBS1
Description	Belt Sander 533 x 76mm 810W
Specification	
Sanding Belt Size (mm)	533 x 76
Input Power (W / V / Hz)	810 / 220 / 50
No. Load Speed (rpm)	200 - 380
Dimension L x W x H (mm)	315 x 150 x 160
Weight (g)	3300



DRYWALL SANDER

**Optional Accessories :
Sandpaper**



10082702-10082704

Standard Accessories:



Features :

- Extend the length by turning the screw nut
- Able to joined with dust vacuum cleaner unit
- Double insulation system

Standard Accessories :

- 3 pcs Vacum Connector
- 1 pc Vacuum Hose
- 1 pc Screwdriver
- 1 pc Additional Handle
- 2 pcs Sandpaper

Article No	KW0701782
Model No.	IRDS2
Description	Drywall Sander 225mm 600W with Handle
Specification	
Sanding Pad Diameter (mm)	215
Sanding Paper Diameter (mm)	225
Input Power (W/V/Hz)	600 / 220 / 50
No. Load Speed (rpm)	0 - 1000
Tube Diameter (mm)	32
Short-length without additional tube (mm)	1230 / 1650
Long-length with additional tube (mm)	2200
Dimension L x W x H (mm)	715 x 225 x 260
Weight (g)	5200



**Optional Accessories :
Sandpaper**



10082702-10082704

Standard Accessories:



Features :

- Flexible sanding for convenient operation on non-smooth wall
- Self vacuum system
- Double insulation system

Standard Accessories :

- 1 pc Carbon Brush
- 1 pc Dust Bag
- 1 pc Belt
- 1 pc Hose
- 1 pc Additional Handle
- 2 pcs Sandpaper

Article No	KW0701783
Model No.	IRDS1
Description	Drywall Sander 225mm 1220W
Specification	
Sanding Pad Diameter (mm)	215
Sanding Paper Diameter (mm)	225
Input Power (W/V/Hz)	1220 / 220 / 50
No. Load Speed (rpm)	1500 - 2300
Tube Diameter (mm)	32
Dimension L x W x H (mm)	290 x 330 x 250
Weight (g)	3050



BURNISHING MACHINE



Features :

- Effective and suitable for flat form surface sanding and burnishing process
- Equipped with variable speed
- Easy to control and change a carbon brush

Article No	10107913
Model No.	IRBM12
Description	Burnishing Machine 120 x 100mm 1400W
Specification	
Wheel Size (mm)	120 x 100
Input Power (W/V/Hz)	1400 / 220 / 50
No. Load Speed (rpm)	690 - 3800
Dimension L x W x H (mm)	400 x 220 x 180
Weight (g)	4800

Optional Accessories :

Sandpaper sleeve

Surface conditioning sleeve



KW0700822-KW0700824

10229006

PLANNER



Standard Accessories :



Features :

- Equipped with adjustable cutting depth
- Large depth of cut control to provide
- Easy adjustment and acts as second handle for greater control

Standard Accessories :

- 1 pc Ruler
- 1 pc Blade Holder
- 1 pc Dust Bag
- 1 pc T-Socket

Article No	10458915
Model No.	IRP8203
Description	Planner 82 x 3mm 850W
Specification	
Max. Planing Width & Depth (mm)	82 & 3
Input Power (W/V/Hz)	850 / 220 / 50
No. Load Speed (rpm)	16000
Dimension L x W x H (mm)	375 x 180 x 205
Weight (g)	3390

ROUTER and TRIMMER



KW0701010



10107914

Features :

- Equipped with adjustable speed for greater range of applications and flexibility with different size cutter
- Equipped with adjustable plunge depth
- Equipped with lock on / off knob for easy operation

Article No	KW0701010	10107914
Model No.	IRR14	IRT14
Description	Router 1/4" & 8mm 1200W	Trimmer 1/4" & 6mm 530W
Specification		
Collet Diameter (inch & mm)	1/4" & 8	1/4" & 6
Input Power (W/V/Hz)	1200 / 220 / 50	530 / 220 / 50
No. Load Speed (rpm)	28000	35000
Dimension L x W x H (mm)	295 x 145 x 255	120 x 120 x 250
Weight (g)	3500	2500



SAW

JIG SAW



Standard Accessories :
T-Shank Jig Saw Blade

10082126

10082124-10082125

Features :

- Variable speed for maximum precision in all application
- Fast release blade
- Pendulum action

Article No	KW0700999	KW0700855
Model No.	IRJS65	IRJS85
Description	Jig Saw 65mm 570W	Jig Saw 85mm 580W
Specification		
Max Cutting Depth Wood (mm)	65	85
Max Cutting Depth Steel (mm)	8	10
Shank Type	T-Shank	
No. Load Speed (rpm)	500 – 3000	500 – 3100
Input Power (W/V/Hz)	570 / 220 / 50	580 / 220 / 50
Dimension L x W x H (mm)	215 x 80 x 205	260 x 85 x 205
Weight (g)	2000	2700

CIRCULAR SAW



Features :

- Soft grip " D " handle for great control and comfort
- Equipped with depth control lever
- Spindle lock for quick and easy blade changes

Article No	10130795
Model No.	IRCS3
Description	Circular Saw 185mm 1300W
Specification	
Blade Size (mm)	185
Hole Size (mm)	20
Max Cutting Depth 90°(mm)	65
Max Cutting Depth 45°(mm)	40
No. Load Speed (rpm)	5000
Input Power (W/V/Hz)	1300 / 220 / 50
Dimension L x W x H (mm)	350 x 260 x 250
Weight (g)	5600

MINI PLUNGE



Standard Accessories :

- 1 pc Diamond Blade 89mm
- 1 pc HSS Blade 89mm
- 1 pc TCT Blade 89mm
- 1 pc Guide Fence
- 1 pc Dust Extraction Hose
- 1 pc Inner Hexagon Wrench

Features :

- Equipped with safety button
- Laser light for guidance during operation
- Depth indicator

Article No	10033099
Model No.	IRPS89
Description	Mini Plunge Saw 89 mm 600W
Specification	
Blade Size (mm)	89
Hole Size (mm)	10
Max. Cutting Depth Soft Wood / Tile / Aluminium (mm)	28.5 / 8 / 3
No. Load Speed (rpm)	5500
Input Power (W/V/Hz)	600 / 220 / 50
Dimension L x W x H (mm)	400 x 100 x 130
Weight (g)	3200

MITRE BASE FOR MINI PLUNGE


Article No	10041896
Model No.	IRAMB
Description	Mitre Base for Mini Plunge Saw 89mm
Specification	
Dimension L x W x H (mm)	450 x 70 x 180
Weight (g)	1830

RECIPROCATING SAW


Optional Accessories :
Recipro Cutting Saw Blade



10082222 - 10082223



10082130, 10082221


Features :

- Variable speed for maximum precision in all application
- Effective and suitable for pipe cutting process
- Double insulation system

Article No	10129693
Model No.	IRRS30
Description	Reciprocating Saw 30mm, 590W
Specification	
Max Cutting Wood (mm)	90
Max Cutting Steel (mm)	90 (Pipe/Tube)
No. Load Speed (rpm)	0 - 2300
Input Power (W/V/Hz)	590 / 220 / 50
Dimension L x W x H (mm)	665 x 155 x 340
Weight (g)	3200

CUT OFF MACHINE

Features :

- Suitable for cutting metal tube and pipe
- Cutting angle 0 ~ 45 °

Article No	10060945
Model No.	IRCM141
Description	Cut Off Machine 14" 2300W
Specification	
Wheel Diameter (mm)	355 x 3 x 25.4
Input Power (W/V/Hz)	2300 / 220 / 50
No. Load Speed (rpm)	3800
Dimension L x W x H (mm)	500 x 320 x 410
Weight (g)	18000

CUT OFF MACHINE

Features :

- Suitable for cutting metal tube and pipe
- Induction motor provides best performance
- Cutting angle 0 ~ 45 °

Article No	10088632
Model No.	IRCM163
Description	Cut Off Machine 16" 2200W/380V 3Phase
Specification	
Wheel Diameter (mm)	400 x 3 x 25.4
Input Power (W/V/Hz)	2200 / 380 / 50
No. Load Speed (rpm)	2900
Dimension L x W x H (mm)	540 x310 x 620
Weight (g)	62500

MARBLE CUTTER


* Blade not include

Features :

- Compact and lightweight design
- D-handle for maximum control
- Equipped with lock on / off knob for easy operation

Article No	KW0700861
Model No.	IRMC1
Description	Marble Cutter 110mm 1050W
Specification	
Blade Diameter (mm)	110
Hole Size (mm)	16
Max. Cutting Capacity (mm)	34
Input Power (W/V/Hz)	1050 / 220 / 50
No. Load Speed (rpm)	13300
Dimension L x W x H (mm)	220 x 210 x 180
Weight (g)	3000

ELECTRIC TILE CUTTER

Features :

- Compact design
- Easy operation

Article No	10098878
Model No.	IRTC18
Description	Electric Tile Cutter 180mm 600W
Specification	
Diamond Wheel Diameter (mm)	180 (Wet Process)
Input Power (W/V/Hz)	600 / 220 / 50
Cutting Height (mm)	32
Cutting Table Tilt (°)	0 - 45
No. Load Speed (rpm)	2990
Dimension L x W x H (mm)	395 x 395 x 185
Weight (g)	12700

HEAT GUN, BLOWER & ELECTRIC MIXER



HEAT GUN



Standard Accessories:



Reduction Nozzle Wide Nozzle



Features :

- The tool starts operate with on / off switch for excellent start
- Two heat settings makes any task easy , effective and efficient
- Equipped with accessories to adjust blow of air

Article No	KW0700859	KW0700860
Model No.	IRHG16	IRHG20
Description	Heat Gun 1600W	Heat Gun 2000W
Specification		
Temperature (°C)	50 - 400 & 50 - 550	50 - 480 & 50 - 600
Air Flow (L/min)	190 - 210 & 310 - 350	210 - 250 & 340 - 380
Input Power (W/V/Hz)	1600 / 220 / 50	2000 / 220 / 50
Dimension L x W x H (mm)	245 x 70 x 190	245 x 70 x 190
Weight (g)	700	900

ELECTRIC BLOWER



10151864



10180492

Features :

- Operation start with push button switch
- Equipped with lock on / off knob for easy operation
- Equipped with variable speed makes any task easy, effective and efficient

Article No	10151864	10180492
Model No.	IRB4	IRB6
Description	Electric Blower 400W	Electric Blower 600W
Specification		
Air Flow (L/min)	0 - 2900	0 - 4100
Input Power (W/V/Hz)	400 / 220 / 50	600 / 220 / 50
No. Load Speed (rpm)	0 - 16000	
Variable Speed	Yes	
Dimension L x W x H (mm)	250 x 190 x 200	260 x 190 x 220
Weight (g)	2000	2900

IMPACT WRENCH



Standard Accessories:



Impact Socket Bits

Features :

- Torque 294 NM
- Reversible Trigger
- 3 pcs Impact Socket Bits (19 mm, 21 mm, 24 mm)

Article No	10428000
Model No.	IRIW12
Description	Impact Wrench SQ 1/2" 340W
Specification	
Square Drive (inch)	1/2
Input Power (W/V/Hz)	340 / 220 / 50
No. Load Speed (rpm)	1700
Torque (NM)	294
Impact Rate (ipm)	2000
Fastening Bolt Capacity	M12 - M20
Dimension L x W x H (mm)	275 x 185 x 210
Weight (g)	3200



ELECTRIC MIXER



10437130



10437131

Features :

- Unit with variable speed is equipped for efficient working condition
- Lock on / off knob is for easy operation
- Equipped with 2 stage speed gear for mixing speed and power task easy , effective and efficient (10437131)
- Double D handle for easy and maximum control

Article No	10437130	10437131
Model No.	IRM121	IRM161
Description	Electric Mixer 120mm 1220W	Electric Mixer 160mm 1600W
Specification		
Mixing Paddle (mm)	120	160
Tool Fitting	M14 x 2	
Input Power (W/V/Hz)	1220 / 220 / 50	1600 / 220 / 50
No. Load Speed (rpm)	0 - 800	180 - 460 / 300 - 750
Dimension L x W x H (mm)	290 x 155 x 860	445 x 238 x 880
Weight (g)	4250	5200

STAND FOR ELECTRIC MIXER



Features :

- Compact and lightweight design
- D-handle for maximum control
- Equipped with lock on / off knob for easy operation

Article No	KW0701596
Model No.	IRASM01
Description	Stand For Electric Mixer
Specification	
Height (mm)	745
Diameter of Bottom Disc (mm)	400
Material (mm)	Polyamide (PA) and steel pipe
Steel Finishing (mm)	Powder Coated
Dimension L x W x H (mm)	490 x 660 x 80
Weight (g)	8500

MIXER PADDLE



KW0701597



KW0701598/KW0701600



KW0701599

Article No	KW0701597	KW0701600	KW0701598	KW0701599
Model No.	IRAMPV12	IRAMPL16	IRAMPL16	IRAMPD12
Description	Mixer Paddle 120x600 mm M14 x 2 for Sticky and Viscous Materials	Mixer Paddle 160x600 mm M14 x 2 for Liquid	Mixer Paddle 160x600 mm M14 x 2 for Liquid	Mixer Paddle 120x600 mm M14 x 2 for Dry Mixtures
Specification				
Diameter (mm)	120		160	120
Length (mm)	600			
Tool Fitting	M14 x 2			
User for	Optimal for mixing sticky and viscous materials, e.g. tile adhesive, bonding mortar, joint compound, readymixed plaster, floor screed, fillers, etc.	Optimal for liquid or fibrous materials in large quantities: e.g. wall paint, varnish, glaze, joint sealing compound, lime, plaster, filler, floor screed, etc.		It is perfect for dry mixtures such as mortar, plaster, cement, sand- and pebble-filled materials. The mixing tool works into the mixing material easily.

GLUE GUN & ENGRAVER



GLUE GUN and MINI GLUE GUN



KW0701637




10133528



10133529

Optional Accessories:

Transparent Glue Stick



KW0701639 / 10133531

Color Glitter Glue Stick



10133530

Features :

- Lightweight and easy to operated
- Easy to refill of glue gun stick

Article No	KW0701637	10133528	10133529
Model No.	IRGG3	IRGG2	IRGG1
Description	Glue Gun 60W with 2 Glue Stick	Mini Glue Gun Blue 10W	Mini Glue Gun 10W Green
Specification			
Input Power (W/V/Hz)	60 / 220 / 50	10 / 220 / 50	
Glue Stick (Dia.)	Ø 11	Ø 7.2	
Dimension L x W x H (mm)	180 x 35 x 165	140 x 70 x 215	140 x 70 x 215
Weight (g)	350	165	165

Article No	Model No.	Description	Dimension (mm)	Weight (g)
KW0701639	IRAGS3	Glue Stick Ø 11 x 100 mm (10Pcs/Pack)	160 x 125 x 11	110
10133531	IRAGS1	Transparent Glue Stick Ø 7.2 x 100mm (10 pcs)	100 x 720 x 720	44
10133530	IRAGS2	Color Glitter Glue Stick Ø 7.2 x 100mm (10 pcs)		44

ENGRAVER



Features :

- 6 steps vibration
- High efficient ventilation
- Tungsten carbide tip applicable for metal, glass, ceramic and plastic


Article No	10450999
Model No.	IRE18
Description	Engraver 13W
Specification	
Input Power (W / V / Hz)	13 / 220 / 50
Dimension L x W x H (mm)	240 x 60 x 110
Weight (g)	550



ACCESSORIES



SDS PLUS CHISEL



Features :


- Made from hard die cast
- Made with SDS plus shank type

Application :

- For grooving, sculpt and split concrete, brick, and stone

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10081905	IRACP1	SDS Plus Chisel Point 14 x 250mm	42	15	370	252
10081906	IRACF12	SDS Plus Chisel Flat 20 x 250mm	49	15	370	262
10081907	IRACF14	SDS Plus Chisel Flat 40 x 250mm	49	15	370	298

SDS MAX CHISEL BIT & HEXAGONAL CHISEL BIT



Features :

- Made from hard die cast

Application :

- For grooving, sculpt and split concrete, brick, and stone

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10313188	IRACP2	SDS Max Chisel Point 18 x 400mm	480	50	20	0.75
10313189	IRACF22	SDS Max Chisel Flat 25 x 400mm	480	50	20	0.75
10242762	IRACP3	Hexagonal Chisel Point 28 x 410mm	440	45	45	2.2
10242763	IRACF32	Hexagonal Chisel Flat 28 x 30 x 410mm	440	45	45	2.2

SDS PLUS ADAPTER



Features :

- 1- 13mm Female 1/2" 20 UNF keyed chuck
- 1- SDS plus adaptor
- 1- 13mm chuck key

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10131267	IRAA1	SDS Plus Adapter 1 - 13mm Set	120	45	170	366

SDS MAX TO SDS PLUS ADAPTER



Features :

- Special adapter for SDS Max chuck to SDS Plus chuck

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10180486	IRAA2	SDS Max to SDS Plus Adapter 230mm	75	50	310	556

PAD WITH ADAPTOR



- To Be Used with Electric Polisher 5" (Optional)



- To Be Used with Electric Drill (Optional)

Article No	Model No.	Description	Hole Thread Size	Packing Dimension			Use For	Weight (g)
				L (mm)	W (mm)	H (mm)		
10131321	IRAPA4	Pad 100mm For Polishing With Adaptor	M14 x 2	150	150	40	Ceramic polish pad, Scrubber and sponge pad	136

CORDLESS

CORDLESS IMPACT WRENCH

Standard Accessories :
Impact Socket Bits



Optional Accessories :

Battery Pack
18V 2Ah



10133879

Battery Pack
18V 4Ah



10207847



Features :

- Brushless DC Motor
- Equipped with torque adjustable, up to 700NM
- Battery indicator LED lamp
- 4 pcs Impact Socket Bits (17 mm 19 mm, 21 mm, 23 mm)

Article No	10464955
Model No.	IPCIWB181
Description	Cordless Impact Wrench SQ 1/2" 18V
Specification	
Square Drive/ Anvil Size (inch)	1/2
Impact Rate (bpm)	0 ~ 22400
No Load Speed (rpm)	0 ~ 1650
Torque (NM)	400 / 475 / 550 / 625 / 700 (Adjustable)
Fastening Capacity	Standard Bolt High Tensile Bolt
	M12-M24
Battery Power (VDC/MAH)	18 / 4000
Battery Type	Lithium ion
Dimension L x W x H (mm)	280 x 90 x 220
Weight (g)	3460

CORDLESS IMPACT DRILL

Standard Accessories :



Optional Accessories :

Battery Pack
18V 2Ah



10133879

Battery Pack
18V 4Ah



10207847



Features :

- Brushless DC Motor
- Drilling function switch (drill/impact drill)
- Variable speed

Standard Accessories :

- 6 pcs HSS Twist Drill Bits
- 6 pcs Screwdriver Bits
- 1 pc Bit Holder

Article No	10464956	
Model No.	IPCIDB18	
Description	Cordless Impact Drill 13mm 18V	
Specification		
Chuck Capacity (mm)	13 Keyless Chuck	
Max. Drilling Ø	Concrete (mm)	13
	Steel (mm)	10
	Wood (mm)	18
No Load Speed	Speed 1 (rpm)	0-550
	Speed 2 (rpm)	0-2000
Torque (NM)	70	
Battery Power (VDC/MAH)	18 / 4000	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	250 x 60 x 210	
Weight (g)	2100	

CORDLESS IMPACT SCREWDRIVER

Standard Accessories :
Hexagonal Socket Bits



Optional Accessories :

Battery Pack
18V 2Ah



10133879

Battery Pack
18V 4Ah



10207847



Features :

- Brushless DC Motor
- Torque 180NM
- Battery indicator LED lamp
- 4 pcs Hexagonal Socket Bits (6 mm, 8 mm, 10 mm, 12 mm)

Article No	10464957
Model No.	IPCISB18
Description	Cordless Impact Screwdriver SQ 1/4" 18V
Specification	
Chuck Capacity	1/4" Quick Release Chuck
No Load Speed (rpm)	0-2800
Impact Rate (lpm)	0-3800
Torque (NM)	180
Battery Power (VDC/MAH)	18 / 4000
Battery Type	Lithium ion
Dimension L x W x H (mm)	250 x 60 x 150
Weight (g)	1720



DRILL




MAGNETIC CORE DRILL



- Standard Accessories :**
- Drill chuck
 - Key chuck
 - Coolant Tank
 - Safety Belt
 - Plastic Case

Optional Accessories :



Article No	10047411	10047422	10181708
Model No.	IPMD35	IPMD50	IPMD75
Description	Magnetic Core Drill 35 x 50mm	Magnetic Core Drill 2 Speed 50 x 75mm	Magnetic Core Drill 4 Speed 75 x 50mm
Specification			
Max. Capacity	- Ø x Depth of Core Drill (mm)	35 x 50	50 x 75
	- Ø x Depth of Twist Drill Bit (with Drill Chuck) (mm)	13 x 110	16 x 110
	- Ø x Depth of MT3 Tapper Shank Drill	-	32 x 150
	- Ø x Depth of Tap (with Optional MT3 Tapping Chuck)	-	25.4 x 40
Input Power (W/V/Hz)		1100 / 220 / 50	2000 / 220 / 50
No. Load Speed	Speed 1 (rpm)	350 / 620	230 / 380
	Speed 2 (rpm)	-	300 / 500
	Speed 3 (rpm)	-	180 / 300
	Speed 4 (rpm)	-	230 / 380
Magnetic Adhesion (N)		15000	32000
Dimension L x W x H (mm)		250 x 270 x 440	300 x 250 x 500
Weight (g)		12600	21000

DIAMOND CORE DRILL



Features :

- Equipped with water hose for application during penetration process
- Handy / pistol grip type easy for operation (10041833)
- Equipped with additional handle for easy controlling (10041833)
- Equipped with standing support and adjustable angle(10041832)

Article No	10041833	10041832
Model No.	IRDC12	IRDC16
Description	Diamond Core Drill 120mm 1150W	Diamond Core Drill With Stand 260mm 2500W
Specification		
Max. Drilling (mm)	Ø 120	Ø 260
Input Power (W / V / Hz)	1150 / 220 / 50	2500 / 220 / 50
No. Load Speed (rpm)	0 - 1800	720
Thread	Male 1/2"	Male 1/2"
Dimension L x W x H (mm)	400 x 140 x 200	500 x 370 x 980
Weight (g)	5700	32600

GRINDER



BENCH GRINDER



Features :

- Induction motor provides best performance
- Fully balanced wheels to ensure and minimalizing run out of wheel and tool vibration
- Equipped with eye shield for safety , wheel dresser and working lamp

Article No	KW0700073	KW0700074	KW0700075
Model No.	IPBG2	IPBG3	IPBG4
Description	Bench Grinder 6 Inch	Bench Grinder 8 Inch	Bench Grinder 10 Inch
Specification			
Wheel Size (inch)	Ø 6 x 1 x 1/2	Ø 8 x 3/4 x 1/2	Ø 10 x 1 x 3/4
Shaft Dia. (inch)	1/2	5/8	3/4
Input Power (W / V / Hz)	375 / 220 / 50	375 / 220 / 50	750 / 220 / 50
No. Load Speed (rpm)		2850	
Lamp		Yes	
Wheel Dressing Tool		Yes	
Cast Iron Base	No	Yes	
Dimension L x W x H (mm)	345 x 205 x 260	400 x 280 x 300	450 x 305 x 325
Weight (g)	10500	14500	18000



GRINDER & SANDER



10047425



10047426



10047427

Features :

- Induction motor provides best performance
- Tension controller for center line sander
- Equipped with working lamp

Article No	10047425	10047426	10047427
Model No.	IPBCC62	IRBGC68	IRUS1
Description	Grinder & Sander 6 Inch & 2 x 27 Inch	Dry & Wet Bench Grinder 6 Inch & 8 Inch	Utility Sharpener 4.5 x 1.5 Inch
Specification			
Wheel Size (inch)	6 x 3/4 x 1/2	8 x 1 1/2 x 3/4 & 6 x 3/4 x 1/2	4 1/2 x 1 1/2 x 9/16
Sandpaper Belt Size (inch)	2 x 27	-	-
Input Power (W/V/Hz)	250 / 220 / 50		70 / 220 / 50
No. Load Speed (rpm)	2850		140
Belt Sander Speed (m/s)	15	-	-
Dimension L x W x H (mm)	445 x 395 x 245	485 x 330 x 365	395 x 235 x 195
Weight (g)	10500	13500	5000



BENCH POLISHER

Features :

- Induction motor provides best performance
- High quality on / off rocker switch for durability
- Fully balanced wheels to ensure and minimalizing run out of wheel and tool vibration



Article No	KW0700940
Model No.	IPBP1
Description	Bench Polisher 200mm 1/2 HP With Long Shaft
Specification	
Wheel Size (mm)	Ø 200 x 14
Shaft Dia. (mm)	Ø 15.9
Input Power (W/V/Hz)	375 / 220 / 50
No. Load Speed (rpm)	2850
Dimension L x W x H (mm)	560 x 150 x 225
Weight (g)	9300

SANDER



BELT SANDER



Features :

- Fast tracking adjustment knob
- Quick belt changing lever
- Table mitre gauge

Article No	10047424
Model No.	IPBDS1
Description	Belt & Disc Sander 4X36" And 6"
Specification	
Belt Size (inch)	4 x 36
Disc Diameter (inch)	6
Table Size (mm)	220 x 160
Table Tilt (°)	0 - 45
Input Power (W/V/Hz)	370 / 220 / 50
No. Load Speed (rpm)	2850
Belt Sander Speed (m/s)	7.35
Dimension L x W x H (mm)	565 x 280 x 330
Weight (g)	18800

HOT AIR WELDING GUN



HOT AIR WELDING GUN



Standard Accessories:



Features :

- Suitable for thermoplastic (PVC/PP/PE/PVDF/EVA)
- Equipped with temperature adjustable
- Equipped with nozzle accessories make any task easy

Article No	10071863
Model No.	IPHW16
Description	Hot Air Welding Gun 1600W
Specification	
Temperature (°C)	20 - 650 (adjustable)
Air Flow (L/min)	Max. 180
Air Pressure (Pa)	2600
Input Power (W/V/Hz)	1600 / 220 / 50
Noise (db)	≤ 65
Safety Grade	Double Insulation
Dimension L x W x H (mm)	340 x 110 x 110
Weight (g)	1050

MITRE SAW



Features :

- Suitable for cutting wood material
- The cutting angle can be adjusted
- Designed with 2 function of cutting process, moves of workpiece or moves of blade

Article No	10453557
Model No.	IRMS1001
Description	Mitre Saw 254mm 2000W
Specification	
Blade Diameter (mm)	Ø 255
Max Cutting Capacity (mm)	0° x 0° H85 x W300
	45° x 45° H45 x W210
	45° x 0° H85 x W210
	0° x 45° H45 x W300
-	-
Input Power (W/V/Hz)	1900 / 220 / 50
No. Load Speed (rpm)	4700
Dimension L x W x H (mm)	740 x 540 x 430
Weight (g)	19900

2 FUNCTION MITRE SAW



Features :

- Suitable for cutting wood material
- The cutting angle can be adjusted
- Designed with 2 function of cutting process, moves of workpiece or moves of blade

Article No	KW0701005
Model No.	IRMSC10
Description	2 Function Mitre Saw 254mm 1800W
Specification	
Blade Diameter (mm)	Ø 255
Max Cutting Capacity (mm)	0° x 90°H70 x W110
	45° x 90°H70 x W70
	0° x 45° H40 x W110
	45°(L) x 45°H35 x W60
	45°(R) x 45°H40 x W90
Input Power (W/V/Hz)	1800 / 220 / 50
No. Load Speed (rpm)	5000
Dimension L x W x H (mm)	960 x 840 x 624
Weight (g)	19000