

**KRISBOW®**

# POWER TOOL



**SCAN**

FOR OUR LATEST VIDEO



**SCAN**

FOR BROCHURE & CATALOG



**SCAN**

FOR OUR CHANNEL

# CORDLESS

## CORDLESS SCREWDRIVER

Li-ion Tech.

BMC



**Features :**

- 2 position twist handle mechanism
- LED and battery indicator lamp
- Lithium-ion battery

**Standard Accessories: :**

- 27 Pcs Screwdriver Bits
- 8 Pcs Socket Bits
- 2 Pcs Hss Twist Drill Bits
- 1 Pc Bit Holder

<b>Article No</b>	<b>10109266</b>
<b>Model No.</b>	<b>IRCS362</b>
<b>Description</b>	<b>Cordless Screwdriver 3.6V With BMC</b>
<b>Specification</b>	
<b>Head of Screwdriver (inch)</b>	1/4
<b>No. Load Speed (rpm)</b>	200
<b>Max. Torque (NM)</b>	3
<b>Battery Power (VDC)</b>	3.6
<b>Battery Type</b>	Lithium Ion
<b>Dimension L x W x H (mm)</b>	180 x 50 x 150/50
<b>Weight (g)</b>	430

## CORDLESS SCREWDRIVER 4V STRAIGHT

Li-ion Tech.



**Features :**

- Available USB Recharge
- Soft grip for superior Comfort and Control
- Lithium-ion battery

**Standard Accessories: :**

- 1 Pc Bit Holder
- 24 Pcs Screwdriver Bits

<b>Article No</b>	<b>10434756</b>
<b>Model No.</b>	<b>IRCS4</b>
<b>Description</b>	<b>Cordless Screwdriver 4V Straight</b>
<b>Specification</b>	
<b>Head of Screwdriver (inch)</b>	1/4
<b>No Load Speed (rpm)</b>	341
<b>Max. Torque (NM)</b>	5
<b>Battery Power (VDC)</b>	4
<b>Battery Type</b>	Lithium Ion
<b>Dimension L x W x H (mm)</b>	215 x 115 x 50
<b>Weight (g)</b>	700

## CORDLESS GLUE GUN

Li-ion Tech.



**Features :**

- Fast heat 15 ~ 30 second
- Heat and battery indicator lamp
- Lithium-ion battery

<b>Article No</b>	<b>10205884</b>
<b>Model No.</b>	<b>IRCG4</b>
<b>Description</b>	<b>Cordless Glue Gun 4V 1.5AH</b>
<b>Specification</b>	
<b>Glue Stick Diameter (mm)</b>	7.2
<b>Pre Heat Time</b>	15 - 30 Sec
<b>Battery Power (VDC)</b>	4
<b>Battery Type</b>	Lithium Ion
<b>Dimension L x W x H (mm)</b>	170 x 65 x 120
<b>Weight (g)</b>	700

**CORDLESS IMPACT DRILL**

Li-ion Tech.

12V



Optional Accessories :

Battery Pack 12V 1.5Ah



10133880

Standard Accessories



Features :

- 2 stage speed gear
- Drilling function switch (drill/impact drill)
- Variable speed

Standard Accessories :

- 6 Pcs HSS Twist Drill Bits
- 6 Pcs Screwdriver Bits
- 1 Pc Bit Holder

<b>Article No</b>	<b>10134723</b>	
<b>Model No.</b>	<b>IRCID121</b>	
<b>Description</b>	<b>Cordless Impact Drill 10mm 12V</b>	
<b>Specification</b>		
<b>Chuck Capacity (mm)</b>	10 (Keyless Chuck)	
<b>Max. Drilling</b>	<b>Ø Concrete (mm)</b>	10
	<b>Ø Steel (mm)</b>	10
	<b>Ø Wood (mm)</b>	18
<b>No Load speed</b>	<b>Speed 1 (rpm)</b>	0 - 350
	<b>Speed 2 (rpm)</b>	0 - 1300
<b>Torque (NM)</b>	15 - 27	
<b>Battery Power (VDC)</b>	12	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	410 x 100 x 300	
<b>Weight (g)</b>	3500	

**CORDLESS IMPACT DRILL SET**

Li-ion Tech.

12V



Standard Accessories :

- 2 Pcs Screwdriver
- 10 Pcs 50mm (L) 1/4" Screwdriver Bits
- 1 Pc Bit Holder
- 1 Pc Utility Knife

- 1 Pc Combination Plier
- 1 Pc Claw Hammer
- 1 Pc Measuring Tape
- 5 Pcs Twist Drill Bits

Optional Accessories :

Battery Pack 12V 1.5Ah



10133880

Features :

- 2 stage speed gear
- Drilling function switch (drill/impact drill)
- Variable speed

<b>Article No</b>	<b>10434920</b>	
<b>Model No.</b>	<b>IRCIDS121</b>	
<b>Description</b>	<b>Cordless Impact Drill Set 12V</b>	
<b>Specification</b>		
<b>Chuck Capacity (mm)</b>	10 (Keyless Chuck)	
<b>Max. Drilling</b>	<b>Ø Concrete (mm)</b>	10
	<b>Ø Steel (mm)</b>	10
	<b>Ø Wood (mm)</b>	18
<b>No Load speed</b>	<b>Speed 1 (rpm)</b>	0 - 350
	<b>Speed 2 (rpm)</b>	0 - 1300
<b>Torque (NM)</b>	15 - 27	
<b>Battery Power (VDC)</b>	12	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	410 x 100 x 300	
<b>Weight (g)</b>	4200	

**CORDLESS MINI GRINDER**

Li-ion Tech.

12V



Optional Accessories :

Battery Pack 12V 1.5Ah



10133880

Standard Accessories



Features :

- Variable speed
- Rubber overmolded grips for maximum control
- Lithium-ion battery

Standard Accessories :

- 4 Pcs Felt Wheel
- 1 Pc Aluminum oxide grinding wheel
- 4 Pcs Sanding Belt
- 1 Pc Sanding Shank

<b>Article No</b>	<b>10085873</b>	
<b>Model No.</b>	<b>IRCG121</b>	
<b>Description</b>	<b>Cordless Mini Grinder</b>	
<b>Specification</b>		
<b>Collet Size (mm)</b>	3	
<b>Variable Speed (rpm)</b>	5000 - 18000	
<b>Battery Power (VDC)</b>	12	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	260 x 70 x 220	
<b>Weight (g)</b>	1200	

**CORDLESS SANDER**


Li-ion Tech.

12V

**Optional Accessories :**  
**Battery Pack 12V 1.5Ah**


10133880

**Standard Accessories**


3 Pcs Sandpaper

**Features :**

- With dust filter box and vacuum adaptor
- Compact and light weight design
- Anti slip softgrip

<b>Article No</b>	<b>10124007</b>
<b>Model No.</b>	<b>IRCS12</b>
<b>Description</b>	<b>Cordless Sander 12V</b>
<b>Specification</b>	
<b>Pad Size (mm)</b>	135 x 135 x 95 (Hook and Loop)
<b>Variable Speed (rpm)</b>	5000 - 18000
<b>Battery Power (VDC)</b>	12
<b>Battery Type</b>	Lithium Ion
<b>Dimension L x W x H (mm)</b>	215 x 100 x 120
<b>Weight (g)</b>	760

**CORDLESS DUAL FUNCTION SAW**


Li-ion Tech.

12V

**Optional Accessories :**  
**Battery Pack 12V 1.5Ah**


10133880

**Standard Accessories**


2 Pcs Jig Saw Blade

**Features :**

- Reciprocating Saw plus Jig Saw for different requirements
- With Fast Release Blade
- Anti Slip Soft Grip

<b>Article No</b>	<b>10124008</b>	
<b>Model No.</b>	<b>IRCD12</b>	
<b>Description</b>	<b>Cordless Dual Function Saw 12V</b>	
<b>Specification</b>		
<b>Cutting Depth Capacity</b>	<b>Wood (mm)</b>	20
	<b>Steel (mm)</b>	2
	<b>PVC (mm)</b>	16
<b>Shank type</b>	T-shank	
<b>Stroke Length (mm)</b>	14	
<b>No Load Speed (rpm)</b>	600 - 2500	
<b>Blade Holder Type</b>	Fast Release Blade	
<b>Battery Power (VDC)</b>	12	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	285 x 60 x 150	
<b>Weight (g)</b>	1148	

**CORDLESS MULTI CUTTER**


Li-ion Tech.

12V

**Optional Accessories :**  
**Accessories 40 Pcs For Multi Cutter**
**Optional Accessories :**  
**Battery Pack 12V 1.5Ah**


10133880



10131469

**Features :**

- Compact & Light Weight Design
- Equipped with Variable Speed & Anti Slip Soft Grip
- Fast Change Blade System for Sanding Pad, Scraper & Saw Blade

<b>Article No</b>	<b>10124009</b>	
<b>Model No.</b>	<b>IRCMC12</b>	
<b>Description</b>	<b>Cordless Multi Cutter 12V</b>	
<b>Specification</b>		
<b>No Load Speed (Per-minute)</b>	5000 - 15000	
<b>Oscillation Angle (°)</b>	2.8°	
<b>Battery Power (VDC)</b>	12	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	265 x 50 x 90	
<b>Weight (g)</b>	940	

<b>Article No</b>	<b>10131469</b>	
<b>Model No.</b>	<b>IRAMC1</b>	
<b>Description</b>	<b>Accessories 40 pcs for Multi Cutter</b>	
<b>Specification</b>		
<b>Dimension L x W x H (mm)</b>	280 x 255 x 45	
<b>Weight (g)</b>	695	

**CORDLESS IMPACT DRILL**

Li-ion Tech.

18V



Standard Accessories



**Features :**

- 2 stage speed gear
- Drilling function switch (drill/impact drill)
- Variable speed

**Standard Accessories :**

- 6 Pcs HSS Twist Drill Bits
- 6 Pcs Screwdriver Bits
- 1 Pc Bit Holder

**Optional Accessories :**

Battery Pack 18V 2Ah

Battery Pack 18V 4Ah



10133879



10207847

<b>Article No</b>	<b>10085869</b>	
<b>Model No.</b>	<b>IRCID181</b>	
<b>Description</b>	<b>Cordless Impact Drill 13mm 18V</b>	
<b>Specification</b>		
<b>Chuck Capacity (mm)</b>	13 (Keyless Chuck)	
<b>Max. Drilling</b>	<b>Ø Concrete (mm)</b>	13
	<b>Ø Steel (mm)</b>	13
	<b>Ø Wood (mm)</b>	38
<b>No Load speed</b>	<b>Speed 1 (rpm)</b>	0 - 350
	<b>Speed 2 (rpm)</b>	0 - 1200
<b>Torque (NM)</b>	22 - 35	
<b>Battery Power (VDC)</b>	18	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	395 x 120 x 320	
<b>Weight (g)</b>	4000	

**CORDLESS MULTI HEAD**

Li-ion Tech.

18V



**Features :**

- Multifunctional power head with multiple attachment
- Battery indicator LED Lamp
- Lithium - ion battery

**Optional Accessories :**

Battery Pack 18V 2Ah

Battery Pack 18V 4Ah



10133879



10207847

<b>Article No</b>	<b>10453556</b>		
<b>Model No.</b>	<b>IRCMH01</b>		
<b>Description</b>	<b>Cordless Multi Head 18 V</b>		
<b>Specification</b>			
<b>Impact Drill Head</b>	<b>Keyless Chuck Capacity (mm)</b>	10	
	<b>Max drilling Ø</b>	<b>Concrete (mm)</b>	6
		<b>Steel (mm)</b>	8
		<b>Wood (mm)</b>	13
	<b>No load speed (rpm)</b>	0 - 350 / 0 - 1200	
<b>Torque (nm)</b>	25		
<b>Jigsaw head</b>	<b>Cutting Capacity</b>	<b>Wood (mm)</b>	35
		<b>Steel (mm)</b>	3
	<b>Stroke length (mm)</b>	14	
<b>Oscillating Tool Head</b>	<b>No load speed (spm)</b>	0 - 2300	
	<b>Oscillating Angle°</b>	2.8	
<b>Air pump head</b>	<b>No load speed (rpm)</b>	0 - 16000	
	<b>Maximum pressure (Psi)</b>	120	
<b>Dimension L x W x H (mm)</b>		255 x 180 x 250	
<b>Weight (g)</b>		4200	

**CORDLESS IMPACT WRENCH SQ**

Li-ion Tech.



18V

Optional Accessories :

Battery Pack 18V 2Ah



10133879

Battery Pack 18V 4Ah



10207847

Standard Accessories



Features :

- Adjustable torque
- Comfortable & anti slip soft grip
- Equipped LED light

Standard Accessories :

- 2 Pcs Impact Socket bits 19mm
- 2 Pcs Impact Socket bits 21mm
- 1 Pc Battery Charger

Article No	10450273
Model No.	IRCIWB18
Description	Cordless Impact Wrench SQ 1/2" 18V
<b>Specification</b>	
Square Drive (inch)	1/2
Impact Rate (ipm)	0 - 3300
No Load Speed (rpm)	0 - 2200
Torque (NM)	100 / 150 / 200 / 350 / 400
Fastening Capacity Standart Bolt	M8 - M16
Fastening Capacity High Tensile Bolt	M8 - M12
Battery Power (VDC)	18
Battery Type	Lithium Ion
Dimension L x W x H (mm)	310 x 95 x 260
Weight (g)	3360

**CORDLESS JIG SAW**

Li-ion Tech.



18V

Optional Accessories :

Battery Pack 18V 2Ah



10133879

Battery Pack 18V 4Ah



10207847

Standard Accessories



Features :

- Fast change blade with die cast aluminum base
- Laser light
- Pendulum action

Standard Accessories :

- 2 Pcs T Shank Jig Saw Blade
- 1 Pc L-Key
- 1 Pc Ruler
- 1 Pc Vacuum Connector

Article No	10219814	
Model No.	IRCJS18	
Description	Cordless Jig Saw 45mm 18V	
<b>Specification</b>		
Cutting Capacity	Wood (mm)	45
	Steel (mm)	6
Shank Type	T-Shank	
Cutting Angle	0° - 45° (Left & Right)	
Stroke Length (mm)	25.4	
No Load Speed (Spm)	0 - 2400	
Blade Holder Type	Fast Release Blade	
Battery Power (VDC)	18	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	330 x 100 x 210	
Weight (g)	3500	

**CORDLESS CIRCULAR SAW**

Li-ion Tech.



18V

Optional Accessories :

Battery Pack 18V 2Ah



10133879

Standard Accessories



Features :

- Equipped With Front & Rear Handles for Maximum Control and Comfort
- Equipped With Aluminum Base
- Bevel Capacity 45°

Standard Accessories :

- 1 Pc Ruler
- 1 Pc Vacuum Connector
- 1 Pc Battery Charger

Article No	10205885	
Model No.	IRCCS18	
Description	Cordless Circular Saw 165mm 18V	
<b>Specification</b>		
Blade Diameter (mm)	165	
Hole Size (mm)	16	
Max Cutting Depth	90° (mm)	50
	45° (mm)	35
Bevel Capacity	45°	
No Load Speed (rpm)	3650	
Battery Power (VDC)	18	
Battery Type	Lithium Ion	
Dimension L x W x H (mm)	350 x 200 x 250	
Weight (g)	1200	

# DRILL



## ELECTRIC DRILL and IMPACT DRILL



KW0701001

KW0701000

10205883

- Features :**
- Variable Speed
  - Soft in line grip

Article No	KW0701001	KW0701000	10205883
Model No.	IRD10	IRID131	IRID132
Description	Electric Drill 10mm 400W	Impact Drill 13mm 650W	Impact Drill 13mm 850W 2-Speed
<b>Specification</b>			
Max. Drilling In Steel / Wood / Concrete (mm)	10 / 10 / Not Available	13 / 25 / 13	13 / 30 / 16
Input Power (W / V / Hz)	400 / 220 / 50	650 / 220 / 50	850 / 220 / 50
No. Load Speed (rpm)	0 – 2900	0 - 3000	0 - 2800 / 0 - 1100
Dimension L x W x H (mm)	220 x 60 x 175	300 x 70 x 230	365 x 85 x 260
Weight (g)	1500	2200	3600

## IMPACT DRILL SET



10546881

10086697

- Features :**
- Variable Speed
  - Soft in line grip

**Standard Accessories 10546881 :**

- 5 pcs Masonry Drill Bits
- 9 pcs Twist Drill Bits

**Standard Accessories**

**Standard Accessories 10086697 :**

- 1 pc Two way Screwdriver
- 1 pc Bit Extension
- 10 pcs Screwdriver Bits Plus Adapter
- 1 pc Spirit Level
- 1 pc Diagonal Cutting Plier
- 1 pc Combination Plier
- 5 pcs Combination Wrench
- 1 pc Adjustable Wrench
- 1 pc Measuring Tape 3M
- 1 pc Claw Hammer
- 1 pc Utility Knife
- 5 pcs Masonry Drill Bits
- 5 pcs Twist Drill Bits
- 1 pc Center Pin
- 1 pc Counter Sink Hexagonal ¼"

Article No	10546881	10086697
Model No.	IRIDS133	IRIDS132
Description	Impact Drill Set 13Mm 500W	Impact Drill Set 13Mm 600W
<b>Specification</b>		
Max. Drilling In Steel / Wood / Concrete (mm)	10 / 20 / 13	10 / 25 / 13
Input Power (W / V / Hz)	500 / 220-230 / 50	600 / 220 / 50
No. Load Speed (rpm)	0 - 3100	0 - 3100
Dimension L x W x H (mm)	280 x 65 x 195	410 x 100 x 300
Weight (g)	1900	5400



**ROTARY HAMMER DRILL**



10522084



10152243



**Features :**

- Equipped with operation mode selection switch
- Equipped with forward / reverse function lever (10522084)
- Equipped with active vibration control (10152243)

\* Drill Bit not Include for 10152243

Article No	10522084	10152243
Model No.	IRRH261	IRRH32
Description	Rotary Hammer Drill 26mm 720W	Rotary Hammer Drill 32mm 1100W
<b>Specification</b>		
Max. Drilling In Steel / Wood / Concrete (mm)	13 / 30 / 26	13 / 40 / 32
Input Power (W / V / Hz)	720 / 220 / 50	1100 / 220 / 50
No. Load Speed (rpm)	1300	450
Impact Energy (J)	3	1 - 9
Impact Rate (bpm)	4500	4200
Dimension L x W x H (mm)	374 x 110 x 188	420 x 110 x 250
Weight (g)	2700	5700

**DEMOLITION HAMMER**



Standard Accessories

**Features :**

- Anti Vibration System
- Metal Housing & Gear Box
- 360° Auxillary Handle

**Standard Accessories :**

- 1 pc Hexagonal chisel Point
- 1 pc Hexagonal Chisel flat
- 1 pc Grease Tube

Article No	10511052
Model No.	IRDH281
Description	Demolition Hammer Hex 28mm 1600W
<b>Specification</b>	
Chisel Shank (mm)	28
Input Power (W / V / Hz)	1600 / 220 / 50
Impact Energy (J)	55
Impact Rate (bpm)	1450
Dimension L x W x H (mm)	885 x 195 x 360
Weight (g)	28000





# GRINDER



## ANGLE GRINDER



10577173



10577174



10060944



**Features :**

- High efficient motor provides best performance
- Spindle lock for quick and easy depressed center wheel changes
- Compact and lightweight design makes any task easier

Article No	10577173	10577174	10060944
Model No.	IRAG43	IRAG44	IRAG7
Description	Angle Grinder 100mm 600W	Angle Grinder 100mm 720W	Angle Grinder 180mm 2000W
<b>Specification</b>			
Max. Wheel Diameter (mm)	100		180
Hole Diameter of Wheel (inch)	5/8		7/8
Input Power (W/V/Hz)	600 / 220 / 50	720 / 220 / 50	2000 / 220 / 50
No. Load Speed (rpm)	11000		8500
Dimension L x W x H (mm)	260 x 75 x 90	263 x 78 x 92	490 x 105 x 140
Weight (g)	2200	2500	5500



**MINI GRINDER**



10107082



KW0701037



10107083

**Contents 10107082 :**

- 1 pc Mini Grinder
- 10 pcs Grinding Stone
- 1 pc Cloth Wheel 25.4x3.2 mm
- 2 pcs Diamond Bit
- 1 pc Mandrel for Sanding Bands
- 1 pc Mandrel for Felt Wheels
- 1 pc Mandrel for Cut Off Wheels
- 8 pcs Cut Off Wheel
- 4 pcs Felt Wheels
- 2 pcs Sanding Bands
- 2 pcs Drill Bits
- 2 pcs Collet
- 1 pc Whet Stone
- 3 pcs Sanding Paper
- 1 pc Spanner
- 1 pc Height Adjustable Stand

**Contents KW0701037 :**

- 1 pc Mini Grinder
- 15 pcs Sanding Band : 6.35x12.7 mm
- 15 pcs Sanding Band : 12.7x12.7 mm
- 1 pc Cloth Wheel
- 1 pc Felt Wheel : 25.4x6.35 mm
- 4 pcs Felt Wheel : 12.7x9.5 mm
- 1 pc Felt Wheel Point
- 1 pc Rubber Emery Wheel
- 3 pcs Polished HSS Twist Drills
- 1 pc Sanding Shank : 12.7x12.7 mm
- 1 pc Sanding Shank : 6.35x12.7 mm

- 4 pcs Diamond Cutter
- 3 pcs HSS Cutter
- 6 pcs Aluminium Oxide Grinding Wheel With Shank
- 4 pcs Aluminium Oxide Grinding Wheel
- 4 pcs Silicon Carbide Grinding Wheel With Shank
- 4 pcs Silicon Carbide Grinding Wheel
- 2 pcs Nylon Brush
- 3 pcs Stainless Steel Brush
- 2 pcs Brass Brush
- 1 pc Polish Compound
- 35 pcs Cut Off Wheel Heavy Duty
- 47 pcs Cut Off Wheel Regular
- 4 pcs Collet Chrome Plated
- 2 pcs Mandrel for Cut Off Wheel
- 1 pc Mandrel for Cloth Wheel
- 1 pc Mandrel for Felt Wheel
- 2 pcs Cut Off Wheel Fibre Glass
- 1 pc Wrench
- 1 pc Flap Wheel
- 1 pc Dressing Stone

**Contents 10107083 :**

- 1 pc Mini Grinder
- 1 pc Flexible Shaft, Stand and Clamp
- 10 pcs Sanding Band
- 1 pc Cloth Wheel 25.4x3.2 mm
- 5 pcs Felt Wheel
- 1 pc Felt Wheel Point 10x19 mm
- 1 pc Rubber Emery Wheel
- 2 pcs Sanding Shank
- 1 pc Diamond Disc
- 11 pcs Diamond Cutter
- 4 pcs HSS Twist Drill (3.2\*2, 2.4, 1.6 mm)
- 1 pc HSS Cutter
- 6 pcs Aluminium Oxide Grinding Wheel With Shank
- 6 pcs Aluminium Oxide Grinding Wheel
- 4 pcs Silicon Carbide Grinding Wheel With Shank
- 6 pcs Silicon Carbide Grinding Wheel
- 5 pcs Brush
- 1 pc Polish Compound
- 66 pcs Cut Off Wheel
- 68 pcs Sanding Disc
- 4 pcs Collet Chrome Plated (3.2\*2, 2.4, 1.6 mm)
- 4 pcs Mandrel
- 5 pcs Cut Off Wheel Fibre Glass 32x1.2 mm
- 1 pc Wrench 9.5mm
- 1 pc Flap Wheel 32x9.5 mm

- 1 pc Dressing Stone SI Carbide 25.4x9.5 mm
- 6 pcs Silicon Carbide Grinding Wheel
- 5 pcs Brush
- 1 pc Polish Compound
- 66 pcs Cut Off Wheel
- 68 pcs Sanding Disc
- 4 pcs Collet Chrome Plated (3.2\*2, 2.4, 1.6 mm)
- 4 pcs Mandrel
- 5 pcs Cut Off Wheel Fibre Glass 32x1.2 mm
- 1 pc Wrench 9.5 mm
- 1 pc Flap Wheel 32x9.5 mm
- 1 pc Dressing Stone SI Carbide 25.4x9.5 mm

**Features :**

- Compact & light weight design
- Comfortable & anti slip soft grip
- Low power, suitable for home application

Article No	10107082	KW0701037	10107083
Model No.	IRDGS1	IRDGS2	IRDGS
Description	Mini Grinder With Accessories 40 Pcs	Mini Grinder With Accessories 172 Pcs	Mini Grinder With Accessories 217 Pcs
<b>Specification</b>			
Chuck Collet Size (mm)	3.2	3	3.2
Input Power (W/V/Hz)	135 / 220 / 50	130 / 220 / 50	135 / 220 / 50
No. Load Speed (rpm)	10000 - 32000	8000 - 30000	10000 - 32000
Dimension L x W x H (mm)	300 x 120 x 50	310 x 270 x 60	350 x 230 x 90
Weight (g)	620	1600	2100

**OPTIONAL ACCESSORIES:**

Rotary Accessories 70 pcs



KW0701038

Rotary Accessories 238 pcs



KW0701039

Flexible Shaft



KW0701279

Article No	Description	Model No.	Dimension (mm)	Weight (g)
KW0701038	Rotary Accessories Set 70 pcs	IRARTS1	130 x 30 x 230	300
KW0701039	Rotary Accessories Set 238 pcs	IRARTS2	310 x 210 x 70	580
KW0701279	Flexible Shaft for KW0701036, KW0701037	IRAFS1	315 x 140 x 30	300

**DIE GRINDER**


\* Grinding stone not include

**Features :**

- Long neck & compact design
- High speed 27000 Rpm for working effectively
- Rubber over molded grips for maximum control

<b>Article No</b>	<b>KW0700845</b>
<b>Model No.</b>	<b>IRDG62</b>
<b>Description</b>	<b>Die Grinder 6mm 400W</b>
<b>Specification</b>	
<b>Chuck Collet Size (mm)</b>	6
<b>Input Power (W/V/Hz)</b>	400 / 220 / 50
<b>No. Load Speed (rpm)</b>	27000
<b>Dimension L x W x H (mm)</b>	440 x 105 x 115
<b>Weight (g)</b>	2000

**STRAIGHT GRINDER**


\* Grinding stone not include

**Features :**

- Long neck & compact design
- High speed 5300 Rpm for working effectively
- Rubber over molded grips for maximum control

<b>Article No</b>	<b>KW0700856</b>
<b>Model No.</b>	<b>IRSG1</b>
<b>Description</b>	<b>Straight Grinder 125mm 710W</b>
<b>Specification</b>	
<b>Max. Wheel Diameter (mm)</b>	125
<b>Hole Diameter Of Wheel (mm)</b>	20
<b>Input Power (W/V/Hz)</b>	710 / 220 / 50
<b>No. Load Speed (rpm)</b>	5300
<b>Dimension L x W x H (mm)</b>	400 x 145 x 145
<b>Weight (g)</b>	2300

**BENCH GRINDER**

**Features :**

- High quality on / off rocker switch for durability
- Equipped with flexible shaft grinder
- Equipped with eye shield for safety

<b>Article No</b>	<b>KW0700939</b>
<b>Model No.</b>	<b>IRBG1</b>
<b>Description</b>	<b>Bench Grinder 1/15HP With Flexible Shaft</b>
<b>Specification</b>	
<b>Wheel Size (mm)</b>	Ø 75 x 13 x Ø 12.7
<b>Input Power (W/V/Hz)</b>	50 / 220 / 50
<b>No. Load Speed (rpm)</b>	2850
<b>Dimension L x W x H (mm)</b>	160 x 130 x 150
<b>Weight (g)</b>	2050

# POLISHER

## ANGLE POLISHER



KW0700655



KW0700803



KW0700852



### Features :

- Lock on / off knob is for easy operation
- Unit with variable speed is equipped for efficient working condition
- Spindle lock for easy disc replacement

### Standard Accessories :

- 1 pc Wool Buffing Pad 5" (KW0700655)
- 1 pc Wool Buffing Pad 7" (KW0700803, KW0700852)

Article No	KW0700655	KW0700803	KW0700852
Model No.	IRAP5	IRAP7	IRSP7
Description	Angle Polisher 125mm 600W	Angle Polisher 180mm 1300W	Sander Polisher 180mm 570W
<b>Specification</b>			
Pad Size	125 mm	180 mm	
Input Power (W/V/Hz)	600 / 220 / 50	1300 / 220 / 50	570 / 220 / 50
No. Load Speed (rpm)	1200 - 5000	600 - 3000	1000 - 2400
Dimension L x W x H (mm)	260 x 85 x 205	450 x 95 x 120	225 x 100 x 240
Weight (g)	2000	3350	2800

## WOOL POLISHING PAD



KW0700966



KW0700967

### Material KW0700966/KW0700967:

- Applicable for car body or car interior polishing



Article No	Description	Model No.	Dimension (inch)	Weight (g)
KW0700966	Wool Buffing Pad	IRAWP5	5	100
KW0700967	Wool Buffing Pad	IRAWP7	7.5	150

# SANDER



## SANDER and PALM SANDER



10107081



10144922

**Features :**

- Easy to fitting and removal of sand paper
- Ergonomic handle for maximum control

Article No	10107081	10144922
Model No.	IRS93	IRPS1
Description	Sander 93 x 185mm 220W	Palm Sander 114 x 105mm 210W
Specification		
Pad Size (mm)	93 x 185	114 x 105
Input Power (W/V/Hz)	220 / 220 / 50	
No. Load Speed (rpm)	12000	
Dimension L x W x H (mm)	185 x 93 x 170	160 x 160 x 115
Weight (g)	2000	1330



**Optional Accessories :**  
Hand Sandpaper



10082224-10082227

## ORBITAL SANDER



**Features :**

- Self vacuum
- Variable speed
- Low vibration

Article No	10427999
Model No.	IROS1
Description	Orbital Sander 125MM 300W
Specification	
Pad Size (mm)	125
Input Power (W / V / Hz)	300 / 220 / 50
No. Load Speed (rpm)	4000 - 12000
Dimension L x W x H (mm)	185 x 165 x 130
Weight (g)	1800

## BELT SANDER



**Optional Accessories :**  
Sandbelt



10082702-10082704

**Features :**


- Equipped with variable speed for working more effective and efficient
- Equipped with front and rear handles for maximum control and comfort
- Easy to change of sandpaper belt

Article No	10151866
Model No.	IRBS1
Description	Belt Sander 533 x 76mm 810W
Specification	
Sanding Belt Size (mm)	533 x 76
Input Power (W / V / Hz)	810 / 220 / 50
No. Load Speed (rpm)	200 - 380
Dimension L x W x H (mm)	315 x 150 x 160
Weight (g)	3300



**DRYWALL SANDER**

**Optional Accessories :  
Sandpaper**



10082702-10082704

**Standard Accessories:**



**Features :**

- Extend the length by turning the screw nut
- Able to joined with dust vacuum cleaner unit
- Double insulation system

**Standard Accessories :**

- 3 pcs Vacum Connector
- 1 pc Vacuum Hose
- 1 pc Screwdriver
- 1 pc Additional Handle
- 2 pcs Sandpaper

<b>Article No</b>	<b>KW0701782</b>
<b>Model No.</b>	<b>IRDS2</b>
<b>Description</b>	<b>Drywall Sander 225mm 600W with Handle</b>
<b>Specification</b>	
<b>Sanding Pad Diameter (mm)</b>	215
<b>Sanding Paper Diameter (mm)</b>	225
<b>Input Power (W/V/Hz)</b>	600 / 220 / 50
<b>No. Load Speed (rpm)</b>	0 - 1000
<b>Tube Diameter (mm)</b>	32
<b>Short-length without additional tube (mm)</b>	1230 / 1650
<b>Long-length with additional tube (mm)</b>	2200
<b>Dimension L x W x H (mm)</b>	715 x 225 x 260
<b>Weight (g)</b>	5200



**Optional Accessories :  
Sandpaper**



10082702-10082704

**Standard Accessories:**



**Features :**

- Flexible sanding for convenient operation on non-smooth wall
- Self vacuum system
- Double insulation system

**Standard Accessories :**

- 1 pc Carbon Brush
- 1 pc Dust Bag
- 1 pc Belt
- 1 pc Hose
- 1 pc Additional Handle
- 2 pcs Sandpaper

<b>Article No</b>	<b>KW0701783</b>
<b>Model No.</b>	<b>IRDS1</b>
<b>Description</b>	<b>Drywall Sander 225mm 1220W</b>
<b>Specification</b>	
<b>Sanding Pad Diameter (mm)</b>	215
<b>Sanding Paper Diameter (mm)</b>	225
<b>Input Power (W/V/Hz)</b>	1220 / 220 / 50
<b>No. Load Speed (rpm)</b>	1500 - 2300
<b>Tube Diameter (mm)</b>	32
<b>Dimension L x W x H (mm)</b>	290 x 330 x 250
<b>Weight (g)</b>	3050



**BURNISHING MACHINE**



**Features :**

- Effective and suitable for flat form surface sanding and burnishing process
- Equipped with variable speed
- Easy to control and change a carbon brush

<b>Article No</b>	10107913
<b>Model No.</b>	IRBM12
<b>Description</b>	Burnishing Machine 120 x 100mm 1400W
<b>Specification</b>	
<b>Wheel Size (mm)</b>	120 x 100
<b>Input Power (W/V/Hz)</b>	1400 / 220 / 50
<b>No. Load Speed (rpm)</b>	690 - 3800
<b>Dimension L x W x H (mm)</b>	400 x 220 x 180
<b>Weight (g)</b>	4800

**Optional Accessories :**

Sandpaper sleeve

Surface conditioning sleeve



KW0700822-KW0700824

10229006

accessories heat gun.tif

**PLANNER**



**Standard Accessories :**



**Features :**

- Equipped with adjustable cutting depth
- Large depth of cut control to provide
- Easy adjustment and acts as second handle for greater control

**Standard Accessories :**

- 1 pc Ruler
- 1 pc Blade Holder
- 1 pc Dust Bag
- 1 pc T-Socket

<b>Article No</b>	10458915
<b>Model No.</b>	IRP8203
<b>Description</b>	Planner 82 x 3mm 850W
<b>Specification</b>	
<b>Max. Planing Width &amp; Depth (mm)</b>	82 & 3
<b>Input Power (W/V/Hz)</b>	850 / 220 / 50
<b>No. Load Speed (rpm)</b>	16000
<b>Dimension L x W x H (mm)</b>	375 x 180 x 205
<b>Weight (g)</b>	3390

**ROUTER and TRIMMER**



KW0701010



10107914

**Features :**

- Equipped with adjustable speed for greater range of applications and flexibility with different size cutter
- Equipped with adjustable plunge depth
- Equipped with lock on / off knob for easy operation

<b>Article No</b>	KW0701010	10107914
<b>Model No.</b>	IRR14	IRT14
<b>Description</b>	Router 1/4" & 8mm 1200W	Trimmer 1/4" & 6mm 530W
<b>Specification</b>		
<b>Collet Diameter (inch &amp; mm)</b>	1/4" & 8	1/4" & 6
<b>Input Power (W/V/Hz)</b>	1200 / 220 / 50	530 / 220 / 50
<b>No. Load Speed (rpm)</b>	28000	35000
<b>Dimension L x W x H (mm)</b>	295 x 145 x 255	120 x 120 x 250
<b>Weight (g)</b>	3500	2500



# SAW

## JIG SAW



**Standard Accessories :**  
T-Shank Jig Saw Blade

10082126

10082124-10082125

**Features :**

- Variable speed for maximum precision in all application
- Fast release blade
- Pendulum action

Article No	KW0700999	KW0700855
<b>Model No.</b>	IRJS65	IRJS85
<b>Description</b>	Jig Saw 65mm 570W	Jig Saw 85mm 580W
<b>Specification</b>		
<b>Max Cutting Depth Wood (mm)</b>	65	85
<b>Max Cutting Depth Steel (mm)</b>	8	10
<b>Shank Type</b>	T-Shank	
<b>No. Load Speed (rpm)</b>	500 – 3000	500 – 3100
<b>Input Power (W/V/Hz)</b>	570 / 220 / 50	580 / 220 / 50
<b>Dimension L x W x H (mm)</b>	215 x 80 x 205	260 x 85 x 205
<b>Weight (g)</b>	2000	2700

## CIRCULAR SAW



**Features :**

- Soft grip " D " handle for great control and comfort
- Equipped with depth control lever
- Spindle lock for quick and easy blade changes

Article No	10130795
<b>Model No.</b>	IRCS3
<b>Description</b>	Circular Saw 185mm 1300W
<b>Specification</b>	
<b>Blade Size (mm)</b>	185
<b>Hole Size (mm)</b>	20
<b>Max Cutting Depth 90°(mm)</b>	65
<b>Max Cutting Depth 45°(mm)</b>	40
<b>No. Load Speed (rpm)</b>	5000
<b>Input Power (W/V/Hz)</b>	1300 / 220 / 50
<b>Dimension L x W x H (mm)</b>	350 x 260 x 250
<b>Weight (g)</b>	5600

## MINI PLUNGE



**Standard Accessories :**

- 1 pc Diamond Blade 89mm
- 1 pc HSS Blade 89mm
- 1 pc TCT Blade 89mm
- 1 pc Guide Fence
- 1 pc Dust Extraction Hose
- 1 pc Inner Hexagon Wrench

**Features :**

- Equipped with safety button
- Laser light for guidance during operation
- Depth indicator

Article No	10033099
<b>Model No.</b>	IRPS89
<b>Description</b>	Mini Plunge Saw 89 mm 600W
<b>Specification</b>	
<b>Blade Size (mm)</b>	89
<b>Hole Size (mm)</b>	10
<b>Max. Cutting Depth Soft Wood / Tile / Aluminium (mm)</b>	28.5 / 8 / 3
<b>No. Load Speed (rpm)</b>	5500
<b>Input Power (W/V/Hz)</b>	600 / 220 / 50
<b>Dimension L x W x H (mm)</b>	400 x 100 x 130
<b>Weight (g)</b>	3200



**MITRE BASE FOR MINI PLUNGE**


<b>Article No</b>	10041896
<b>Model No.</b>	IRAMB
<b>Description</b>	Mitre Base for Mini Plunge Saw 89mm
<b>Specification</b>	
<b>Dimension L x W x H (mm)</b>	450 x 70 x 180
<b>Weight (g)</b>	1830

**RECIPROCATING SAW**


**Optional Accessories :**  
Recipro Cutting Saw Blade



10082222 - 10082223



10082130, 10082221

**Features :**

- Variable speed for maximum precision in all application
- Effective and suitable for pipe cutting process
- Double insulation system

<b>Article No</b>	10129693
<b>Model No.</b>	IRRS30
<b>Description</b>	Reciprocating Saw 30mm, 590W
<b>Specification</b>	
<b>Max Cutting Wood (mm)</b>	90
<b>Max Cutting Steel (mm)</b>	90 (Pipe/Tube)
<b>No. Load Speed (rpm)</b>	0 - 2300
<b>Input Power (W/V/Hz)</b>	590 / 220 / 50
<b>Dimension L x W x H (mm)</b>	665 x 155 x 340
<b>Weight (g)</b>	3200

**CUT OFF MACHINE**

**Features :**

- Suitable for cutting metal tube and pipe
- Cutting angle 0 ~ 45 °

<b>Article No</b>	10060945
<b>Model No.</b>	IRCM141
<b>Description</b>	Cut Off Machine 14" 2300W
<b>Specification</b>	
<b>Wheel Diameter (mm)</b>	355 x 3 x 25.4
<b>Input Power (W/V/Hz)</b>	2300 / 220 / 50
<b>No. Load Speed (rpm)</b>	3800
<b>Dimension L x W x H (mm)</b>	500 x 320 x 410
<b>Weight (g)</b>	18000

**CUT OFF MACHINE**

**Features :**

- Suitable for cutting metal tube and pipe
- Induction motor provides best performance
- Cutting angle 0 ~ 45 °

<b>Article No</b>	<b>10088632</b>
<b>Model No.</b>	<b>IRCM163</b>
<b>Description</b>	<b>Cut Off Machine 16" 2200W/380V 3Phase</b>
<b>Specification</b>	
<b>Wheel Diameter (mm)</b>	400 x 3 x 25.4
<b>Input Power (W/V/Hz)</b>	2200 / 380 / 50
<b>No. Load Speed (rpm)</b>	2900
<b>Dimension L x W x H (mm)</b>	540 x310 x 620
<b>Weight (g)</b>	62500

**MARBLE CUTTER**


\* Blade not include

**Features :**

- Compact and lightweight design
- D-handle for maximum control
- Equipped with lock on / off knob for easy operation

<b>Article No</b>	<b>KW0700861</b>
<b>Model No.</b>	<b>IRMC1</b>
<b>Description</b>	<b>Marble Cutter 110mm 1050W</b>
<b>Specification</b>	
<b>Blade Diameter (mm)</b>	110
<b>Hole Size (mm)</b>	16
<b>Max. Cutting Capacity (mm)</b>	34
<b>Input Power (W/V/Hz)</b>	1050 / 220 / 50
<b>No. Load Speed (rpm)</b>	13300
<b>Dimension L x W x H (mm)</b>	220 x 210 x 180
<b>Weight (g)</b>	3000

**ELECTRIC TILE CUTTER**

**Features :**

- Compact design
- Easy operation

<b>Article No</b>	<b>10098878</b>
<b>Model No.</b>	<b>IRTC18</b>
<b>Description</b>	<b>Electric Tile Cutter 180mm 600W</b>
<b>Specification</b>	
<b>Diamond Wheel Diameter (mm)</b>	180 (Wet Process)
<b>Input Power (W/V/Hz)</b>	600 / 220 / 50
<b>Cutting Height (mm)</b>	32
<b>Cutting Table Tilt (°)</b>	0 - 45
<b>No. Load Speed (rpm)</b>	2990
<b>Dimension L x W x H (mm)</b>	395 x 395 x 185
<b>Weight (g)</b>	12700

# HEAT GUN, BLOWER & ELECTRIC MIXER



## HEAT GUN



Standard Accessories:



Reduction Nozzle      Wide Nozzle



### Features :

- The tool starts operate with on / off switch for excellent start
- Two heat settings makes any task easy , effective and efficient
- Equipped with accessories to adjust blow of air

Article No	KW0700859	KW0700860
Model No.	IRHG16	IRHG20
Description	Heat Gun 1600W	Heat Gun 2000W
<b>Specification</b>		
Temperature (°C)	50 - 400 & 50 - 550	50 - 480 & 50 - 600
Air Flow (L/min)	190 - 210 & 310 - 350	210 - 250 & 340 - 380
Input Power (W/V/Hz)	1600 / 220 / 50	2000 / 220 / 50
Dimension L x W x H (mm)	245 x 70 x 190	245 x 70 x 190
Weight (g)	700	900

## ELECTRIC BLOWER



10151864



10180492

### Features :

- Operation start with push button switch
- Equipped with lock on / off knob for easy operation
- Equipped with variable speed makes any task easy, effective and efficient

Article No	10151864	10180492
Model No.	IRB4	IRB6
Description	Electric Blower 400W	Electric Blower 600W
<b>Specification</b>		
Air Flow (L/min)	0 - 2900	0 - 4100
Input Power (W/V/Hz)	400 / 220 / 50	600 / 220 / 50
No. Load Speed (rpm)	0 - 16000	
Variable Speed	Yes	
Dimension L x W x H (mm)	250 x 190 x 200	260 x 190 x 220
Weight (g)	2000	2900

## IMPACT WRENCH



Standard Accessories:

Impact Socket Bits



### Features :

- Torque 294 NM
- Reversible Trigger
- 3 pcs Impact Socket Bits (19 mm, 21 mm, 24 mm)

Article No	10428000
Model No.	IRIW12
Description	Impact Wrench SQ 1/2" 340W
<b>Specification</b>	
Square Drive (inch)	1/2
Input Power (W/V/Hz)	340 / 220 / 50
No. Load Speed (rpm)	1700
Torque (NM)	294
Impact Rate (ipm)	2000
Fastening Bolt Capacity	M12 - M20
Dimension L x W x H (mm)	275 x 185 x 210
Weight (g)	3200



**ELECTRIC MIXER**



10437130



10437131

**Features :**

- Unit with variable speed is equipped for efficient working condition
- Lock on / off knob is for easy operation
- Equipped with 2 stage speed gear for mixing speed and power task easy , effective and efficient (10437131)
- Double D handle for easy and maximum control

Article No	10437130	10437131
Model No.	IRM121	IRM161
Description	Electric Mixer 120mm 1220W	Electric Mixer 160mm 1600W
<b>Specification</b>		
Mixing Paddle (mm)	120	160
Tool Fitting	M14 x 2	
Input Power (W/V/Hz)	1220 / 220 / 50	1600 / 220 / 50
No. Load Speed (rpm)	0 - 800	180 - 460 / 300 - 750
Dimension L x W x H (mm)	290 x 155 x 860	445 x 238 x 880
Weight (g)	4250	5200

**STAND FOR ELECTRIC MIXER**



**Features :**

- Compact and lightweight design
- D-handle for maximum control
- Equipped with lock on / off knob for easy operation

Article No	KW0701596
Model No.	IRASM01
Description	Stand For Electric Mixer
<b>Specification</b>	
Height (mm)	745
Diameter of Bottom Disc (mm)	400
Material (mm)	Polyamide (PA) and steel pipe
Steel Finishing (mm)	Powder Coated
Dimension L x W x H (mm)	490 x 660 x 80
Weight (g)	8500

**MIXER PADDLE**



KW0701597



KW0701598/KW0701600



KW0701599

Article No	KW0701597	KW0701600	KW0701598	KW0701599
Model No.	IRAMPV12	IRAMPL16	IRAMPL16	IRAMPD12
Description	Mixer Paddle 120x600 mm M14 x 2 for Sticky and Viscous Materials	Mixer Paddle 160x600 mm M14 x 2 for Liquid	Mixer Paddle 160x600 mm M14 x 2 for Liquid	Mixer Paddle 120x600 mm M14 x 2 for Dry Mixtures
<b>Specification</b>				
Diameter (mm)	120		160	120
Length (mm)	600			
Tool Fitting	M14 x 2			
User for	Optimal for mixing sticky and viscous materials, e.g. tile adhesive, bonding mortar, joint compound, readymixed plaster, floor screed, fillers, etc.	Optimal for liquid or fibrous materials in large quantities: e.g. wall paint, varnish, glaze, joint sealing compound, lime, plaster, filler, floor screed, etc.		It is perfect for dry mixtures such as mortar, plaster, cement, sand- and pebble-filled materials. The mixing tool works into the mixing material easily.

# GLUE GUN & ENGRAVER



## GLUE GUN and MINI GLUE GUN



KW0701637



10133528



10133529

### Optional Accessories:

Transparent Glue Stick



KW0701639 / 10133531

Color Glitter Glue Stick



10133530

### Features :

- Lightweight and easy to operated
- Easy to refill of glue gun stick

Article No	KW0701637	10133528	10133529
Model No.	IRGG3	IRGG2	IRGG1
Description	Glue Gun 60W with 2 Glue Stick	Mini Glue Gun Blue 10W	Mini Glue Gun 10W Green
Specification			
Input Power (W/V/Hz)	60 / 220 / 50	10 / 220 / 50	
Glue Stick (Dia.)	Ø 11	Ø 7.2	
Dimension L x W x H (mm)	180 x 35 x 165	140 x 70 x 215	140 x 70 x 215
Weight (g)	350	165	165

Article No	Model No.	Description	Dimension (mm)	Weight (g)
KW0701639	IRAGS3	Glue Stick Ø 11 x 100 mm (10Pcs/Pack)	160 x 125 x 11	110
10133531	IRAGS1	Transparent Glue Stick Ø 7.2 x 100mm (10 pcs)	100 x 720 x 720	44
10133530	IRAGS2	Color Glitter Glue Stick Ø 7.2 x 100mm (10 pcs)		44

## ENGRAVER



### Features :

- 6 steps vibration
- High efficient ventilation
- Tungsten carbide tip applicable for metal, glass, ceramic and plastic


Article No	10450999
Model No.	IRE13
Description	Engraver 13W
Specification	
Input Power (W / V / Hz)	13 / 220 / 50
Dimension L x W x H (mm)	240 x 60 x 110
Weight (g)	550



# ACCESSORIES



## SDS PLUS CHISEL



**Features :**


- Made from hard die cast
- Made with SDS plus shank type

**Application :**

- For grooving, sculpt and split concrete, brick, and stone

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10081905	IRACP1	SDS Plus Chisel Point 14 x 250mm	42	15	370	252
10081906	IRACF12	SDS Plus Chisel Flat 20 x 250mm	49	15	370	262
10081907	IRACF14	SDS Plus Chisel Flat 40 x 250mm	49	15	370	298

## SDS MAX CHISEL BIT & HEXAGONAL CHISEL BIT



**Features :**

- Made from hard die cast

**Application :**

- For grooving, sculpt and split concrete, brick, and stone

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10313188	IRACP2	SDS Max Chisel Point 18 x 400mm	480	50	20	0.75
10313189	IRACF22	SDS Max Chisel Flat 25 x 400mm	480	50	20	0.75
10242762	IRACP3	Hexagonal Chisel Point 28 x 410mm	440	45	45	2.2
10242763	IRACF32	Hexagonal Chisel Flat 28 x 30 x 410mm	440	45	45	2.2

## SDS PLUS ADAPTER



**Features :**

- 1- 13mm Female 1/2" 20 UNF keyed chuck
- 1- SDS plus adaptor
- 1- 13mm chuck key

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10131267	IRAA1	SDS Plus Adapter 1 - 13mm Set	120	45	170	366

## SDS MAX TO SDS PLUS ADAPTER



**Features :**

- Special adapter for SDS Max chuck to SDS Plus chuck

Article No	Model No.	Description	Packing Dimension			Weight (g)
			L (mm)	W (mm)	H (mm)	
10180486	IRAA2	SDS Max to SDS Plus Adapter 230mm	75	50	310	556

## PAD WITH ADAPTOR



- To Be Used with Electric Polisher 5" (Optional)



- To Be Used with Electric Drill (Optional)

Article No	Model No.	Description	Hole Thread Size	Packing Dimension			Use For	Weight (g)
				L (mm)	W (mm)	H (mm)		
10131321	IRAPA4	Pad 100mm For Polishing With Adaptor	M14 x 2	150	150	40	Ceramic polish pad, Scrubber and sponge pad	136

# CORDLESS

## CORDLESS IMPACT WRENCH

**Standard Accessories :**  
Impact Socket Bits



**Optional Accessories :**

**Battery Pack**  
18V 2Ah



10133879

**Battery Pack**  
18V 4Ah



10207847



**Features :**

- Brushless DC Motor
- Equipped with torque adjustable, up to 700NM
- Battery indicator LED lamp
- 4 pcs Impact Socket Bits (17 mm 19 mm, 21 mm, 23 mm)

<b>Article No</b>	<b>10464955</b>
<b>Model No.</b>	<b>IPCIWB181</b>
<b>Description</b>	<b>Cordless Impact Wrench SQ 1/2" 18V</b>
<b>Specification</b>	
<b>Square Drive/ Anvil Size (inch)</b>	1/2
<b>Impact Rate (bpm)</b>	0 ~ 22400
<b>No Load Speed (rpm)</b>	0 ~ 1650
<b>Torque (NM)</b>	400 / 475 / 550 / 625 / 700 (Adjustable)
<b>Fastening Capacity</b>	<b>Standard Bolt</b> <b>High Tensile Bolt</b>
	M12-M24
<b>Battery Power (VDC/MAH)</b>	18 / 4000
<b>Battery Type</b>	Lithium ion
<b>Dimension L x W x H (mm)</b>	280 x 90 x 220
<b>Weight (g)</b>	3460

## CORDLESS IMPACT DRILL

**Standard Accessories :**



**Optional Accessories :**

**Battery Pack**  
18V 2Ah



10133879

**Battery Pack**  
18V 4Ah



10207847



**Features :**

- Brushless DC Motor
- Drilling function switch (drill/impact drill)
- Variable speed

**Standard Accessories :**

- 6 pcs HSS Twist Drill Bits
- 6 pcs Screwdriver Bits
- 1 pc Bit Holder

<b>Article No</b>	<b>10464956</b>	
<b>Model No.</b>	<b>IPCIDB18</b>	
<b>Description</b>	<b>Cordless Impact Drill 13mm 18V</b>	
<b>Specification</b>		
<b>Chuck Capacity (mm)</b>	13 Keyless Chuck	
<b>Max. Drilling Ø</b>	<b>Concrete (mm)</b>	13
	<b>Steel (mm)</b>	10
	<b>Wood (mm)</b>	18
<b>No Load Speed</b>	<b>Speed 1 (rpm)</b>	0-550
	<b>Speed 2 (rpm)</b>	0-2000
<b>Torque (NM)</b>	70	
<b>Battery Power (VDC/MAH)</b>	18 / 4000	
<b>Battery Type</b>	Lithium Ion	
<b>Dimension L x W x H (mm)</b>	250 x 60 x 210	
<b>Weight (g)</b>	2100	

## CORDLESS IMPACT SCREWDRIVER

**Standard Accessories :**  
Hexagonal Socket Bits



**Optional Accessories :**

**Battery Pack**  
18V 2Ah



10133879

**Battery Pack**  
18V 4Ah



10207847



**Features :**

- Brushless DC Motor
- Torque 180NM
- Battery indicator LED lamp
- 4 pcs Hexagonal Socket Bits (6 mm, 8 mm, 10 mm, 12 mm)

<b>Article No</b>	<b>10464957</b>
<b>Model No.</b>	<b>IPCISB18</b>
<b>Description</b>	<b>Cordless Impact Screwdriver SQ 1/4" 18V</b>
<b>Specification</b>	
<b>Chuck Capacity</b>	1/4" Quick Release Chuck
<b>No Load Speed (rpm)</b>	0-2800
<b>Impact Rate (lpm)</b>	0-3800
<b>Torque (NM)</b>	180
<b>Battery Power (VDC/MAH)</b>	18 / 4000
<b>Battery Type</b>	Lithium ion
<b>Dimension L x W x H (mm)</b>	250 x 60 x 150
<b>Weight (g)</b>	1720



# DRILL

## MAGNETIC CORE DRILL



Article No	10047411	10047422	10181708
Model No.	IPMD35	IPMD50	IPMD75
Description	Magnetic Core Drill 35 x 50mm	Magnetic Core Drill 2 Speed 50 x 75mm	Magnetic Core Drill 4 Speed 75 x 50mm
<b>Specification</b>			
Max. Capacity	- Ø x Depth of Core Drill (mm)	35 x 50	50 x 75
	- Ø x Depth of Twist Drill Bit (with Drill Chuck) (mm)	13 x 110	16 x 110
	- Ø x Depth of MT3 Tapper Shank Drill	-	32 x 150
	- Ø x Depth of Tap (with Optional MT3 Tapping Chuck)	-	25.4 x 40
Input Power (W/V/Hz)		1100 / 220 / 50	2000 / 220 / 50
No. Load Speed	Speed 1 (rpm)	350 / 620	230 / 380
	Speed 2 (rpm)	-	300 / 500
	Speed 3 (rpm)	-	180 / 300
	Speed 4 (rpm)	-	230 / 380
Magnetic Adhesion (N)		15000	32000
Dimension L x W x H (mm)		250 x 270 x 440	300 x 250 x 500
Weight (g)		12600	21000



**DIAMOND CORE DRILL**



**Features :**

- Equipped with water hose for application during penetration process
- Handy / pistol grip type easy for operation (10041833)
- Equipped with additional handle for easy controlling (10041833)
- Equipped with standing support and adjustable angle(10041832)

Article No	10041833	10041832
Model No.	IRDC12	IRDC16
Description	Diamond Core Drill 120mm 1150W	Diamond Core Drill With Stand 260mm 2500W
<b>Specification</b>		
Max. Drilling (mm)	Ø 120	Ø 260
Input Power (W / V / Hz)	1150 / 220 / 50	2500 / 220 / 50
No. Load Speed (rpm)	0 - 1800	720
Thread	Male 1/2"	Male 1/2"
Dimension L x W x H (mm)	400 x 140 x 200	500 x 370 x 980
Weight (g)	5700	32600

**GRINDER**



**BENCH GRINDER**



**Features :**

- Induction motor provides best performance
- Fully balanced wheels to ensure and minimalizing run out of wheel and tool vibration
- Equipped with eye shield for safety , wheel dresser and working lamp

Article No	KW0700073	KW0700074	KW0700075
Model No.	IPBG2	IPBG3	IPBG4
Description	Bench Grinder 6 Inch	Bench Grinder 8 Inch	Bench Grinder 10 Inch
<b>Specification</b>			
Wheel Size (inch)	Ø 6 x 1 x 1/2	Ø 8 x 3/4 x 1/2	Ø 10 x 1 x 3/4
Shaft Dia. (inch)	1/2	5/8	3/4
Input Power (W / V / Hz)	375 / 220 / 50	375 / 220 / 50	750 / 220 / 50
No. Load Speed (rpm)		2850	
Lamp		Yes	
Wheel Dressing Tool		Yes	
Cast Iron Base	No	Yes	
Dimension L x W x H (mm)	345 x 205 x 260	400 x 280 x 300	450 x 305 x 325
Weight (g)	10500	14500	18000



**GRINDER & SANDER**



10047425



10047426



10047427

**Features :**

- Induction motor provides best performance
- Tension controller for center line sander
- Equipped with working lamp

Article No	10047425	10047426	10047427
Model No.	IPBCC62	IRBGC68	IRUS1
Description	Grinder & Sander 6 Inch & 2 x 27 Inch	Dry & Wet Bench Grinder 6 Inch & 8 Inch	Utility Sharpener 4.5 x 1.5 Inch
<b>Specification</b>			
Wheel Size (inch)	6 x 3/4 x 1/2	8 x 1 1/2 x 3/4 & 6 x 3/4 x 1/2	4 1/2 x 1 1/2 x 9/16
Sandpaper Belt Size (inch)	2 x 27	-	-
Input Power (W/V/Hz)	250 / 220 / 50		70 / 220 / 50
No. Load Speed (rpm)	2850		140
Belt Sander Speed (m/s)	15	-	-
Dimension L x W x H (mm)	445 x 395 x 245	485 x 330 x 365	395 x 235 x 195
Weight (g)	10500	13500	5000



**BENCH POLISHER**

**Features :**

- Induction motor provides best performance
- High quality on / off rocker switch for durability
- Fully balanced wheels to ensure and minimalizing run out of wheel and tool vibration



Article No	KW0700940
Model No.	IPBP1
Description	Bench Polisher 200mm 1/2 HP With Long Shaft
<b>Specification</b>	
Wheel Size (mm)	Ø 200 x 14
Shaft Dia. (mm)	Ø 15.9
Input Power (W/V/Hz)	375 / 220 / 50
No. Load Speed (rpm)	2850
Dimension L x W x H (mm)	560 x 150 x 225
Weight (g)	9300

# SANDER



## BELT SANDER



**Features :**

- Fast tracking adjustment knob
- Quick belt changing lever
- Table mitre gauge

<b>Article No</b>	<b>10047424</b>
<b>Model No.</b>	<b>IPBDS1</b>
<b>Description</b>	<b>Belt &amp; Disc Sander 4X36" And 6"</b>
<b>Specification</b>	
<b>Belt Size (inch)</b>	4 x 36
<b>Disc Diameter (inch)</b>	6
<b>Table Size (mm)</b>	220 x 160
<b>Table Tilt (°)</b>	0 - 45
<b>Input Power (W/V/Hz)</b>	370 / 220 / 50
<b>No. Load Speed (rpm)</b>	2850
<b>Belt Sander Speed (m/s)</b>	7.35
<b>Dimension L x W x H (mm)</b>	565 x 280 x 330
<b>Weight (g)</b>	18800


# HOT AIR WELDING GUN



## HOT AIR WELDING GUN



Standard Accessories:



**Features :**

- Suitable for thermoplastic (PVC/PP/PE/PVDF/EVA)
- Equipped with temperature adjustable
- Equipped with nozzle accessories make any task easy

<b>Article No</b>	<b>10071863</b>
<b>Model No.</b>	<b>IPHW16</b>
<b>Description</b>	<b>Hot Air Welding Gun 1600W</b>
<b>Specification</b>	
<b>Temperature (°C)</b>	20 - 650 (adjustable)
<b>Air Flow (L/min)</b>	Max. 180
<b>Air Pressure (Pa)</b>	2600
<b>Input Power (W/V/Hz)</b>	1600 / 220 / 50
<b>Noise (db)</b>	≤ 65
<b>Safety Grade</b>	Double Insulation
<b>Dimension L x W x H (mm)</b>	340 x 110 x 110
<b>Weight (g)</b>	1050

# MITRE SAW


**Features :**

- Suitable for cutting wood material
- The cutting angle can be adjusted
- Designed with 2 function of cutting process, moves of workpiece or moves of blade

<b>Article No</b>	<b>10453557</b>
<b>Model No.</b>	<b>IRMS1001</b>
<b>Description</b>	<b>Mitre Saw 254mm 2000W</b>
<b>Specification</b>	
<b>Blade Diameter (mm)</b>	Ø 255
<b>Max Cutting Capacity (mm)</b>	0° x 0° H85 x W300
	45° x 45° H45 x W210
	45° x 0° H85 x W210
	0° x 45° H45 x W300
-	-
<b>Input Power (W/V/Hz)</b>	1900 / 220 / 50
<b>No. Load Speed (rpm)</b>	4700
<b>Dimension L x W x H (mm)</b>	740 x 540 x 430
<b>Weight (g)</b>	19900

## 2 FUNCTION MITRE SAW


**Features :**

- Suitable for cutting wood material
- The cutting angle can be adjusted
- Designed with 2 function of cutting process, moves of workpiece or moves of blade

<b>Article No</b>	<b>KW0701005</b>
<b>Model No.</b>	<b>IRMSC10</b>
<b>Description</b>	<b>2 Function Mitre Saw 254mm 1800W</b>
<b>Specification</b>	
<b>Blade Diameter (mm)</b>	Ø 255
<b>Max Cutting Capacity (mm)</b>	0° x 90° H70 x W110
	45° x 90° H70 x W70
	0° x 45° H40 x W110
	45°(L) x 45° H35 x W60
	45°(R) x 45° H40 x W90
<b>Input Power (W/V/Hz)</b>	1800 / 220 / 50
<b>No. Load Speed (rpm)</b>	5000
<b>Dimension L x W x H (mm)</b>	960 x 840 x 624
<b>Weight (g)</b>	19000

**KRISBOW®**
*Distributed by:*