

KRISBOW®

SAFETY AND PROTECTIVE EQUIPMENT



SCAN

FOR OUR LATEST VIDEO



SCAN

FOR BROCHURE & CATALOG



SCAN

FOR OUR CHANNEL

EYE PROTECTION

SPECTACLE



WITH NOSEPAD
KW1000545-KW1000547



INDOOR OUTDOOR
KW1000549



FLEXIBLE TEMPLE
KW1000539-KW1000541



CLEAR
KW1000542



WITH NOSEPAD
KW1000543-KW1000544



FIT FACE CLEAR
10051754



SPORT WITH NOSEPAD
10119708



SPORTY WARP CLEAR
10119710



WITH LED LIGHT
10119712



- Features:**
- Anti scratch
 - Fog Resistance
 - 99% UV protection

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000545	SREP109	Spectacle With Nosepad Clear	14.9 x 6.5 x 4.1	0.05
KW1000546	SREP100	Spectacle With Nosepad Silver	14.9 x 6.5 x 4.1	0.05
KW1000547	SREP101	Spectacle With Nosepad Smoke	14.9 x 6.5 x 4.1	0.05
KW1000549	SREP102	Spectacle Indoor Outdoor	14.5 x 7 x 4	0.05
KW1000539	SREP103	Spectacle Flexible Temple Clear	14.3 x 4.5 x 4.8	0.05
KW1000540	SREP104	Spectacle Flexible Temple Yellow	14.3 x 4.5 x 4.8	0.05
KW1000541	SREP105	Spectacle Flexible Temple Smoke	14.3 x 4.5 x 4.8	0.05
KW1000542	SREP106	Spectacle Clear	14.3 x 4.5 x 4.8	0.05
KW1000543	SREP107	Spectacle With Nosepad Golden	14.3 x 4.5 x 4.8	0.05
KW1000544	SREP108	Spectacle With Nosepad Blue	14.3 x 4.5 x 4.8	0.05
10051754	SREP110	Spectacle Fit Face Model Clear	14.2 x 5.1 x 4.5	0.06
10119325	SREP111	Spectacle Sport With Nosepad Clear	14.5 x 7 x 4	0.06
10119708	SREP115	Spectacle Sport With Nosepad Smoke	14.5 x 7 x 4	0.06
10119710	SREP112	Spectacle Sporty Warp Clear	14.5 x 7 x 4	0.06
10119711	SREP113	Spectacle Sporty Warp Smoke	14.5 x 7 x 4	0.06
10119712	SREP114	Spectacle With Led Light	14.5 x 7 x 4	0.06

GOGGLE CHEMICAL



KW1000326



KW1000799



KW1000325



KW1000550-KW1000551



- Features:**
- Anti scratch
 - Fog Resistance
 - 99% UV protection

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000326	SREP200	Goggle Chemical	16 x 8 x 5	0.112
KW1000799	SREP201	Goggle Chemical Heavy Duty	19 x 8 x 6	0.11
KW1000550	SREP300	Goggle Impact HD Clear Lens	18 x 8 x 5.5	0.112
KW1000551	SREP301	Goggle Impact HD Rainbow Lens	18 x 8 x 5.5	0.112
KW1000325	SREP302	Goggle Impact	16 x 8 x 5	0.09

SPECTACLE AND GOGGLE WELDING



KW1000334



KW1000335



KW1000336



KW1000337



10572261

- Features:**
- Power supply : Solar cell
 - LightState : DIN 3
 - DarkState : Fix Shade 11
 - Two side : Shade 5

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000334	SREP400	Goggle Welding Round Flip Up	19 x 8 x 6	0.17
KW1000335	SREP401	Goggle Welding Square Flip Up	20 x 10 x 7	0.17
KW1000336	SREP402	Goggle Welding Round	16 x 7 x 8	0.09
KW1000337	SREP403	Goggle Welding Round Shape	19 x 6 x 6	0.08
10572261	SRWGAUTO6	Welding Spectacle Autodark	18 x 10 x 9	0.17

FACE PROTECTION



WELDING HELMET CE

Auto Dark



10639645

Features:

- Optical Class : 1/1/1/2
- Working Type : Welding & Grinding
- Power On/Off : Fully Automatic
- Light State: DIN 3



10639886

Features:

- Optical Class : 1/1/1/2
- Working Type : Welding & Grinding
- Power On/Off : Fully Automatic
- Light State: DIN 3.5

Article No.	10639645	10639886
Model No.	SRWH4	SRWH5
Description	Welding Helmet Autodark Auriga	Welding Helmet Autodark Cano
Specification		
Material	High impact resistant nylon	
Color	Black	
Cartidge Size (cm)	11.4 x 13.3 x 0.9	11 x 9 x 0.9
Viewing Area (cm)	9.7 x 6.75	9,6 x 4
Dark State	DIN 5 ~ 8 / 9 ~ 13	Variable Shade 9 ~ 13
Power Supply	Solar cell. Battery replaceable 1 x CR2450 lithium battery	Solar cell. No battery change required
Weight (g)	575	430




Features:

- Optical Class : 1/1/1/2
- Working Type : Welding & Grinding
- Power On/Off : Fully Automatic
- Powered Air Purifying Respirator



Suitable for welding work:



Article No.	10639646
Model No.	SRWH6APR
Description	Welding Helmet Autodark Corvus
Specification	
Material	High impact resistant nylon
Color	Black
Cartidge Size (cm)	11 x 9 x 0.9
Viewing Area (cm)	9,8 x 4,4
Dark State	9 ~ 13
Power Supply	Solar cell. Battery replaceable, 1 x CR2450 lithium battery
Switching Time	1/16, 000 s (55°C)
Airflow Rate : Low speed	170+lpm (6+cfm)
High Speed	210+lpm (7.4+cfm)
Filter Efficiency (%)	99.997
Weight (g)	1500



WELDING HANDSHIELD

WELDING HELMET



Features:

- Polypropylene straight shell
- For eye and full face protection from sparks and spatter
- With fixed front and Flip front lens 2" x 4-1/4", shade : 11



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000317	SRWH4	Welding Handshield Black	44 x 23 x 15	0.5
KW1000318	SRWH5	Welding Helmet Black	30 x 21 x 18	0.5
10572260	SRWH5A	Welding Helmet Flip Front Lens	20 x 20 x 15	0.26

FACE SHIELD



10148057

10148098

KW1000315

KW1000316

VISOR CLEAR
KW1000411

KW1000409

KW1000413

Features:

- Visor material : High-impact polycarbonate lens with Headgear
- Provides protection against foreign particles, chemical splash, dust, Heat, High impact resistant, anti-UV & IR, Attachment (KW1000413), Mesh with Earmuff (KW1000309)
- Visor color : Clear Shading (#5) (10148098)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10148057	SRFS1	Face Shield With HeadGR Clear Visor	24 x 23 x 39	0.4
10148098	SRFS2	Face Shield With HeadGR Double Visor	24 x 23 x 39	0.4
KW1000315	SRFS3	Face Shield HeadGR With Clear Visor	26 x 18 x 6	0.4
KW1000316	SRFS3B	Face Shield HeadGR With Dark Visor	26 x 18 x 6	0.4
KW1000413	SRFS4	Face Shield Clear Attach For Helmet	20 x 20 x 6	0.21
KW1000409	SRFS5	Face Shield Mesh With Earmuff	18 x 18 x 8	0.44
KW1000411	SRVC1	Visor Clear	20 x 30 x 1	0.13

HEAD PROTECTION



HELMET CLIMBING WITH VISOR

Available colours :



White



Blue



Red



Green



Orange

Features:

- Anti Scratch
- Anti Fog
- UV Protection
- 6 Point Suspension Harness
- Ratchet Lock
- Chinstrap Y Type

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10622961	SRSHCLBVY	Safety Helmet CLB With Visor Yellow	28 x 22 x 17	0.4
10622960	SRSHCLBVW	Safety Helmet CLB With Visor White		
10622914	SRSHCLBVB	Safety Helmet CLB With Visor Blue		
10622801	SRSHCLBVR	Safety Helmet CLB With Visor Red		
10622802	SRSHCLBVG	Safety Helmet CLB With Visor Green		
10622803	SRSHCLBVO	Safety Helmet CLB With Visor Orange		

HELMET FRONT BRIM VENTED



Available colours :



Yellow



Blue



White



Red



Orange

Features:

- 4 point tectonic harness
- Highly absorbent sweatband & ratchet lock wheel suspension
- With chinstrap

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10619872	SRSHV41G	Helm Front Brim Vented Green	31 x 21.5 x 16	0.5
10619873	SRSHV41Y	Helm Front Brim Vented Yellow		
10620082	SRSHV41B	Helm Front Brim Vented Blue		
10619992	SRSHV41W	Helm Front Brim Vented White		
10619993	SRSHV41R	Helm Front Brim Vented Red		
10619994	SRSHV41O	Helm Front Brim Vented Orange		

HELMET FRONT BRIM



Available colours :



White



Yellow



Red



Green



Orange



Optional Accessories :

CHINSTRAP 2 POINT



KW1000193

SUSPENSION



4 Points Tectonic Harness
KW1000404

CHINSTRAP 4 POINT



10129217

Features:

- 4 point tectonic harness
- Highly absorbent sweatband, Ratchet & push lock wheel suspension
- Slotted sides to accommodate accessories such as: ear muff, Visor, etc

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000319	SRH10W	Helmet Front Brim White	20 x 16 x 22	0.4
KW1000320	SRH10Y	Helmet Front Brim Yellow		
KW1000321	SRH10R	Helmet Front Brim Red		
KW1000322	SRH10B	Helmet Front Brim Blue		
KW1000323	SRH10G	Helmet Front Brim Green		
KW1000324	SRH10O	Helmet Front Brim Orange		
KW1000404	SRHS10S	Helmet Suspension For Helm Std,Full	23 x 19 x 12	0.106
KW1000193	SRCS1	Chin Strap For Helm Std	8 x 4 x 2	0.02
10129217	SRCS2	Chinstrap 4 Point For All Helmet	18 x 8 x 2	0.03



HELMET TOP GUARD



Available colours :



White



Blue



Yellow



Features:

- 4 points take advantage of tectonics
- Ratchet wheel suspension
- With chinstrap

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10583807	SRS80R	Safety Helmet Red Top Guard	28 x 22 x 16	0.46
10583806	SRS80W	Safety Helmet White Top Guard		
10583808	SRS80B	Safety Helmet Blue Top Guard		
10583809	SRS80Y	Safety Helmet Yellow Top Guard		

HELMET FRONT BRIM ECM



Available colours :



Yellow



Red



Blue



Features:

- 4 points take advantage of tectonics
- Pin lock suspension

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10517030	SRHECM50W	Safety Helmet Front Brim Ecm White	29 x 23 x 13	0.40
10517031	SRHECM50Y	Safety Helmet Front Brim Ecm Yellow		
10517032	SRHECM50R	Safety Helmet Front Brim Ecm Red		
10517033	SRHECM50B	Safety Helmet Front Brim Ecm Blue		

HELMET FRONT BRIM FRP



Available colours :



White



Red



Blue

Features:

- 4 points take advantage of tectonics
- Pin lock suspension
- Working temp: 150°C - 180°C
- Material fiberglass



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10570225	SRH60Y	Safety Helmet Front Brim FRP Yellow	29 x 23 x 13	0.40
10570224	SRH60W	Safety Helmet Front Brim FRP White		
10570226	SRH60R	Safety Helmet Front Brim FRP Red		
10570227	SRH60B	Safety Helmet Front Brim FRP Blue		

WORKING CAP 



KW1000341



ABS shell and foam spacer



See from bottom

Features :

- Equipped with ABS shell and foam spacer
- Light weight fashionable item of work wear
- Ventilation holes provides users comfortable feelings



10663248



10663350

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000341	SRH30	Sports Working Cap (L) Black	29 x 19 x 15	0.32
KW1000343	SRH30	Sports Working Cap (M) Black	27 x 19 x 10	0.32
10663248	SRWCRBB	Working Cap Short Brim Black	22 x 17 x 15	0.25
10663350	SRWCRBN	Working Cap Short Brim Blue Navy	22 x 17 x 15	0.25

HEARING PROTECTION



EARMUFF 



10054843



10054844



10054845

Features:

- Lightweight and sturdy
- Able to reduce noise 30dB up to 35dB
- Equipped with soft foam pads
- Comfortable for long-term use
- Can be used while wearing a helmet (10054845)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10054843	SRHP200	Earmuff Luxury Headband 35 dB	15 x 10 x 20	0.7
10054844	SRHP201	Earmuff Foldable 30dB	14.5 x 11 x 13	0.35
10054845	SRHP202	Earmuff Helmet Cap Mounted 30dB	15 x 10 x 20	0.41



EARMUFF



10573716



10573717



10573718



10573719



10573720

Features:

- Lightweight and sturdy
- Able to reduce noise 26dB up to 35dB
- Equipped with soft foam pads
- Comfortable for long-term use
- Can be used while wearing a helmet (10573717)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10573716	SRHP210	Ear Muff Ecm Headbanded 29DB	21.2 x 10.4 x 3.1	0.17
10573717	SRHP211	Ear Muff Ecm Cap Mounted 26DB	21.2 x 10.4 x 3.1	0.22
10573718	SRHP212	Ear Muff Headbanded 30DB	21.2 x 11.6 x 3.8	0.27
10573719	SRHP213	Ear Muff Noise Cancelling 35DB	21.2 x 15.9 x 3.2	0.35
10573720	SRHP214	Electronic Ear Muff 29DB	21.2 x 12.5 x 3.8	0.25

**EAR PLUG
(PU FOAM)**



10069842



10069843



10121916

(PU FOAM WITH DISPENSER)



10684433



10684432



Features:

- Disposable and reusable ear plug providing extra comfortable, Case, Dispenser
- Noise reduction rating: 30, 34, 38 dB

(SILICONE)



10069844



KW1000314



10121974

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000314	SRHP100SL	Ear Plug with Extra 10PCS	23 x 18 x 2	0.06
10121916	SRHP101PU	Ear Plug PU 5 Pair with Case ORG	11.5 x 11.5 x 2.5	0.3
10684433	SRHP102PU	Ear Plug Disposable Dispenser 250	21.5 x 20 x 32	1.5
10684432	SRHP103PU	Ear Plug Disposable Dispenser 500	22 x 20 x 37	1.75
10051443	SRHP104PU	Ear Plug PU 38DB 200PRS	20.5 x 12 x 20	0.47
10051444	SRHP105PU	Ear Plug PU 38DB with Cord 100PRS	19 x 14 x 5	0.47
10051445	SRHP106SL	Ear Plug SLC 32DB with Cord 50PRS	13 x 11 x 15	0.62
10069842	SRHP104PU	Ear Plug PU without CORD 38DB	1 x 1 x 2	0.05
10069843	SRHP105PU	Ear Plug PU without 38DB	1 x 1 x 2	0.05
10069844	SRHP106SL	Ear Plug Silicon with Case 32DB	1 x 1 x 2	0.05
10121974	SRHP107SL	Ear Plug Silicon 5 PR with Case Yellow	11.5 x 11.5 x 2.5	0.3

MASK & RESPIRATOR



MASK DUST



KW1000301

MASK DUST ACTIVE CARBON



KW1000303

MASK 3 PLY



KW1000524

MASK DUST FABRIC



10120728

REFILL FOR MASK DUST



10105358

REFILL FOR MASK ACTIVE CARBON FILTER



10105359



Features:

- Lightweight PE frame covered by polyester fiber
- Filter is replaceable
- Durable elastic headband

Features KW1000524:

- 3 ply layers of protection
- Pliable nose piece for best fit
- Kemenkes RI AKD : 21603021036

Features 10120728:

- Made from Material cotton
- Microfiber filter inside
- Elastic Strap with Velcro

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000301	SRRP1	Mask Dust	10 x 8 x 5	0.06
KW1000303	SRRP2	Mask Active Carbon Filter	10 x 8 x 5	0.06
10105358	SRRP11	Refill For Mask Dust (10pcs)	8 x 7 x 1	0.009
10105359	SRRP18	Refill For Mask Active Carbon Filter (10pcs)	8 x 7 x 1	0.009
KW1000524	SRRP6	Face Mask 3 Ply With Earloop (50pcs)	18 x 10 x 10	0.25
10120728	SRRP10	Dust Mask Microfiber	15 x 9.5 x 3.5	0.02

HALF MASK RESPIRATOR



KW1000299

KW1000300



Features:

- Single and double cartridge respirator half mask
- Soft durable pliable rubber facepiece
- Durable elastic headbands, Comfortable seal and easy to exhale

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000299	SRRP20S	Half Mask Respirator Single	12.5 x 11.5 x 9	0.174
KW1000300	SRRP20D	Half Mask Respirator Double	9.5 x 16 x 13.5	0.225

HALF MASK RESPIRATOR SILICON 



FULL MASK RESPIRATOR SILICON 



Features 10295160 & 10295161:

- Advance silicone material for increased comfort and greater durability
- Dual-mode head harness adjusts easily for either standard or drop-down mode
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging

Features 10295159:

- Full-face respirators are newly designed to have excellent airtight ability, more comfortable and long lasting protection.
- Made by Non-Toxic rubber, soft and durable. Comfortable five-strap harness with roller buckles. Built-in speech diaphragm permits clear communication

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295159	SRRP40F	Full Mask Twin Cartridge	21 x 16 x 25	0.62
10295160	SRRP30	Half Mask Single Cartridge	22 x 17 x 6.5	0.115
10295161	SRRP40H	Half Mask Twin Cartridge	25 x 20 x 10	0.18

CARTRIDGE

FOR HALF MASK RESPIRATOR



Features:

- Against dust, mist, fume and asbestos (KW1000019)
- Against paint spray and organic vapors of low toxic (KW1000018)
- Against acid gas and inorganic vapors of low toxic (KW1000017)
- Size of cartridge 70x30 mm

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000017	SRRP200	Cartridge Acid Gas And Inorganic	7 x 7 x 3	0.05
KW1000018	SRRP201	Cartridge Organic Vapour & Paint	7 x 7 x 3	0.045
KW1000019	SRRP202	Cartridge Dust, Mist, Fume	7 x 7 x 3	0.04

FULL MASK AND DOUBLE CARTRIDGE



FOR HALF AND FULL MASK RESPIRATOR



Features :

- Low breathing resistance
- Excellent field of vision as a result of unique trapezoidal shape
- Bayonet fitting ensures precise & safety locking

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295162	SRRP400	Organic Vapour Cartridge	10.5 x 8.5 x 2.7	0.167
10295163	SRRP401	ACIDIC Gases & Vapour Cartridge	10.5 x 8.5 x 2.7	0.21
10295164	SRRP402	Multigas Filter Cartridge	10.5 x 8.5 x 2.7	0.26
10295165	SRRP403	Particulate Filter	10.5 x 10.5 x 1	0.025

SINGLE CARTRIDGE


FOR HALF MASK RESPIRATOR



- Features :**
- Low breathing resistance
 - Push lock fitting ensures precise & safety locking

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295167	SRRP300	Organic Vapours Cartridge	17 x 11 x 3	0.15
10295168	SRRP301	Inorganic Vapours Cartridge	17 x 11 x 3	0.15
10295169	SRRP302	Particulate Cartridge	14 x 10.3 x 3.4	0.05
10295170	SRRP600	Particulate Filter (10 PCS)		

PRE FILTER AND RETAINER



- Features :**
- Pollution originating from the processing of minerals, coal and other substances
 - Liquid or oil based particle pollution
 - Metal smoke pollution generated from welding, brazing


- Features :**
- Has a light weight
 - Elastic and strong
 - Filter installation to ensure precision & safer locking

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295166	SRRP500	Pre Filter (10 PCS)	12 x 10 x 2	0.03
10398687	SRRP404	Retainer (10 PCS)	20 x 18 x 8	0.2

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10398686	SRRP501	Pre Filter (10 PCS)	20 x 18 x 3	0.2
10398688	SRRP303	Retainer (10 PCS)	20 x 18 x 8	0.2



GLOVE CLIP



- Features :**
- Easy to use
 - Durable
 - Can be used for keys, gloves, towels, etc
 - One pack contain: 2 pcs

Article No.	Model No.	Description	Dimension (cm)	Weight (g)
10471079	SRGCHYLW	Glove Clip Holder Yellow	3,2 X 12,2	15
10471080	SRGCHBLK	Glove Clip Holder Black		

GLOVE WELDING



SPLIT LEATHER

KW1000245



SPLIT LEATHER

KW1000246



FULL GRAIN LEATHER

KW1000419

Features :

- Clute cut three ribs back
- Full free lining

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000245	SRSG300	Glove Welding 16" Leather Blue	40 x 16 x 1	0.43
KW1000246	SRSG301	Glove Welding 14" Leather Red	36 x 16 x 1	0.43
KW1000419	SRSG302	Glove Welding TIG Leather 12" Gold	30 x 14 x 1	0.183

MECHANICAL GLOVE



LEATHER PALM

KW1000239 (M)
KW1000240 (L)



LEATHER PALM

KW1000241



LEATHER PALM

KW1000244



LEATHER PALM

KW1000418



SYNETIC LEATHER

10102102 (M)
10102103 (L)

Features:

- Leather palm wing-thumb
- Stretch spandex back (KW1000239 and KW1000240)
- Knuckle strap shirred elastic back (KW1000241)
- Stripe cotton upper (KW1000244)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000239	SRSG200	Work Glove (M) Black Red Leather	26 x 10 x 1	0.07
KW1000240	SRSG201	Work Glove (L) Black Red Leather	26 x 10 x 1	0.07
KW1000241	SRSG204	Work Glove 10IN Gold Yellow Leather	25 x 15 x 1	0.183
KW1000244	SRSG205	Work Glove Grey Blue Leather	34 x 14 x 1	0.171
KW1000418	SRSG203	Work Glove Blue Leather	25 x 15 x 1	0.225
10102102	SRSG510	Impact Glove (M) Synt Leather PVC	26 x 10X2	0.225
10102103	SRSG511	Impact Glove (L) Synt Leather PVC	26 x 13X2	0.225



10601327 (M) 10601252 (L)



10601257 (M) 10601202 (L)



10601471 (M) 10601472 (L)



10601328 (M) 10601201 (L)

Features:

- Lightweight, Breathable & dexterous
- Abrasion resistance
- Hook & loop Closure
- Reinforced vibration absorbing
- Impact grade

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10601327	SRSG518	Glove Impact Mechanical M Blk/Blu	26 x 13 x 3	0.2
10601252	SRSG519	Glove Impact Mechanical L Blk/Blu		
10601257	SRSG516	Glove Impact Mechanical M Blk/Red		
10601202	SRSG517	Glove Impact Mechanical L Blk/Red	26 x 13 x 3	0.08
10601471	SRSG208	Glove Mechanical M Blk/Blu		
10601472	SRSG209	Glove Mechanical L Blk/Blu		
10601328	SRSG206	Glove Mechanical M Blk/Red		
10601201	SRSG207	Glove Mechanical L Blk/Red		

MECHANICAL GLOVE



10601253 (M) 10601254 (L)



10601255 (M) 10601199 (L)



10601251

Features:

- Impact Protection
- Abrasion Resistant
- Reinforced Vibration Absorbing
- Nitre reinforcement on thumb crotch
- A4 Cut resistance (10601251)
- Impact grade

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10601253	SRSG512	Glove Impact M Blk/Ylw	24 x 10 x 1	0.1
10601254	SRSG513	Glove Impact L Blk/Ylw	24 x 10 x 1	0.1
10601255	SRSG514	Glove Impact M Blk/Blu	24 x 10 x 1	0.1
10601199	SRSG503	Glove Impact L Blk/Blu	24 x 10 x 1	0.1
10601251	SRSG100	Sleeve Cut Resistant A4 Blk	24 x 10 x 1	0.1

COATED GLOVE 



10084237



10084238



10084239



10084240



10084331

Features:

- Cut resistant level 5 (10084331)
- Nylon glove with coated plam
- One size fits all

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10084237	SRSG500	Glove Nylon Pu Mechanical Grip	25 x 15 x 0.4	0.1
10084238	SRSG501	Glove Nylon Nitril Mechanical Greasy	25 x 15 x 0.5	0.1
10084239	SRSG502	Glove Nylon Latex Mechanical Dry	25 x 15 x 0.5	0.1
10084240	SRSG503	Glove Cotton Latex General Work	25 x 15 x 0.5	0.1
10084331	SRSG504	Glove Hppe Nitrile Cut Resistant	25 x 15 x 0.5	0.1

COTTON GLOVE



KW1000395



KW1000396



KW1000401

Features :

- Material: Cotton
- One size fits all
- Comfort and ideal for heavy duty task

Article No.	Model No.	Description	Dimension (mm)	Weight (Kg)
KW1000395	SRSG100	Glove Cotton (Natural TC)	20 x 12 x 0.3	0.6
KW1000396	SRSG102	Glove Cotton PVC Dots Black	23 x 12 x 0.3	0.76
KW1000401	SRSG101	Glove Cotton PVC Dots White	23 x 12 x 0.3	0.76

CHEMICAL GLOVE  



Features KW1000249:

- Smooth finish with interlock line
- Size 40 cm length

Features KW1000250, KW1000251, KW1000420, 10153727, 10153943, 10153738 & 10153991 :

- Length 13", Available size M & L
- Available color (Yellow, Black, Blue and Pink)

Features KW1000845 & KW1000846 :

- Heavy duty neoprene, excellent for chemical handling (solvent, mild acids, oils and fats)
- Compliance with: EN 374-1:-2003

Features KW1000847 & KW1000848 :

- Nitrile formulating for more durability and enhanced chemical resistance
- Compliance with: EN374-1:-2003

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000249	SRSG400	Glove PVC	40 x 13 x 1	0.26
KW1000250	SRSG403	Glove Latex Yellow (M)	33 x 12 x 0.7	0.108
KW1000251	SRSG404	Glove Latex Yellow (L)	33 x 13 x 0.7	0.108
KW1000420	SRSG402	Glove Latex Industrial	36 x 14 x 0.7	0.187
10153727	SRSG409	Work Glove Latex (M) Blue	33 x 12 x 0.7	0.108
10153943	SRSG411	Work Glove Latex (L) Blue	33 x 12 x 0.7	0.108
10153738	SRSG410	Work Glove Latex (M) Pink	33 x 13 x 0.7	0.108
10153991	SRSG412	Work Glove Latex (L) Pink	33 x 13 x 0.7	0.108
KW1000845	SRSG408	Glove Neoprene (M) Black	33x13.5x0.7	0.15
KW1000846	SRSG407	Glove Neoprene (L) Black	34 x 14 x 0.7	0.15
KW1000847	SRSG406	Glove Nitrile (M) Green	33 x 13.5 x 0.7	0.15
KW1000848	SRSG405	Glove Nitrile (L) Green	34 x 14 x 0.7	0.15

CHEMICAL GLOVE



Features :

- High elastic and super soft, Natural rubber-like feel
- Rolled rim, Texture in finger tips, Powder free glove inner coated
- Chemical resistant, Food safe

KEMENKES RI AKL :

- 10903126150 (10152298)
- 10903126151 (10152299)
- 10903126148 (10152286)
- 10903126149 (10152287)
- 10903126379 (10152285)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10152285	SRSG417	Disposable Glove Synthetic CLEAR	27 x 13.5 x 0.1	0.29
10152298	SRSG415	Disposable Glove Latex (M) PF 100	24 x 12 x 0.7	0.6
10152299	SRSG416	Disposable Glove Latex (L) PF 100	25 x 13 x 0.7	0.6
10152286	SRSG413	Gloves Disposable Nitrile Blue (M)	24 x 12 x 0.7	0.6
10152287	SRSG414	Gloves Disposable Nitrile Blue (L)	25 x 13 x 0.7	0.6

APPLICATION PRODUCT REFERENCE							
LATEX		PVC		NITRILE		NEOPRENE	
Application	Chemical	Application	Chemical	Application	Chemical	Application	Chemical
1. Household 2. Light duty 3. Delivery services 4. Masonry	1. Detergent 2. Perfume 3. Paint 4. Oil	1. Cold storage 2. Mechanical 3. MRO 4. Fishery 5. Laundry	1. Ammonia 2. Grease/fat 3. Oil	1. Chemical 2. Pharmaceutical 3. Restaurant 4. Painting 5. Automotive	1. Solvents 2. Grease/fat 3. Bleaching agent 4. Acid 5. Oil 6. Grease	1. Electronic 2. Glass manufacturing 3. Laboratory analysis 4. Painting & spray shops 5. Printing 6. Automotive	1. Methanol 2. Carbon disulphide 3. Sodium hydroxide 40% 4. Acetone 5. Sulphuric acid 90%

PROTECTIVE CLOTHING

SAFETY VEST



KW1000389

Available colours :

● KW1000390



KW1000400

Available colours :

● KW1000399



KW1000533 (M)

Available size : M -XL



KW1000859



10599089

Available colours :

● 10599087

Features :

- High visibility reflective vest Two reflective straps 63 x 65 cm Provides
- Maximum visibility for safety Lightweight And durable
- Color Black, Orange, Fluorescent yellow and fluorescent red available

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000389	SRSV4	Safety Vest All Size Orange	22 x 21 x 1	0.11
KW1000390	SRSV5	Safety Vest All Size Lime		
KW1000399	SRSV2	Safety Vest Mesh All Size Orange		
KW1000400	SRSV1	Safety Vest Mesh All Size Lime		
KW1000533	SRSV6	Safety Vest Mesh Size (M) PVC Reflective		
KW1000534	SRSV7	Safety Vest Mesh Size (L) PVC Reflective		
10051446	SRSV8	Safety Vest Mesh Size (XL) PVC Reflective		
KW1000859	SRSV3	Safety Vest With Two Reflective		
10599089	SRSV8	Safety Vest With Pocket Green		
10599087	SRSV09	Safety Vest With Pocket Orange		

WEARPACK



Colour:
Blue Navy



10451097



Colour:
Red



10451095



Features :

- Material cotton drill (other material can made by order)
- Long Sleeves plus Schotlite on arms, back and knees
- Patch side pocket model or use furing, back pocket model and side thigh patch pocket model
- Pockets for test pens, flat bottom shirts with tires

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10451097	SRWP4NB	Wearpack Two Piece Navy Blue (M)	159 x 51 x 0.5	0.8
10451098	SRWP5NB	Wearpack Two Piece Navy Blue (L)	162 x 54 x 0.5	0.8
10451099	SRWP6NB	Wearpack Two Piece Navy Blue (XL)	165 x 57 x 0.5	0.85
10451095	SRWP1R	Wearpack Two Piece Red Size (M)	159 x 51 x 0.5	0.8
10192302	SRWP2R	Wearpack Two Piece Red Size (L)	162 x 54 x 0.5	0.8
10451096	SRWP3R	Wearpack Two Piece Red Size (XL)	165 x 57 x 0.5	0.85



WEARPACK



Colour: Blue Navy



10477550



Colour: Red



10477552



Colour: Blue royal



10493164



Colour: Orange



10493167

Features :

- Material cotton drill (other material can made by order)
- High quality zipper and velcro
- Double protection zipper plastic button
- Long Sleeves plus Schotlite on arms, back and knees

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10477550	SRWPBL1	Wearpack Coverall Navy Blue (M)	38 x 28 x 3	0.8
10477551	SRWPBL2	Wearpack Coverall Navy Blue (L)	38 x 28 x 3	0.85
10493162	SRWPBL3	Wearpack Coverall Navy Blue (XL)	40 x 30 x 3	0.9
10477552	SRWPRD1	Wearpack Coverall Red (M)	38 x 28 x 3	0.8
10477553	SRWPRD2	Wearpack Coverall Red (L)	38 x 28 x 3	0.85
10493163	SRWPRD3	Wearpack Coverall Red (XL)	40 x 30 x 3	0.9
10493164	SRWPRB1	Wearpack Coverall Royal Blue (M)	38 x 28 x 3	0.8
10493165	SRWPRB2	Wearpack Coverall Royal Blue (L)	38 x 28 x 3	0.85
10493166	SRWPRB3	Wearpack Coverall Royal Blue (XL)	40 x 30 x 3	0.9
10493167	SRWPORG1	Wearpack Coverall Orange (M)	38 x 28 x 3	0.8
10493168	SRWPORG2	Wearpack Coverall Orange (L)	38 x 28 x 3	0.85
10493169	SRWPORG3	Wearpack Coverall Orange (XL)	40 x 30 x 3	0.9

DISPOSABLE PROTECTIVE SUIT



EN14605:2005 +A1:2009



EN ISO 13982-1:2004 +A1:2010



EN13034:2005 +A1:2009



EN 1149-5/2008



EN 1073-2/2002



EN 14126:2003



Features :

- Breathable, Disposable
- Water Repellent
- ISO 16604:2004, Kemenkes RI AKD No : APD 21603121793
- TKDN : 47,62%

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10412814	SRCDPS	Disposable Protective Suit	40 x 32 x 2.5	0.309

RAINSUIT



Colour: Blue Navy



Colour: Yellow



Colour: Orange



Features :

- Material PVC
- Concealed hood
- Storm front with zipper and buttons
- Elastic cuff, Trousers with drawstring

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10581932	SRRSPVCBNM	Rainsuit With Hood PVC Blue Navy M	30 x 23 x 3	0.875
10581933	SRRSPVCBNL	Rainsuit With Hood PVC Blue Navy L	30 x 23 x 3	0.875
10581934	SRRSPVCBNXL	Rainsuit With Hood PVC Blue Navy XL	30 x 26 x 5	1.05
10581935	SRRSPVCBNXXL	Rainsuit With Hood PVC Blue Navy XXL	30 x 26 x 5	1.05
10581936	SRRSPVCYLM	Rainsuit With Hood PVC Yellow M	30 x 23 x 3	0.875
10581937	SRRSPVCYLL	Rainsuit With Hood PVC Yellow L	30 x 23 x 3	0.875
10581938	SRRSPVCYLXL	Rainsuit With Hood PVC Yellow XL	30 x 26 x 5	1.05
10581939	SRRSPVCYLXXL	Rainsuit With Hood PVC Yellow XXL	30 x 26 x 5	1.05
10581940	SRRSPVCORM	Rainsuit With Hood PVC Orange M	30 x 23 x 3	0.875
10581941	SRRSPVCORL	Rainsuit With Hood PVC Orange L	30 x 23 x 3	0.875
10581942	SRRSPVCORXL	Rainsuit With Hood PVC Orange XL	30 x 26 x 5	1.05
10581943	SRRSPVCORXXL	Rainsuit With Hood PVC Orange XXL	30 x 26 x 5	1.05

BACK SUPPORT



Features :

- Durable lightweight spandex, powerful knit, woven elastic strap
- Fastens securely with hoop-and-loop fasteners
- Spring steel stays bend with body for optimal support of the spine



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000043	SRBSS	Back Support Size-S 28In-32In	22 x 14 x 5	0.38
KW1000044	SRBSM	Back Support Size-M 32In-38In	22 x 14 x 5	0.38
KW1000045	SRBSL	Back Support Size-L 38In-47In	22 x 14 x 5	0.38
KW1000403	SRBSXL	Back Support Size-Xl 48In-56In	22 x 14 x 5	0.44

PVC APRON and SLEEVE COVER



Sleeve Cover PVC
KW1000471

Features :

- Thickness : 0.3 mm
- Size Apron : 90 X 120 cm
- Sleeve Length : 45.7 cm



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000470	SRAPRYL	Apron PVC	24 x 17 x 2	0.42
KW1000471	SRSCYL	Sleeve Cover PVC	21 x 17 x 1	0.19



WELDING APRON and SLEEVE COVER



- Features :**
- Cow split leather, With elastic band
 - Apron Length 120 cm
 - Sleeve Length 40 cm



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000480	SRAPRBRW	Welding Apron Leather	31 x 22 x 3	0.6
KW1000557	SRSCBRW	Welding Sleeve Leather	40 x 15 x 2	0.32
10566670	SRLWJCT	Leather Welding Jacket Coat Trousers	82 x 56 x 5	2.5

FIRE RESCUE

FIRE SUIT RESISTANT



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10111975	SRFSALUM	Fire Suit Resistant Aluminized	45 x 31 x 33	5.7
10539967	SRFFSHV01	Fire Fighter Suites Heavy	50 x 40 x 10	3.1
10520175	-	Firefighter Boots Black Yellow 9687 L	25 x 23 x 8	2.1
10520176	-	Firefighter Helmet SOS Full Guard	27 x 17 x 15	1.36
10522997	HW6XFR	Fireman Hand Glove L	30 x 15 x 5	0.35

FIRE BLANKET



- Features :**
- Size : 1.5 x 1.8 M
 - Working Temp : 550°C
 - Color : Light Grey

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10111974	SRFBFG	Fire Blanket Fiberglass 150 x 180 cm	35.5 x 21.5 x 4.5	0.75

FIRE EXTINGUISHER POWDER



Features :

- Material Powder, CO2, F500 Seamless tank
- Portable unit
- Indicator Pressure Gauge
- Fire class : A : Solid Substances
B : Flammable Liquid
C : Electrical
D : Aluminum, Nikel, etc
F/K : Electrical, Solid Substances, Flammable Liquid, Aluminum, Nikel, etc

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10452825	SRFX1	Fire Extinguisher Powder 1KG	14 x 14 x 40	2.1
10452826	SRFX3	Fire Extinguisher Powder 3KG	16 x 16 x 52	5.6
10452827	SRFX6	Fire Extinguisher Powder 6KG	20 x 20 x 63	10.1
10487284	SRCO3KG	Fire Extinguisher CO2 3KG	16 x 16 x 52	5.6
10565435	SRCO5KG	Fire Extinguisher CO2 5KG	20 x 20 x 63	10.1
10487285	SRCO25KG	Fire Extinguisher CO2 25KG	18 x 20 x 70.5	50.5
10600666	SRF5001KG	Fire Extinguisher F500 1KG	14 x 14 x 40	2.1
10600716	SRF5003KG	Fire Extinguisher F500 3KG	16 x 16 x 52	5.6

LIFE VEST

LIFE VEST



KW1000380 (S/M), KW1000381 (L/XL)



KW1000382



KW1000383

Certified by :



Features :

- 200D x 118T nylon oxford
- 00% PE foam flotation
- Size available:
• (S/M) 28"-40" (KW1000380)
• (L/XL) 40"-50" (KW1000381)
• One size fit all (KW1000382 and KW1000383)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000380	SRLVRNGS-M	Life Vest S-M Red/Grey	54 x 38 x 5	0.4
KW1000381	SRLVRNGL-XL	Life Vest L-XL Red/Grey	54 x 51 x 10	0.5
KW1000382	SRLVYALL	Life Vest All Size Yellow	51 x 46 x 6.5	0.5
KW1000383	SRLVRALL	Life Vest All Size Red	51 x 46 x 6.5	0.5



10120305 (L), 10120306 (XL)

Features :

- Fabric Polyester construction
- EPE foam flotation
- Two leg straps keep this life jacket from riding up or shifting
- Attached with a whistle




Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10120305	SRLVORGL	Life Vest Leg Strap Whistle L	65 x 43 x 10	0.7
10120306	SRLVORGXL	Life Vest Leg Strap Whistle XL	65 x 45 x 10	0.8



FALL PROTECTION



FULL BODY HARNESS



KW1000438

Features KW1000438:

- Belt : 45 mm nylon belt, Lanyard : Diameter 14 mm x 1.5 m
- 4 x buckle, 1 x dorsal "d" ring, 1 x double-lock snap hook, 1 x quick link, 4 x bundle of belt
- Max. load 100kg, Color: blue



KW1000439

Features KW1000439:

- Belt: 45 mm nylon belt, 1 x quick link, 6 x bundle of belt
- 6 x buckle, 3 x d ring, 1 x double-lock snap hook
- Max. load 100kg, Color: Red / black



10209835

Features 10209835:

- Sliding back D-ring for adjustability, Hip D-ring for positioning applications
- "Y" type harness with 5 points anchors
- Ergonomics back support pad, Adjustable leg strap with soft pad
- Soft and allowing ventilation waist pad

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000438	SRFA100	Full Body Harness With Lanyard	26 x 18 x 10	1.3
KW1000439	SRFA101	Full Body Harness Without Lanyard	26 x 18 x 10	1
10209835	SRFA102	Full Body Harness 5 Anchorage	30 x 22 x 20	1.6

LANYARD and SAFETY BELT



KW1000436

Features KW1000436 :

- Single hook absorber rope lanyard
- Standard length 1.5 m, Maximum length 1.8 m
- Max. load 100kg



KW1000440

Features KW1000440 :

- Single hook rope lanyard
- Length 1.5 m, Diameter 14 mm
- Max. load 100kg



10209717

Features 10209717 :

- Size & Weight :66 x 27 x 22.5cm & NW :1.8 Kg
- Lanyard rope shock absorber, double hooks 45mm wide x 1.5m
- Screw-lock carabiner, (Coating : white nice), Scaffolding hook, Energy absorberg



10209837

Features 10209837 :

- Length 1.5 m, Diameter 14 mm
- Single hook rope lanyard
- Max. load 100kg



SAFETY BELT
KW1000437

Features KW1000437 :

- Belt : 50 mm x 1.2 m nylon belt
- Rope : 14 mm x 1.5 m, 1 x adjusting loop
- Max. load 100kg



SAFETY BELT
10209836

Features 10209836 :

- Belt: 45mm Nylon belt.
- Rope: 14mmx 2M Nylon rope
- 1x buckle, 1x "D" ring, 1x tetragonal ring, 1x CE Mark Double-lock, Safety Hook (H-3101,Ø53mm)
- 1x bundle of belt, 1x sliding handle, 1x cushion belt

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000436	SRFA200	Lanyard Rope With Absorber	27.5 x 13 x 9	0.5
KW1000440	SRFA201	Lanyard Rope Positioning	27 x 12 x 9	0.5
10209717	SRFA202	Lanyard Rope Double With Absorber	27 x 14 x 12	1.9
10209837	SRFA203	Lanyard Rope Positioning Single	27 x 12 x 9	1.3
KW1000437	SRFA300	Safety Belt	26 x 18 x 10	1.1
10209836	SRFA301	Lineman Belt With Sliding Handle	26 x 18 x 10	1.3

CARABINER 



10489943



10489944

Features 10489943 :

- Material : Steel
- Finished : Zinc
- Strength : 20KN
- Lock : Twist Lock
- Opening : 15 mm
- Length : 107 mm
- Weight : 191 gram

Features 10489944 :

- Material : Steel
- Finished : Zinc
- Strength : 40KN
- Lock : Twist Lock
- Opening : 22 mm
- Length : 113 mm
- Weight : 238 gram

Article No.	Model No.	Description
10489943	SRFAC20	Carabiner Oval Twist Lock
10489944	SRFAC40	Carabiner D Twist Lock

LIFELINE 



10493065



10493066

Features 10493065 :

- Material : Polyester
- Length : 20M
- Thickness : 2.4mm
- Width : 38mm / 1.5"
- Color : Red
- Handle : 2" Ratchet

Features 10493066 :

- Material : Kernmantle Rope
- Diameter : 14mm
- Length : 15M
- Carabiner : Steel (Screw Lock)
- Hook : Steel
- Rope Grap : Steel (Dia 14mm)

Article No.	Model No.	Description
10493065	SRFAL20	Portable Webbing HRZ Lifeline
10493066	SRFAL15	Vertical & HRZ Lifeline Rope

TRIPOD WITH WINCH 



Features :

- Material : Steel and Aluminum Alloy
- Additional Part : Carabiner and Pulley
- Height : 2.2M
- Weight : 23Kg
- WINCH : AUTOMATIC BRAKE WINCH
- Wire Length : 20M
- Load : 200KGF
- Lifting Capacity : 900LBS (410kgs)
- Pulling Capacity : 1.800LBS (820kgs)

Article No.	Model No.	Description
10493067	SRFAT20	Tripod With Winch

SELF-RETRACTING LIFELINES (SRL) WEBBING 



1.5 Meter

- Features 10490050 :**
- Webbing Width : 25mm
 - Weight : 1 Kg
 - User Load : 100 Kg

10490050



3 Meter

- Features 10490051 :**
- Webbing Width : 25mm
 - Weight : 3.1 Kg
 - User Load : 100 Kg

10490051



4 Meter

- Features 10490052 :**
- Webbing Width : 25mm
 - Weight : 3.1 Kg
 - User Load : 100 Kg

10490052



6 Meter

- Features 10490053 :**
- Webbing Width : 25mm
 - Weight : 3.9 Kg
 - User Load : 100 Kg

10490053

Article No.	Model No.	Description
10490050	SRFAW705	Self-Retracting Lifelines 1.5M Webbing
10490051	SRFAW706	Self-Retracting Lifelines 3M Webbing

Article No.	Model No.	Description
10490052	SRFAW707	Self-Retracting Lifelines 4M Webbing
10490053	SRFAW708	Self-Retracting Lifelines 6M Webbing



SELF-RETRACTING LIFELINES (SRL) CABLE 



- Features 10490054 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 3.4 Kg
 - User Load : 140 Kg

- Features 10490055 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 4.4 Kg
 - User Load : 140 Kg

- Features 10490056 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 4.6 Kg
 - User Load : 140 Kg

- Features 10490057 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 8.3 Kg
 - User Load : 140 Kg

- Features 10490058 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 8.6 Kg
 - User Load : 140 Kg

- Features 10490059 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 9.1 Kg
 - User Load : 100 Kg

- Features 10490060 :**
- Material : Steel
 - Cable Dia : 4 mm
 - Weight : 9.6 Kg
 - User Load : 100 Kg

Article No.	Model No.	Description
10490054	SRFAC711	Self-Retracting Lifelines 3M Cable
10490055	SRFAC712	Self-Retracting Lifelines 6M Cable
10490056	SRFAC713	Self-Retracting Lifelines 10M Cable
10490057	SRFAC714	Self-Retracting Lifelines 15M Cable

Article No.	Model No.	Description
10490058	SRFAC715	Self-Retracting Lifelines 20M Cable
10490059	SRFAC716	Self-Retracting Lifelines 25M Cable
10490060	SRFAC717	Self-Retracting Lifelines 30M Cable




FOOT PROTECTION

APOLLO



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10576080	SRSSALC	35/2	31 x 20 x 12	0.6
10576081	SRSSALC	36/3	31 x 20 x 12	0.65
10576082	SRSSALC	37/4	31 x 20 x 12	0.7
10576083	SRSSALC	38/5	31 x 20 x 12	0.75
10576084	SRSSALC	39/6	31 x 20 x 12	0.8
10576085	SRSSALC	40/6.5	31 x 20 x 12	0.85
10576086	SRSSALC	41/7	31 x 20 x 12	0.9
10576087	SRSSALC	42/8	31 x 20 x 12	0.95
10576088	SRSSALC	43/9	31 x 22 x 13	1.00
10576089	SRSSALC	44/10	31 x 22 x 13	1.05
10576090	SRSSALC	45/11	31 x 22 x 13	1.10
10576091	SRSSALC	46/12	31 x 22 x 13	1.15

TROJAN



Features :

- Steel Toe Cap
- Slip Resistant
- Oil Resistant
- Anti Static

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10586379	SRSS TLC	36/3	31 x 20 x 12	0.65
10586380	SRSS TLC	37/4	31 x 20 x 12	0.7
10586381	SRSS TLC	38/5	31 x 20 x 12	0.75
10586382	SRSS TLC	39/6	31 x 20 x 12	0.8
10586383	SRSS TLC	40/6.5	31 x 20 x 12	0.85
10586384	SRSS TLC	41/7	31 x 20 x 12	0.9
10586385	SRSS TLC	42/8	31 x 20 x 12	0.95
10586386	SRSS TLC	43/9	31 x 22 x 13	1.00
10586387	SRSS TLC	44/10	31 x 22 x 13	1.05
10586388	SRSS TLC	45/11	31 x 20 x 12	1.10
10586389	SRSS TLC	46/12	31 x 22 x 13	1.15
10586390	SRSS TLC	47/13	31 x 22 x 13	1.20



ARGON 4"



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10670493	SRSSAL4	38/5	33 x 20 x 12	0.75
10670494	SRSSAL4	39/6	33 x 20 x 12	0.75
10670495	SRSSAL4	40/6.5	33 x 20 x 12	0.75
10670496	SRSSAL4	41/7	33 x 20 x 12	0.75
10670497	SRSSAL4	42/8	33 x 20 x 12	0.75
10670498	SRSSAL4	43/9	33 x 20 x 12	0.75
10670499	SRSSAL4	44/10	35 x 21 x 12.5	0.95
10670500	SRSSAL4	45/11	35 x 21 x 12.5	0.95



- Features :**
- Steel Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static

ARGON 6"




Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10670505	SRSSAL6	38/5	33 x 23.5 x 12	0.91
10670506	SRSSAL6	39/6	33 x 23.5 x 12	0.91
10670507	SRSSAL6	40/6.5	33 x 23.5 x 12	0.91
10670508	SRSSAL6	41/7	33 x 23.5 x 12	0.91
10670509	SRSSAL6	42/8	33 x 23.5 x 12	0.91
10670510	SRSSAL6	43/9	33 x 23.5 x 12	0.91
10670511	SRSSAL6	44/10	35 x 25 x 12.5	1.10
10670512	SRSSAL6	45/11	35 x 25 x 12.5	1.10

ORION 4"



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10616115	SRSSO436	36/2	32 x 20 x 11	1
10616154	SRSSO437	37/3	32 x 20 x 11	1
10616155	SRSSO438	38/4	33 x 20 x 12	1.12
10616127	SRSSO439	39/5	33 x 20 x 12	1.13
10615975	SRSSO440	40/6	33 x 20 x 12	1.17
10615976	SRSSO441	41/7	33 x 20 x 12	1.2
10615968	SRSSO442	42/8	33 x 20 x 12	1.24
10615969	SRSSO443	43/9	33 x 20 x 12	1.28
10615970	SRSSO444	44/10	35 x 21 x 12.5	1.32
10615971	SRSSO445	45/11	35 x 21 x 12.5	1.36
10616109	SRSSO446	46/12	36 x 22 x 13	1.40



- Features :**
- Steel Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Water Resistant Upper

ORION 6"




Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10616110	SRSSO636	36/2	31 x 22 x 11	1
10616112	SRSSO637	37/3	31 x 22 x 11	1
10615972	SRSSO638	38/4	32.5 x 26 x 12	1.12
10616111	SRSSO639	39/5	32.5 x 26 x 12	1.13
10615849	SRSSO640	40/6	32.5 x 26 x 12	1.17
10616150	SRSSO641	41/7	32.5 x 26 x 12	1.2
10616151	SRSSO642	42/8	36 x 28 x 12.7	1.24
10616152	SRSSO643	43/9	36 x 28 x 12.7	1.28
10616113	SRSSO644	44/10	36 x 28 x 12.7	1.32
10616050	SRSSO645	45/11	36 x 28 x 12.7	1.36
10615949	SRSSO646	46/12	37 x 30 x 13	1.40

ARGUS 4"



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10520444	SRSSARGS438	38/5	33 x 20 x 12	0.75
10520445	SRSSARGS439	39/6	33 x 20 x 12	0.75
10520446	SRSSARGS440	40/6.5	33 x 20 x 12	0.75
10520447	SRSSARGS441	41/7	33 x 20 x 12	0.75
10520448	SRSSARGS442	42/8	33 x 20 x 12	0.75
10520449	SRSSARGS443	43/9	33 x 20 x 12	0.75
10520950	SRSSARGS444	44/10	35 x 21 x 12.5	0.95
10520951	SRSSARGS445	45/11	35 x 21 x 12.5	0.95

ARGUS 6"




- Features :**
- Steel Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Water Resistant Upper

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10521056	SRSSARGS638	38/5	33 x 23.5 x 12	0.91
10521057	SRSSARGS639	39/6	33 x 23.5 x 12	0.91
10520953	SRSSARGS640	40/6.5	33 x 23.5 x 12	0.91
10520954	SRSSARGS641	41/7	33 x 23.5 x 12	0.91
10520955	SRSSARGS642	42/8	33 x 23.5 x 12	0.91
10520956	SRSSARGS643	43/9	33 x 23.5 x 12	0.91
10520957	SRSSARGS644	44/10	35 x 25 x 12.5	1.10
10520958	SRSSARGS645	45/11	35 x 25 x 12.5	1.10

GLADIATOR



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10520970	SRSSGDR38	38/5	32.5 x 26 x 12	1.12
10520971	SRSSGDR39	39/6	32.5 x 26 x 12	1.13
10520972	SRSSGDR40	40/6.5	32.5 x 26 x 12	1.17
10520973	SRSSGDR41	41/7	32.5 x 26 x 12	1.2
10520974	SRSSGDR42	42/8	36 x 28 x 12.7	1.24
10520975	SRSSGDR43	43/9	36 x 28 x 12.7	1.28
10520976	SRSSGDR44	44/10	36 x 28 x 12.7	1.32
10520977	SRSSGDR45	45/11	36 x 28 x 12.7	1.36



- Features :**
- Steel Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Water Resistant Upper

VIKING



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10520960	SRSSVKG38	38/5	32.5 x 26 x 12	1.12
10520961	SRSSVKG39	39/6	32.5 x 26 x 12	1.13
10520962	SRSSVKG40	40/6.5	32.5 x 26 x 12	1.17
10520963	SRSSVKG41	41/7	32.5 x 26 x 12	1.2
10520964	SRSSVKG42	42/8	36 x 28 x 12.7	1.24
10520965	SRSSVKG43	43/9	36 x 28 x 12.7	1.28
10520966	SRSSVKG44	44/10	36 x 28 x 12.7	1.32
10520967	SRSSVKG45	45/11	36 x 28 x 12.7	1.36

NEMESIS



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10669921	SRSSNL	39/6	32.5 x 26 x 12	1.13
10669922	SRSSNL	40/6.5	32.5 x 26 x 12	1.17
10669923	SRSSNL	41/7	32.5 x 26 x 12	1.2
10669924	SRSSNL	42/8	36 x 28 x 12.7	1.24
10669925	SRSSNL	43/9	36 x 28 x 12.7	1.28
10669926	SRSSNL	44/10	36 x 28 x 12.7	1.32
10669927	SRSSNL	45/11	36 x 28 x 12.7	1.36
10669928	SRSSNL	46/12	36 x 28 x 12.7	1.36

GOLIATH



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static
 - ESD

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10588553	SRSSGL	38/5	32.5 x 26 x 12	1
10669934	SRSSGL	39/6	32.5 x 26 x 12	1.17
10669935	SRSSGL	40/6.5	32.5 x 26 x 12	1.2
10669936	SRSSGL	41/7	36 x 28 x 12.7	1.24
10669937	SRSSGL	42/8	36 x 28 x 12.7	1.28
10669938	SRSSGL	43/9	36 x 28 x 12.7	1.32
10670487	SRSSGL	44/10	36 x 28 x 12.7	1.36
10670488	SRSSGL	45/11	36 x 28 x 12.7	1.36

TROY



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10670529	SRSSTC	38/5	32.5 x 26 x 12	1
10670530	SRSSTC	39/6	32.5 x 26 x 12	1.17
10670531	SRSSTC	40/6.5	32.5 x 26 x 12	1.2
10670532	SRSSTC	41/7	36 x 28 x 12.7	1.24
10670533	SRSSTC	42/8	36 x 28 x 12.7	1.28
10670534	SRSSTC	43/9	36 x 28 x 12.7	1.32
10670535	SRSSTC	44/10	36 x 28 x 12.7	1.32
10670536	SRSSTC	45/11	36 x 28 x 12.7	1.36

CHRONOS



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10670517	SRSSCL	38/5	32.5 x 26 x 12	1
10670518	SRSSCL	39/6	32.5 x 26 x 12	1.17
10670519	SRSSCL	40/6.5	32.5 x 26 x 12	1.2
10670520	SRSSCL	41/7	36 x 28 x 12.7	1.24
10670521	SRSSCL	42/8	36 x 28 x 12.7	1.28
10670522	SRSSCL	43/9	36 x 28 x 12.7	1.32
10670523	SRSSCL	44/10	36 x 28 x 12.7	1.32
10670524	SRSSCL	45/11	36 x 28 x 12.7	1.36



ECO MATERIAL

BOOTS



10562713


Colour:

 Blue Orange Black

Features (10562713, all color) :
 · Material: PVC
 · Toe cap
 · Oil resistant, Anti slip sole, Heat resistant, Chemical resistant



10546689

Colour:

 Yellow Orange Black Green Glossy

Features (10546689, all color) :
 · Material: PVC
 · Oil resistant, Anti slip sole
 · Heat resistant, Chemical resistant



Article No.	Model No.	Color (Size)	Dimension (cm)	Weight (Kg)
10562713	SRSBTC60YK3L38	Yellow (38) K3L	27x10.5x37	2.1
10562714	SRSBTC60YK3L39	Yellow (39) K3L		
10562715	SRSBTC60YK3L40	Yellow (40) K3L		
10562716	SRSBTC60YK3L41	Yellow (41) K3L	28x10.5x37	2.15
10562717	SRSBTC60YK3L42	Yellow (42) K3L		
10562718	SRSBTC60YK3L43	Yellow (43) K3L		
10562719	SRSBTC60YK3L44	Yellow (44) K3L	29x11x43	2.2
10562720	SRSBTC60YK3L45	Yellow (45) K3L		
10553906	SRSBTC60BL38	Blue (38)	27x10.5x37	2.1
10553907	SRSBTC60BL39	Blue (39)		
10553908	SRSBTC60BL40	Blue (40)		
10553909	SRSBTC60BL41	Blue (41)	28x10.5x37	2.15
10553910	SRSBTC60BL42	Blue (42)		
10553911	SRSBTC60BL43	Blue (43)		
10553912	SRSBTC60BL44	Blue (44)	29x11x43	2.2
10553913	SRSBTC60BL45	Blue (45)		
10562729	SRSBTC60OR38	Orange (38) K3L	27x10.5x37	2.1
10562730	SRSBTC60OR39	Orange (39) K3L		
10562731	SRSBTC60OR40	Orange (40) K3L		
10562732	SRSBTC60OR41	Orange (41) K3L	28x10.5x37	2.15
10562745	SRSBTC60OR42	Orange (42) K3L		
10562746	SRSBTC60OR43	Orange (43) K3L		
10562747	SRSBTC60OR44	Orange (44) K3L	29x11x43	2.2
10562748	SRSBTC60OR45	Orange (45) K3L		
10562882	SRSBTCBLK	Black (38)	27x10.5x37	1.3
10562883	SRSBTCBLK	Black (39)		
10562884	SRSBTCBLK	Black (40)		
10562885	SRSBTCBLK	Black (41)	28x10.5x 7	1.5
15630003	SRSBTCBLK	Black (42)		
15630004	SRSBTCBLK	Black (43)		
15630005	SRSBTCBLK	Black (44)	29x11x43	1.7
15630006	SRSBTCBLK	Black (45)		

Article No.	Model No.	Color (Size)	Dimension (cm)	Weight (Kg)
10546689	SRSB50K3L	Green (38)	27x10.5x37	1.3
10546690	SRSB50K3L	Green (39)		
10546691	SRSB50K3L	Green (40)		
10546692	SRSB50K3L	Green (41)	28x10.5x 7	1.5
10546693	SRSB50K3L	Green (42)		
10546694	SRSB50K3L	Green (43)		
10546695	SRSB50K3L	Green (44)	29x11x43	1.7
10546696	SRSB50K3L	Green (45)		
10547094	SRSB13YLW38	Yellow (38)	27x10.5x37	2.1
10547095	SRSB13YLW39	Yellow (39)		
10547096	SRSB13YLW40	Yellow (40)		
10547097	SRSB13YLW41	Yellow (41)	28x10.5x37	2.15
10547098	SRSB13YLW42	Yellow (42)		
10547099	SRSB13YLW43	Yellow (43)		
10547100	SRSB13YLW44	Yellow (44)	29x11x43	2.2
10547101	SRSB13YLW45	Yellow (45)		
10546697	SRSB12ORG38	Orange (38)	27x10.5x37	2.1
10546698	SRSB12ORG39	Orange (39)		
10546699	SRSB12ORG40	Orange (40)		
10546700	SRSB12ORG41	Orange (41)	28x10.5x37	2.15
10546701	SRSB12ORG42	Orange (42)		
10546702	SRSB12ORG43	Orange (43)		
10546703	SRSB12ORG44	Orange (44)	29x11x43	2.2
10546704	SRSB12ORG45	Orange (45)		
10553914	SRSB14BLK38	Black (38)	27x10.5x37	1.3
10553916	SRSB14BLK39	Black (39)		
10553918	SRSB14BLK40	Black (40)		
10553920	SRSB14BLK41	Black (41)	28x10.5x 7	1.5
10553921	SRSB14BLK42	Black (42)		
10553922	SRSB14BLK43	Black (43)		
10553923	SRSB14BLK44	Black (44)	29x11x43	1.7
10554320	SRSB14BLK45	Black (45)		
10562721	SRSBGG38	Green Glossy (38)	27x10.5x37	1.3
10562722	SRSBGG39	Green Glossy (39)		
10562723	SRSBGG40	Green Glossy (40)		
10562724	SRSBGG41	Green Glossy (41)	28x10.5x 7	1.5
10562725	SRSBGG42	Green Glossy (42)		
10562726	SRSBGG43	Green Glossy (43)		
10562727	SRSBGG44	Green Glossy (44)	29x11x43	1.7
10562728	SRSBGG45	Green Glossy (45)		

BOOTS



10562857



Features (10562857) :


- Material: PVC
- Toe cap and Steel mid sole
- Oil resistant, Anti slip sole, Heat resistant, Chemical resistant



10546681

Features (10546681) :

- Material: PVC
- Toe cap with Beam Port
- Oil resistant, Anti slip sole, Heat resistant, Chemical resistant



Article No.	Model No.	Color (Size)	Dimension (cm)	Weight (Kg)
10562857	SRSBTCMS80BL38	Black (38) K3L	27x10.5x37	2.1
10562858	SRSBTCMS80BL39	Black (39) K3L		
10562859	SRSBTCMS80BL40	Black (40) K3L		
10562860	SRSBTCMS80BL41	Black (41) K3L	28x10.5x37	2.15
10562861	SRSBTCMS80BL42	Black (42) K3L		
10562862	SRSBTCMS80BL43	Black (43) K3L		
10562863	SRSBTCMS80BL44	Black (44) K3L	29x11x43	2.2
10562864	SRSBTCMS80BL45	Black (45) K3L		

Article No.	Model No.	Color (Size)	Dimension (cm)	Weight (Kg)
10546681	SRSBBP70OR38	Orange (38)	27x10.5x37	2.1
10546682	SRSBBP70OR39	Orange (39)		
10546683	SRSBBP70OR40	Orange (40)		
10546684	SRSBBP70OR41	Orange (41)	28x10.5x37	2.15
10546685	SRSBBP70OR42	Orange (42)		
10546686	SRSBBP70OR43	Orange (43)		
10546687	SRSBBP70OR44	Orange (44)	29x11x43	2.2
10546688	SRSBBP70OR45	Orange (45)		



SINGLE GAS DETECTOR, MULTI GAS DETECTOR



KW0600708 - KW0600711



KW0600712



Features KW0600708 - KW0600711:

- Replacable gas sensor module
- Small size for easy carrying
- External gas sampling pump



Article No.	Model No.	Description	Dimension (LxWxD) (mm)	Weight (kg)
KW0600708	SRSGBX176O2	Single Gas Detector O2 Bx176	117 x 76 x 44	0.2
KW0600709	SRSGBX176CO	Single Gas Detector Co Bx176		
KW0600710	SRSGBX176H2S	Single Gas Detector H2s Bx176		
KW0600711	SRSGBX176LEL	Single Combustible Gas Detector		
KW0600712	SRMGBX616	Multi Gas Detector Bx616		

LOCKOUT TAGOUT




LOCKOUT TAGOUT PADLOCK



SHORT STEEL 10078778 **LONG STEEL** 10078777 **SHORT NYLON** 10078776 **LAMINATED STEEL** 10078779 **LAMINATED STEEL** 10078780 **WIRE STEEL** 10078801

Keyed Differ System (KD)



Keyed Alike System (KA)



Differ & Master Key System (MD)



Alike & Master Key System (MA)



Features:

- Material: ABS, nylon, and steel
- Short, medium and long shackle in stainless steel, nylon and Wire
- Impact and corrosion resistance, insulation resin, spark proof
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations
- Includes "danger" and "property of" on padlock labels

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10078778	SRPSSSR	Padlock Short Steel Red (KD)	45 x 38 x 38	0.11
10078777	SRPLSSR	Padlock Long Steel Red (KD)	45 x 38 x 76	0.13
10078776	SRPSSNYR	Padlock Short Nylon Red (KD)	45 x 38 x 38	0.07
10078779	SRPLSS	Padlock Laminated Short (KD)	29 x 49 x 28	0.23
10078780	SRPLLS	Padlock Laminated Long (KD)	33 x 42 x 48	0.23
10078801	SRPWR	Padlock Wire Dia3.2mm x 150mm Red KD	45 x 38 x 38	0.09

LOCKOUT TAGOUT ELECTRICAL



PLUG LOCKOUT 10085924 **PLUG LOCKOUT** 10078806 **MCB PIN OUT** 10078807 **MCB PIN IN** 10078808 **MCCB SMALL** 10083312
MCCB MEDIUM 10078809 **MCCB BIG** 10078810 **MULTI BREAKER** 10432622 **MULTI BREAKER** 10432623

Features:

- Material Polypropylene
- Non-conductive, non-sparking
- Can be used for locking out service temperature for 110-220/380v
- Made of high quality insulation resin, which is resistant to the chemical

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10085924	SRPLF/C13	Plug Lockout For Cable	10x 9.5 x 6	0.075
10078806	SRPLWP	Plug Lockout Waterproof 16A-125A	50 x 80 x 50	0.015
10078807	SRMCBPO	Mini Circuit Lockout Pin Out	4,4 x 2,4 x 2,4	0.005
10078808	SRMCBPI	Mini Circuit Lockout Pin In	4,4 x 2,4 x 2,4	0.005
10083312	SRCBSM18	Circuit Breaker MCCB Small	4,5 x 3 x 2,5	0.03
10078809	SRCBMD42	Circuit Breaker MCCB Medium	7,5 x 5,7 x 5,5	0.05
10078810	SRCBBG72	Circuit Breaker Big MCCB	9,2 x 9,5 x 6,5	0.095
10432622	SRCBM83	Circuit Breaker Multi 83 mm	2,1 x 2,1	0.055
10432623	SRCBM85	Circuit Breaker Multi 85 mm	85 x 2,2 x 3,5	0.09



LOCKOUT TAGOUT ELECTRICAL 



MULTI BREAKER
10085909



MULTI BREAKER
10085910



MULTI BREAKER
10434559



PUSH BUTTON
10078811



PUSH BUTTON
10078812



PUSH BUTTON
10085906

LOCKOUT TAGOUT MECHANICAL 



GATE VALVE
10085896 - 901



GATE VALVE
10078813



BALL VALVE
10085927



BALL VALVE
10078814



UNIVERSAL VALVE
10078815



RETRACTABLE
10078816



MULTIPURPOSE
10078817



STANDARD CABLE
10078818



HASP ALUMINUM
10078802



HASP NYLON
10078803



HASP STEEL
10078804




HASP STEEL
10078805

Features:


- Material ABS and PE
- Non-conductive, non-sparking, dielectric tested
- Can be used for locking out service temperature for 110-220/380v
- Made of high quality insulation resin, which is resistant to the chemical
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10085909	SRMFCB	Multi-Function Circuit Breaker	6 x 4 x 4	0.015
10085910	SRMFCB	Multi-Function Miniature Breaker	6 x 3 x 4	0.012
10434559	SRMFADJ	Multi Function Adjust Breaker	5 x 2.7 x 1.4	0.015
10078811	SRPBL022	Push Button Lockout	7 x 5 x 2.7	0.02
10078812	SRPBL030	Push Button Lockout	7 x 5 x 2.7	0.02
10085906	SRESLT	Emergency Stop Lockout Tube SRESLT	7 x 6 x 6.7	0.04
10085896	SRGVLO1-2.5	Gate Valve Lockout	2.5 x 2.5 x 5.4	0.3
10085897	SRGVLO2.5-5	Gate Valve Lockout	6.3 x 6.3 x 5.4	0.3
10085898	SRGVLO5-6.5	Gate Valve Lockout	12.7 x 12.7 x 5.4	0.4
10085899	SRGVLO6.5-10	Gate Valve Lockout	16.5 x 16.5 x 5.4	0.4
10085900	SRGVLO10-13	Gate Valve Lockout	25.4 x 25.4 x 5.4	0.5
10085901	SRGVLO13-18	Gate Valve Lockout	45.7 x 45.7 x 5.4	0.6
10078813	SRGVADJ1-6.5	Gate Valve Lockout Adjust	20.5 x 13 x 5.2	0.235
10085927	SRBVSTD1/4-1	Ball Valve Standard Lockout	10 x 8 x 8	0.101
10078814	SRBVSTD1.5-3	Ball Valve Standard Lockout	22 x 12 x 7.5	0.36
10078815	SRUVLO	Universal Valve Lockout	20 x 9.2 x 26.5	0.54
10078816	SRCLRET	Cable Lockout Retractable	10 x 10 x 3.5	0.2
10078817	SRCLMLTP	Cable Lockout Multipurpose	17.5 x 7.5 x 2.1	0.21
10078818	SRCLSTD	Cable Lockout Standard	12 x 4 x 1	0.235
10078802	SRHPALU6	Hasp Aluminum Label Red	17.8 x 7.7 x 0.5	0.15
10078803	SRHPNY6	Hasp Isolation Nylon	19.2 x 4.1 x 1	0.025
10078804	SRHPST1	Hasp Steel With Hook Lock 6 Holes	11.6 x 4.5 x 1	0.085
10078805	SRHPST1.5	Hasp Steel With Hook Lock 6 Holes	12.9 x 6.1 x 1	0.095


LOCKOUT TAGOUT STATION



10019711



10085053



10086553



10096461



10096462



10096463



10096464



Features:

- Lock station material is ABS resin
- Door material is polycarbonate
- Shock resistance

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10019711	SRST4PD	Station 4 Padlock	48,5 x 28 x 10	1,5
10085053	SRST10PD	Station 10 Padlock	65 x 59 x 10	2
10086553	SRST20PD	Station 20 Padlock	65 x 59 x 10	2,5
10096461	SRLSMCH	Lockout Station Mechanical	65 x 59 x 10	-
10096462	SRLS4WHP	Lock Station 4 Padlock With Hasp	48,5 x 28 x 10	3,8
10096463	SRLS10WHP	Lock Station 10 Padlock With Hasp	65 x 59 x 10	4,5
10096464	SRLS20WHP	Lock Station 20 Padlock With Hasp	65 x 59 x 10	4,9

LOCKOUT TAGOUT GENERAL



10083985



10224028

- Features :**
- Material PVC
 - Light weight
 - Strong & Durable

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10083985	SRTG	Tagout General	14.5 x 7.5 x 0.01	0.02
10224028	-	Tagout Out Of Service	15 x 8 x 0.1	0.095

PROTECTIVE CASE



PROTECTIVE CASE



10178664



10178665-10178666



10178667



10178668



10178672



10178725



10178673



10178674



10178675



10178677

Features :

- Light weight, water resistance, shockproof and Anti-corrosion
- Filled with pre cut foam and easy to customize compartment for your valuable equipment.
- Manual pressure adjustment, Snap latches

Article No.	Model No.	Description	Dimension (cm)		Weight (Kg)
			Inner	Outer	
10178664	SRPC1BK	Protective Case 265 x 225 x 125 mm	23.5 x 18.1 x 10.5	26.5 x 22.5 x 12.5	1.6
10178665	SRPC2BK	Protective Case 339 x 295 x 152 mm	30 x 22.5 x 13.2	33.9 x 29.5 x 15.2	1.9
10178666	SRPC3BK	Protective Case 406 x 330 x 174 mm	37.1 x 25.8 x 15.2	40.6 x 33 x 17.4	2.2
10178667	SRPC4BK	Protective Case 510 x 400 x 188 mm	45.9 x 32.7 x 17.1	51 x 40 x 18.8	2.9
10178668	SRPC5BK	Protective Case 524 x 428 x 206 mm	48 x 36.5 x 19.3	52.4 x 42.8 x 20.6	5.1
10178672	SRPC9BK	Protective Case 616 x 493 x 250 mm	54.4 x 41.9 x 20	61.6 x 49.3 x 25	6.1
10178673	SRPC10BK	Protective Case 626 x 492 x 330 mm	54.5 x 41.7 x 31.8	62.6 x 49.2 x 33	10.1
10178674	SRPC11BK	Protective Case 790 x 595 x 365 mm	72 x 52 x 33	79 x 59.5 x 36.5	14.1
10178675	SRPC12BK	Protective Case 1140 x 643 x 420 mm	104 x 60 x 40	114 x 64.3 x 42	21.1
10178677	SRPC14BK	Protective Case 1346 x 406 x 155 mm	110 x 38 x 12.5	134.6 x 40.6 x 15.5	11.1
10178725	SRPC15BK	Protective Case 559 x 351 x 229 mm	50.1 x 27.9 x 19.3	55.9 x 35.1 x 22.9	6.1

SAFETY CABINET

COMBUSTIBLE CABINET



10175051-10175054



10175050

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity .
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with with adjustable legs and grounding wires

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10175049	SRSCCOMB4	Combustible Cabinet 15L 1DR	43 x 43 x 56	1	40
10175050	SRSCCOMB22	Combustible Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175051	SRSCCOMB30	Combustible Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175052	SRSCCOMB60	Combustible Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175053	SRSCCOMB90	Combustible Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175054	SRSCCOMB110	Combustible Cabinet 410L 2DR	150 x 86 x 165	2	280

FLAMMABLE CABINET



10178196



10175040-10175043



CORROSIVE CABINET



10175045



10175046-10175048

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity .
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with with adjustable legs and grounding wires

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10175133	SRSCFLM12	Flammable Cabinet 45L 1 DR	59 x 46 x 89	1	48
10178196	SRSCFLM22	Flammable Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175040	SRSCFLM30	Flammable Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175041	SRSCFLM60	Flammable Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175042	SRSCFLM90	Flammable Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175043	SRSCFLM110	Flammable Cabinet 410L 2 DR	150 x 86 x 165	2	280
10175044	SRSCCOR12	Corrosive Cabinet 45L 1 DR	59 x 46 x 89	1	48
10175045	SRSCCOR22	Corrosive Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175046	SRSCCOR30	Corrosive Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175047	SRSCCOR60	Corrosive Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175048	SRSCCOR110	Corrosive Cabinet 410L 2 DR	150 x 86 x 165	2	280



PESTICIDES CABINET 

TOXIC CABINET 



10175055-10175060



10175061-10175067



Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10179672	SRSTRCOR	PP Tray Corrosive 49 x 36 x 3.5cm	50 x 37 x 3.6	1	2
10175055	SRSCPES4	Pesticides Cabinet 15L 1 DR	43 x 43 x 56	1	40
10175056	SRSCPES12	Pesticides Cabinet 45L 1 DR	59 x 46 x 89	1	48
10175057	SRSCPES22	Pesticides Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175058	SRSCPES30	Pesticides Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175059	SRSCPES90	Pesticides Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175060	SRSCPES110	Pesticides Cabinet 410L 2 DR	150 x 86 x 165	2	280
10175061	SRCTOX4	Toxic Cabinet 15L 1 DR	43 x 43 x 56	1	40
10175062	SRCTOX12	Toxic Cabinet 45L 1 DR	59 x 46 x 89	1	48
10175063	SRCTOX22	Toxic Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175064	SRCTOX30	Toxic Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175065	SRCTOX60	Toxic Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175066	SRCTOX90	Toxic Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175067	SRCTOX110	Toxic Cabinet 410L 2 DR	150 x 86 x 165	2	280

ACID & CORROSIVE CABINET



10165709-10165715

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity .
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with with adjustable legs and grounding wires

PPE CABINET



10175068-10175069



Features :

- The cabinet is made of high quality CRS plates, durable lead-free epoxy powder-coat finish provides excellent chemical resistance capacity.
- Standard double doors, designed with long visible windows, easy to identify equipment and utensils contained in the cabinets.
- Adjustable shelves to store different sized objects.
- T-shape compartment, suitable for storage of protective suits.

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10165709	SRSCACD15	Cabinet For Acid Corrosive 15L	43 x 43 x 56	1	14
10165710	SRSCACD45	Cabinet For Acid Corrosive 45L	59 x 46 x 89	1	29
10165711	SRSCACD100	Cabinet For Acid Corrosive 100L	91 x 60 x 90	2	51
10165712	SRSCACD114	Cabinet For Acid Corrosive 114L	109 x 46 x 112	1	56
10165713	SRSCACD170	Cabinet For Acid Corrosive 170L	109 x 46 x 165	2	80
10165714	SRSCACD227	Cabinet For Acid Corrosive 227L	86 x 86 x 165	2	88
10165715	SRSCACD340	Cabinet For Acid Corrosive 340L	109 x 86 x 165	2	130
10175068	SRSCPPE120	PPE Cabinet 2 DR	120 x 90 x 50	2	45
10175069	SRSCPPE192	PPE Cabinet 2 DR	192 x 90 x 50	2	60

SPILL CONTROL

SPILL PALLETS



32GL



10176864

58GL



10176865

68GL



10176866

298GL



10454923



Features :

- Made with HDPE, with good UV, rust, corrosion and most chemical resistance
- Oversized sump holds 2-drums (55Gal/200L per drum) to contain leakage in the event of leak or rupture, and keeps storage area clean and safe.
- Removable, easy-to-assemble and anti-skid grates can be lifted out for quick access to maintenance, cleaning and decontamination.
- Two-way forklift entries allow easy movement.

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10176864	SRSP120	Spill Pallet 32 GL 2 Drum	130 x 66 x 30	20
10176865	SRSP220	Spill Pallet 58 GL 2 Drum	131 x 67 x 45	25
10176866	SRSP260	Spill Pallet 68 GL 4 Drum	130 x 128 x 30	39
10454923	SRSP1130	Spill Pallet Poly 298 GL/1130L	135 x 135 x 90	39

SPILL DECK



11GL



10176867

21GL



10176868

40GL



10176869

Features :

- Made with HDPE, with good UV, rust, corrosion and most chemical resistance
- contain leakage in the event of leak or rupture, and keeps storage area clean and safe.
- Removable, easy-to-assemble and anti-skid grates can be lifted out for quick access to maintenance, cleaning and decontamination.

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10176867	SRSD42	Spill Deck 11 GL 1 Drum	68 x 68 x 16	8
10176868	SRSD80	Spill Deck 21 GL 2 Drum	130 x 68 x 16	17.5
10176869	SRSD150	Spill Deck 40 GL 4 Drum	130 x 128 x 16	32



SPILL KIT



OIL ONLY

- Features :**
- Dedicated to absorption of oil, instead of water
 - With a variety of adsorption materials, help you respond quickly to unexpected incidents.
 - Can isolate hazardous waste and contaminants with the spill drum to prevent secondary Leakage hazard, which is suitable for large-scale spill

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10188523	SRSK105	Portable Spill Kit 11.5 GL	65 x 50 x 20	3
10188521	SRSK106	Drum Overpack Spill Kit 21.5 GL	57 x 57 x 60	113



HAZMAT

- Features :**
- Dedicated to absorption of Chemical, instead of water
 - With a variety of adsorption materials, help you respond quickly to unexpected incidents.
 - Can isolate hazardous waste and contaminants with the spill drum to prevent secondary Leakage hazard, which is suitable for large-scale spill

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10188524	SRSK205	Portable Spill Kit 11.5 GL	65 x 50 x 20	3
10188522	SRSK206	Drum Overpack Spill Kit 21.5 GL	57 x 57 x 60	11.3



UNIVERSAL

- Features :**
- Dedicated to absorption of Chemical, instead of water
 - With a variety of adsorption materials, help you respond quickly to unexpected incidents.
 - Can isolate hazardous waste and contaminants with the spill drum to prevent secondary Leakage hazard, which is suitable for large-scale spill

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10176881	SRSK305	Portable Spill Kit 11.5 GL	65 x 50 x 20	3
10176875	SRSK306	Drum Overpack Spill Kit 21.5 GL	57 x 57 x 60	11.3

ABSORBENT PAD ABSORBENT SOCK ABSORBENT PILLOW ABSORBENT ROLL



OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum, hydricarbons and hydrocarbons, etc

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals

- Features :**
- Melt blown polypropylene (MBPP) have high absorbent rate, rapid absorption, Good cleaning effect, which don't react with polar, toxic, hazardous chemical, and is safe to use, causing no harm to personal health.
 - waste disposal is low in cost, and clean up of spilled liquid is simple.

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10178713	SRAP101	Absorbent Pad 50 x 40 cm (100PCS)	51 x 42 x 22	4.7
10178716	SRAS102	Absorbent Sock 7.6 x 120cm (12PCS)	53 x 43 x 31	4.3
10178719	SRAP103	Absorbent Pillow 45 x 45 x 5 cm 10PCS	46 x 46 x 51	5.9
10178722	SRAR104	Absorbent Roll 4572 x 38.1 cm	45 x 45 x 50	6.2
10178714	SRAP201	Absorbent Pad 50 x 40 cm (100PCS)	51 x 42 x 22	4.7
10178717	SRAS202	Absorbent Sock 7.6 x 120cm (12PCS)	53 x 43 x 31	4.3
10178720	SRAP203	Absorbent Pillow 45 x 45 x 5cm 10PCS	46 x 46 x 51	5.9
10178723	SRAR204	Absorbent Roll 4572 x 38.1 cm	45 x 45 x 50	6.2

INDUSTRIAL WIPING



10548425



10548426



10548427



10548428

Features :

- High absorption performance
- Cleaning and wiping of liquid leaks
- Sheet dimensions: 30 x 42 cm

Features :

- Efficient absorption performance
- Double row extraction
- Sheet dimensions: 30 x 42 cm

Features :

- High strength and durable
- Strong absorption capacity
- Dimensions unit: L3000 x W90 cm
- Without adhesive

Features :

- High absorption performance
- Cleaning and wiping of liquid leaks
- Sheet Dimensions: 23 x 34 cm

Article No.	Model No.	Description	Color	Product Packaging	Size (cm)	Style
10548425	SRIWW200	Industrial Wiping Cloth Pop Up	white	200 pcs/box	30 x 42	POP - UP
10548426	SRIWB160	Industrial Wiping Pop Up	Blue	160 pcs/box		POP - UP
10548427	SRIMB50L	Heavy Absorbent Mat 1 Roll	Black	1 roll/bag	3000 x 90	ROLL
10548428	SRIWW1000	Industrial Wiping Cloth 1 Roll	white	900 pcs/roll	23 x 34	



SAFETY TRAFFIC

CONE



70 CM

10107301



70 CM

KW1000477



45 CM

10051435

Features :

- Material : Soft PVC (body), PCV reinforced by rubber (base)
- Weight : 1.5 kg (10051435), 3.1 kg (10107301, KW1000477)
- Height : 45 cm (10051435), 70 cm (10107301, KW1000477)
- High durability and foldable capability
- Strong visibility with two reflective
- Heavy body, have a good stability

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10107301	SRTC70BB	Traffic Cone 70Cm PVC Blackbase	30 x 30 x 70	3.1
KW1000477	SRTC70	Traffic Cone 70cm Orange PVC	30 x 30 x 70	4
10051435	SRTC45	Traffic Cone 45cm with Reflective	26 x 26 x 45	1.08

WATER BARRIER



- Features :**
- Material : PE
 - Capacity :150L
 - High Visibility Reflector



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10654461	SRWBORG100	Water Barrier PE	120 x 60 x 80	13

TRAFFIC POST



10051434



- Features 10051434 :**
- Made in high quality PE, flexible but good performance of weather resistance
 - UV-resistant, good performance in fading and aging resistance
 - Used for temporary traffic control, traffic guidance and channelize
 - Post/stem with handle design

TRAFFIC WARNING



10051438



- Features 10051438 :**
- With LDR (Light Dependent Resistor) Sensor
 - Yellow color
 - Battery power

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051434	SRTP115R	Traffic Post 115cm Rubber Base	40 x 3 x 115	9
10051438	SRTWLBP	Traffic Warning Light	35 x 18 x 4.5	0.32

CONE BAR



10051436

HOOK FOR PLASTIC CHAIN



10090519

CONE MOUNT RETRACTABLE BARRIER



10152430



PLASTIC CHAIN STRAIGHT LINK



10051437



10091278

- Features 10051436 :**
- Retractable cone bar up to 7 and 8 feet
 - Cone bar designed for use with trackable traffic cones and T-Tops & bollards
 - Conical rods are very portable and lightweight

- Features 10152430 :**
- Material : HDPE
 - Long tape : 2 M
 - Type : Retractable
 - Used pin lock

- Features 10051437 & 10091278 :**
- Plastic chain is available in diameter of 6 mm
 - 1 Roll = 40m & 20m

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051436	SRCBRETBY	Cone Bar Retractable 1.3-2.15M	128 x 10 x 4.5	0.38
10152430	SRCMRET1	Cone Mount Retractable Barrier	10 x 8.5 x 23	0.25
10051437	SRPC40Y	Plastic Chain Straight Link 6mm	25.5 x 25.5 x 18	2.6
10091278	SRPC20R	Plastic Chain Straight Link 6mm	15 x 15 x 18	1.5
10090519	SRHPC01	Hook For Plastic Chain	6 x 2 x 2	0.11

REFLECTIVE TAPE



10181468
10376203



10181469
10376202



10181470
10376204

Features :

- Weather resistance ability: 3-5 years for outdoor activities
- Adhesive Ingredients : permanent pressure-sensitive adhesive
- Suitable substrate for decals: Aluminum, steel
- Operation temperature: 18 deg ~28 deg
- Working temperature: -20 deg ~-60 deg
- High weather resistance ability

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10181468	SRRT50Y	Reflective Tape Yellow 5cm x 50m	22 x 21 x 6	1.3
10181469	SRRT50R	Reflective Tape Red 5cm x 50m	22 x 21 x 6	1.3
10181470	SRRT50W	Reflective Tape White 5cm x 50m	22 x 21 x 6	1.3
10376203	SRRT15Y	Reflective Tape Yellow 5cm x 15m	18 x 12.5 x 5.5	0.9
10376202	SRRT15R	Reflective Tape Red 5cm x 15m	18 x 12.5 x 5.5	0.9
10376204	SRRT15W	Reflective Tape White 5cm x 15m	18 x 12.5 x 5.5	0.9

BARRICADE TAPE



Features :

- Non adhesive polyethylene material
- UV resistance

BARRICADE TAPE "CAUTION"



10051440

ANTI SLIP



10440548



10440549

Features :

- Water and oil resistant
- Strong grid material
- Easy to clean
- Easy to apply on clean and dry surfaces

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051440	SRBT200YB	Barricade Tape 75mmx200m	12 x 12 x 7.8	0.48
10051441	SRBT200RW	Barricade Tape 75mmx200m	12 x 12 x 7.8	0.48
KW1000503	SRBT100RW	Barricade Tape Red/White	10 x 10 x 7.5	0.26
KW1000504	SRBT100YB	Barricade Tape Yellow/Black	10 x 10 x 7.5	0.26
10051442	SRBT200C	Barricade Caution Do Not Enter	12 x 12 x 10	0.62
10440548	SRAST20B	Anti Slip Tape 2"x20m Black	17.5 x 5 x 17.5	0.3
10440549	SRAST20BNY	Anti Slip Tape 2"x20m Black and Yellow	17.5 x 5 x 17.5	0.3

FLOOR SIGN



KW1800001



KW1800108



KW1800114

Features KW1800001, KW1800108 & KW1800114 :

- Made of strong plastic material
- Foldable
- Available message caution wet floor, awas lantai licin, maintenance in progress

CONE SIGN



KW1800091



KW1800274



KW1800275

Features KW1800091, KW1800274 & KW1800275 :

- Made of strong plastic material
- Available message caution wet floor, no entry, no parking
- Holes for pinning rope barrier

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1800001	SRFS1	Floor Sign Caution Wet Floor	30 x 2 x 63	0.83
KW1800108	SRFS2	Floor Sign Awas Lantai Licin	30 x 2 x 63	0.83
KW1800114	SRFS3	Floor Sign Maintenance In Progress	30 x 2 x 63	0.83
KW1800091	SRFSC1	Cone Sign 117cm Caution Wet Floor	20 x 20 x 117	1.8
KW1800274	SRFSC2	Cone Sign 117cm No Entry	20 x 20 x 117	1.8
KW1800275	SRFSC3	Cone Sign 117cm No Parking	20 x 20 x 117	1.8



FOLDABLE AND PORTABLE BARRIER



- Features :**
- Made of strong plastic material
 - Foldable



Article No.	10539159
Model No.	SRPB250
Description	Foldable And Portable Barrier
Specification	
Max. Extended (cm)	400
Height (cm)	100
Width (cm)	58.5
Long (cm)	35
Material	PP (Polypropylene)
Color	Yellow

SPEED BUMP



10051430




10051431



10051432

- Features 10051430, 10051431 & 10051432 :**
- Speed bumps are designed for drivers to slow down in pedestrian areas, such as parking lots, crosswalks and other pedestrian areas
 - Modular tongue-in-groove sections will fit most road dimensions, and allow flexibility in installation
 - **Size of dynabolt ϕ 10 x 100mm (not included)**

CABLE RAMPS



10507113

- Features 10507113 :**
- Material : PVC + Rubber
 - Cable chute size: 3 channels W55 x H65mm"

RUMBLE BAR




10051428



10051429



SPEED BUMP PORTABLE



10509610

- Features 10509610**
- Material: Moulded PP & Rubber Padding
 - Type : Portable



- Features 10051428 & 10051429 :**
- Surface mounted unit which warns the rider of dangerous conditions ahead
 - Suitable for center line, medium, edge marking and traffic island line marking
 - **Size of dynabolt ϕ 8 x 60mm (not included)**

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051430	SRSH50Y	Speed Bump Middle 50x35x5cm	50 x 35 x 5	8
10051431	SRSH50B	Speed Bump Middle 50x35x5cm	50 x 35 x 5	8
10051432	SRSHCAP	Speed Hump End Cap 19.5x35x5cm	19.5 x 35 x 5	2.1
10507113	SRCR3C	Cable Ramps 3 Channels	90 x 50 x 7.5	13
10051428	SRRB100Y	Rumble Bar 100x10x1.5 cm Yellow	100 x 10 x 1.5	1.8
10051429	SRRB100B	Rumble Bar 100x10x1.5 cm Black	100 x 10 x 1.5	1.8
10509610	SRSBYLW	Speed Bump Portable 300x23x4.5 cm	300 x 23 x 4.5	12

WHEEL STOP




10157810



WHEEL CHOCK



10157597



10157809

Features 10157810 :

- Material: Rubber
- With 6 reflective tapes
- Packing: 6pcs/carton
- Size of dynabolt # ϕ 10 x 100-150mm (not included)

Features 10157597 :

- Material: Rubber
- Size (LXWXH): 200x100x150mm
- With handle for easy taking.
- Packing: 8pcs/carton

Features 10157809 :

- Material: Rubber
- Size (LXWXH): 250x200x150mm
- With eye bolts for easy taking
- Packing: 6 pcs/pkg

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10157810	SRWSWR	Wheel Stoper 55x15x10cm	55 x 15 x 10	5
10157597	SRWC20B	Wheel Chock 200x100x150 mm Black	20 x 10 x 15	2.25
10157809	SRWC25B	Wheel Chock 250x200x150 mm Black	25 x 20 x 15	4.5

TRAFFIC BATON



10051439

CORNER PROTECTOR



10051433



Features 10051439 :

- The traffic batons offer both flashing or constant light modes in single and multicolor configurations
- Length : 540mm
- Diameter : 40mm
- LED qty LEDs : 6 + 1
- Function : Flash-steady-top light
- Batteries : 2D batteries

Features :

- Corner Protector absorbs and minimizes damage when a vehicle or forklift hits the wall
- It not only protects the structure and appearance of the building but also prevents dings and scratches on the vehicle
- Made from heavy duty rubber and can be used on indoor and outdoor, also resistant to extreme temperature variation, oil, moisture and UV light

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051439	SRTBLEDR	Traffic Baton LED 3 Function	54 x 5.5 x 5	0.3
10051433	SRCP80BNY	Corner Protector 80x10x0.8cm	80x10x0.8	3.3



FLASHLIGHT


Features:

- LED bulbs for super brightness, lightweight & tough plastic body
- LED never need replacing

Article No.	10108011
Model No.	JRF25
Description	LED Flashlight 25LM, 2xAA Light Weight
Specification	
Light Source.	9 LED 1W
Luminous Flux (lm)	25
Distance (m)	20
Run Time (hours)	3
Battery	2AA
Dimension unit (cm)	11 x 8.5 x 5.8
Weight Nett (g)	100


Features:

- Rubberized case for impact resistant & water-proof
- High intensity LED bulb

Article No.	10108012
Model No.	JRF60WP
Description	Led Flashlight 60 Lm 2xd Drop & Waterproof
Specification	
Light Source.	1 LED 1W
Luminous Flux (lm)	60
Distance (m)	20
Run Time (hours)	7
Battery	4AA Batteries Included
Dimension unit (cm)	23 x 5.5 x 5.5
Weight Nett (g)	450

ALUMINIUM FLASHLIGHT


Features:

- Utilizing CREE LED bulb technology
- Compact aluminum casing
- Lighting modes - high / low / strobe

Article No.	10108198
Model No.	JRFL150AL
Description	LED Flashlight 150LM, 3xAAA Zoomable Aluminum
Specification	
Light Source.	1 CREE LED 3W
Luminous Flux (lm)	150
Distance (m)	100
Run Time (hours)	3
Battery	3 AAA
Dimension unit (cm)	20 x 6.5 x 4
Weight Nett (g)	190

Features:

- Utilizing LED bulb technology
- Compact aluminum casing



Article No.	10108017
Model No.	JRF40AL
Description	LED Flashlight 40LM, 2xAAA Pocket Aluminium
Specification	
Light Source.	1 CREE LED 1W
Luminous Flux (lm)	40
Distance (m)	30
Run Time (hours)	2.5
Battery	2 AAA
Dimension unit (cm)	14 x 2 x 2
Weight Nett (g)	70

ALUMINIUM FLASHLIGHT



Features:

- Convenient spotlight plus retractable flashlight
- Retractable COB worklight
- Magnetic base easily attaches to metal surface

Article No.	10108199
Model No.	JRWF300AL
Description	LED Flashlight 150/300 LM, 4xAAA Aluminum
Specification	
Light Source.	LED 3W + COB 3W
Luminous Flux (lm)	150 / 300
Distance (m)	10 / 100
Run Time (hours)	1.5
Battery	4AAA
Accessories	4AAA batteries included
Dimension unit (cm)	20 x 6.5 x 4
Weight Nett (g)	190



Features:

- 3 modes
- Extremely durable aluminum body
- Use for emergencies and self-defense

Article No.	10108188
Model No.	JRF50AL
Description	LED Flashlight 50LM, 1xAA, 15V with Clip Aluminum
Specification	
Light Source	1 LED 5W
Luminous Flux (lm)	300
Distance (m)	180
Run Time (hours)	3
Battery	4AA
Accessories	4AA batteries included
Dimension unit (cm)	43 x 5 x 5
Weight Nett (g)	450



Features:

- Adjustable focus
- Durable metal clip for attaching
- Easy one handed ON/OFF

Article No.	10208217
Model No.	JRF50AL
Description	LED Flashlight 50LM, 1xAA, 15V with Clip Aluminum
Specification	
Light Source.	1 LED 3W
Luminous Flux (lm)	50
Distance (m)	30
Run Time (hours)	1
Battery	1AA
Accessories	1AA batteries included
Dimension unit (cm)	10 x 3.5 x 3.5
Weight Nett (g)	90



Features:

- Strong aluminium body for durability
- Super bright LED up to 350 Lumens
- Upgraded LED with 1 osram chip

Article No.	10404759
Model No.	JRFL350AL
Description	Led Flashlight FL - 350
Specification	
Light Source.	1 LED Osram Chip
Luminous Flux (lm)	350
Distance (m)	200
Run Time (hours)	6
Battery	3AA
Accessories	3AA batteries included
Dimension unit (cm)	25 x 11 x 6
Weight Nett (g)	347

HEADLIGHT



Features:

- Pivoting head and adjustable headband
- 3W white LED with 2 red LED for super brightness

Article No.	10108190
Model No.	JRH120
Description	LED Headlight 120LM,3xAAA Adjustable Headband
Specification	
Light Source.	3 LED 3W
Luminous Flux (lm)	120
Distance (m)	60
Run Time (hours)	3
Battery	3AAA
Accessories	3AAA batteries included
Dimension unit (cm)	6 x 5 x 5
Weight Nett (g)	70

WORKLIGHT



NIGHT LIGHT and CAMPING LANTERN



10108191



10108197

Features:

- Motion sensor (20 sec for auto off) (10108191)
- Ideal for camping and emergencies (10108197)
- 3 modes: low, high, strobe (10108197)

Article No.	10108191	10108197
Model No.	JRP10MS	JRCL300AL
Description	LED Push Light 10LM, 3xAAA Motion Sensor	Camping Lantern 250LM, 4xAA and 3Light Mode
Specification		
Light Source.	9 LED 0.5W	3W
Luminous Flux (lm)	30	250
Distance (m)	3	10
Run Time (hours)	3.5	4
Battery	3AAA	4AA
Accessories	3AAA batteries included	4AA batteries included
Dimension unit (cm)	8 x 2 x 8	25 x 11 x 11
Weight Nett (g)	90	340

WORKLIGHT



10108192

Features 10108192 :

- Super bright LED aluminum flashlight
- 3 modes: high, low and strobe
- 2-in-1 worklight with magnetic swivel stand base and swivel hanging hook



10108193

Features 10108193 :

- 3W COB worklight
- New ergonomically designed shape for comfort grip
- With hanging hook and magnet



10108194

Features 10108194 :

- Use as flashlight or area light
- Strong magnetic base
- 360° hang hook

Article No.	10108192	10108193	10108194
Model No.	JRW120M	JRW200M	JRWF200M
Description	LED Worklight 120LM, 3xAAA Swivel Stand	LED Worklight 200LM, 3xAA Hanging Hook	LED Worklight and Flashlight 200 and 60LM, 3xAA
Specification			
Light Source.	COB LED 3W		
Luminous Flux (lm)	120	200	200 (camping light), 60 (flashlight)
Distance (m)	12	15	15 (camping light), 40 (flashlight)
Run Time (hours)	3	4	(camping light), 5 (flashlight)
Battery	3AAA	3AA	
Accessories	3AAA batteries included	3AA batteries included	
Dimension unit (cm)	22 x 19 x 21	20 x 6.5 x 4	
Weight Nett (g)	500	220	

RECHARGEABLE SPOTLIGHT



- Features:**
- Rechargeable li-ion spotlight
 - Rubberized protection for extreme durability
 - Lock on button



- Features:**
- Rechargeable li-ion spotlight
 - Rubberized protection for extreme durability
 - Swivel handle

Article No.	10108195
Model No.	JRF350R
Description	LED Flashlight 350 LM Rechargeable
Specification	
Light Source.	1 cree led 5W
Luminous Flux (lm)	350
Distance (m)	350
Run Time (hours)	2
Battery	Rechargeable li-ion battery
Accessories	USB charger + USB line
Dimension unit (cm)	20 x 17 x 19
Weight Nett (g)	500

Article No.	10108196
Model No.	JRF200R
Description	LED Flashlight 200 LM Rechargeable
Specification	
Light Source.	1 cree led 3W
Luminous Flux (lm)	200
Distance (m)	380
Run Time (hours)	4.5
Battery	Rechargeable li-ion battery
Accessories	USB charger + USB line
Dimension unit (cm)	20 x 17 x 19
Weight Nett (g)	500

EXPLOSION PROOF FLASHLIGHT



Optional Accessories :



10177033

CERTIFICATION & STANDARDS

CLASS I DIV 1 GRP ABCD TEMP CODE: T4 CLASS II DIV 1 GRP EFG CLASS III FILE NUMBER E524236
 Ex ia IIC T4 Td DEMKO 13 ATEX 1302999X
 Ex ia IIC T4 Ga UL 13.0013X IECEx
 Approved
 REACH

- Features:**
- Uses Cree XP-E LED.
 - Tough and durable casing.
 - Fastener prevents from opening torch in hazardous places.

Article No.	10177003	
Model No.	JRF133EX	
Description	Explosion Proof Flashlight Handheld	
Specification	Low	High
Battery Size	4 X AA (Battery not included)	
Light Source.	Cree XP-E LED	
Mode	High / Low / Off	
Light Output (lm)	32	133
Beam Distance (m)	110	1231
Run Time (hours / mins)	9 / 10	6
IP Rating	IP67	
Dimension unit (mm)	174 x 47 x 47	
Weight Nett (g)	115	

CERTIFICATION & STANDARDS

CLASS I DIV 1&2 GRP ABCD TEMP CODE: T4 CLASS II DIV 1&2 GRP EFG CLASS III FILE NUMBER E524236
 Ex ia IIC T4 Td DEMKO 13 ATEX 1112940X
 Ex ia IIC T4 Ga IECEx UL 13.0008X
 Approved
 REACH

- Features:**
- Uses Cree XP-E LED.
 - Two ways position clip.
 - Valve design helps to hydrogen gas released

Article No.	10177004	
Model No.	JRH141CEX	
Description	Explosion Proof Flashlight with Clip	
Specification	Low	High
Battery Size	3 X C (Battery not included)	
Light Source.	Cree XP-E LED	
Mode	High / Low / Off	
Light Output (lm)	57	141
Beam Distance (m)	154	248
Run Time (hours / mins)	80	42 / 30
IP Rating	IP67	
Dimension unit (mm)	225 x 60 x 85	
Weight Nett (g)	190	



EXPLOSION PROOF FLASHLIGHT



- Features:**
- Users high power CREE LED
 - Water Proof
 - Build-in gas release vent

CERTIFICATION & STANDARDS



CLASS I DIV 1&2 GRP ABCD
CLASS II DIV 1&2 GRP EFG
CLASS III

TEMP CODE: T5
IP67
FILE NUMBER E324236



Ⓜ I M1 Ex ia I Ma
Ⓜ II 1G Ex ia IIC T5 Ga
DEMKO 16 ATEX
1661X

IECEX

Ex ia I Ma
Ex ia IIC T5 Ga
IECEX UL 16.0015X



REACH

Approved

Article No.	10177030
Model No.	JRF64CEX
Description	Explosion Proof Pen Light
Specification	
Battery Size	2 X AAA (Battery not included)
Light Source.	Cree XP-G2 LED
Mode	ON/OFF
Light Output (lm)	64
Beam Distance (m)	41
Run Time (hours / mins)	20 / 40
IP Rating	IP67
Dimension unit (mm)	142 x 30 x 26
Weight Nett (g)	41



- Features:**
- Uses high power CREE LED
 - High and Low mode functions
 - Submersible in water

CERTIFICATION & STANDARDS



CLASS I DIV 1&2 GRP ABCD
CLASS II DIV 1&2 GRP EFG
CLASS III

TEMP CODE: T4
IP67
FILE NUMBER E324236



Ⓜ II 1G Ex ia IIC T4 Ga IP67
DEMKO 14 ATEX
1354X

IECEX

Ex ia IIC T4 Ga IP67
IECEX UL 14.0059X



REACH

Approved

Article No.	10177029	
Model No.	JRH216EX	
Description	Explosion Proof Head Lamp	
Specification	Low	High
Battery Size	3 X AAA (Battery not included)	
Light Source.	Cree XP-G2 LED	
Mode	High / Low / Off	
Light Output (lm)	100	216
Beam Distance (m)	75	100
Run Time (hours / mins)	12 / 12	5 / 8
IP Rating	IP67	
Dimension unit (mm)	80 x 50 x 45	
Weight Nett (g)	130	



- Features:**
- Uses high power CREE LED
 - Tough and durable casing
 - High and Low mode functions

CERTIFICATION & STANDARDS



LASS I DIV 1&2 GRP ABCD
CLASS II DIV 1&2 GRP EFG
CLASS III

TEMP CODE: T4
IP54
FILE NUMBER:261379



Ⓜ I M1 Ex ia I Ma
Ⓜ II 1G Ex ia IIC T4 Ga
Sira 15ATEX2166X

IECEX

GAS:Ex ia IIC T4 Ga
MINING:Ex ia Ma
IECEX SIR 15.0062X



REACH

Approved

Article No.	10177005	
Model No.	JRF323AEX	
Description	Explosion Proof Flashlight Angle	
Specification	Low	High
Battery Size	4 X AA (Battery not included)	
Light Source.	Cree XP-G2 LED	
Mode	High / Low / Off	
Light Output (lm)	140	323
Beam Distance (m)	184	288
Run Time (hours / mins)	13	6 / 30
IP Rating	IP54	
Dimension unit (mm)	183 x 69 x 63	
Weight Nett (g)	250	

VENTILATOR INDUSTRIAL



Inlet Diameter
Ø700mm

Inlet Diameter
Ø300mm



KW1000818

Inlet Diameter
Ø450mm



KW1000647



KW1000881

Features :

- Saving energy, strong wind power, convenient to move, make low noise and light weight due to die-casting aluminum alloy, the reasonable structure and the strong suction
- Extend quickly and easily when emergency ventilation is needed

Application:

- Application for confined space such as : underground cable maintenance, shipping making
- Blowing toxic gas when welding shipbuilding, bridge, etc
- Piping construction and in other violent working situation for ventilation

Article No.	KW1000818	KW1000647	KW1000881
Model No.	SRVP300	SRVP450	SRVP700
Description	Ventilator Industrial	Ventilator Industrial	Ventilator Industrial
Specification			
Speed (r/min)	2800	1400	
Power (Watt)	500	700	2200
Flow Rate (m3/min)	65	110	260
Static Pressure (Pa)	385	350	450
Noise (dB)	69	70	72
Measurement (m3/unit)	0.11	0.3	0.65
Dimension (cm)	38 x 38 x 42.5	48 x 67.5 x 77	57 x 87.5 x 97
Weight (kg)	16.5	35	76

DUCT VENTILATOR INDUSTRIAL



Features :

- Ducting with black rubber-encased coil steel frame for long lasting durability
- Includes a swiveling claw clamp for tightening or loosening the nylon strap around a ventilator
- Nylon swatch for patchin

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000788	SRVP300A	Duct Ventilator Industrial 10M	1000 x 30 x 30	10.2
KW1000790	SRVP450A	Duct Ventilator Industrial 10M	1000 x 45 x 45	16.7
10000820	SRVP700A	Duct Ventilator Industrial 10M	1000 x 70 x 70	22.5



EYE WASH



EYE AND FACE



ANSI 358.1.2004



KW1000414



KW1000415



KW1000416

Material : 304 Stainless steel
 Coating : Immersed plastic ABS
 Pedestal : Cast iron

Features :

- Shower can provide 76 liters of water per minute, deliver 11,5 liters of water per minute
- Connect unit to uninterruptible water supply delivering at 3GPM
- Outlet heads position meets 89/686/EEC and ANSI Z2358.1-2004, DIN 1289 EN15154 standard

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000414	SRWS3	Eye And Face Safety Shower	73 x 32 x 223.5	16
KW1000415	SRWS2	Eye And Face Wash Standing	32 x 32 x 113	8
KW1000416	SRWS1	Eye And Face Wash Wall Mounted	46.8 x 32 x 26.4	5

EYE WASH



10028141



10079962



10088550

Features 10024141 & 10079962:

- Material Tank Polyethylene (NonToxic).
- Flow Control 2L/Min.
- Using gravity to supply a continuous flow of clean water
- Ideal for remote locations

Features 10088550 :

- Material: Stainless Steel, resists most laboratory acids and corrosives
- Spray Head: ABS Plastic, soft the water spray for eye protection.
- Water locking Switch: Automatic trigger locking for hand-free uses.
- Flow Control Valve: Flow control to avoid secondary damage
- Wall Mounted Bracket: Stainless Steel with Nylon Clips
- Hose: 1.5 meter reinforce PVC hose

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10028141	SRWS16	Eye Wash Station Portable Yellow	55 x 49.6 x 58.2	7.8
10079962	SRWS9	Eye Wash Portable 9 Gallons Yellow	61 x 28 x 39	4.8
10088550	SRWS4	Eye Wash Drench Hose	36 x 15 x 9	2.7

FLOATING CUBE

MODULAR FLOATING DOCK

BOAT SLIDE



10154657



10154698



10154721

Features :

- Live Load (Kg/Ea / Kg/m²) 93 / 372
- Material High Density Polyethylene (HDPE)
- Tensile Strength Mote than 20.000 N (2Tons)



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10154657	SRKFDOT	K-Float For Deck On Top	50 x 50 x 40	7
10154698	SRKFBASIC	K-Float Basic 50x50x40cm	50 x 50 x 40	7
10154721	SRBS	Boat Slide 50x100x40cm	50 x 100 x 40	11

ACCESSORY MODULAR FLOATING DOCK



10154705

Features :

- Dimension : Ø 18.6xL23cm
- Material : High Density Polyethylene (HDPE)



10154707

Features :

- Dimension : Ø 18.6xL63cm
- Material : High Density Polyethylene (HDPE)



10154709

Features :

- Dimension : Ø 8.5xL13.5cm
- Material : High Density Polyethylene (HDPE)



10154715

Features :

- Dimension : Ø 9.5xT3.2cm
- Material : High Density Polyethylene (HDPE)



10154717

Features :

- Dimension : Ø 9.5xT17cm
- Material : High Density Polyethylene (HDPE)



10154719

Features :

- Dimension : L90xW500xH220mm
- Material : High Density Polyethylene (HDPE)



10154744

Features :

- Dimension : Ø 280xH540mm
- Material : High Density Polyethylene (HDPE)



10156191

Features :

- Dimension : Over H100cm
- Material : Stainless
- Type : Short pin type

ACCESSORY MODULAR FLOATING DOCK



10154726
Features :
 · Dimension : Over H100cm
 · Material : Stainless
 · Type : Side fix type



10154724
Features :
 · Dimension : Over 100cm
 · Material : Polyethylene
 · Type : Short pin type




10154733
Features :
 · Dimension : W150 x H100cm
 · Material : Stainless




10154728
Features :
 · Dimension : W500 x H1000mm
 · Material : Stainless



10154731
Features :
 · Dimension : W150 x H100cm
 · Material : Stainless



10154736
Features :
 · Dimension : L500 x H500 x Ø 350
 · Material : Stainless



10154738
Features :
 · Dimension : W1000mm
 · Material : Stainless



10154743
Features :
 · Dimension : W500mm
 · Material : Stainless



10154742
Features :
 · Dimension : Ø 50 x H282mm
 · Material : Stainless



10154739
Features :
 · Dimension : H950 x W750mm
 · Material : Stainless




Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10154707	SRLCP	Long Connector Pin	9.3 x 9.3 x 63	1.2
10154709	SRSFSWNT	Short Fixation Side Pin With Nut	8.5 x 8.5 x 13.5	0.191
10154715	SRDISSD	Distance Span Disc	9.5 x 9.5 x 3.2	0.06
10154717	SRYCWNUT	Yacht Cleat With Nut	9.5 x 4.5 x 17	0.06
10154719	SRSD	Side Bumper 90x50x22cm	22 x 50 x 9	1.7
10154744	SRBUMPE	Bumper Eva	28 x 28 x 54	2
10156191	SRSSGR	Stainless Steel Guide Rail	9.3 x 9.3 x 100	3.1
10154726	SRSSGRS	Stainless Steel Guide Rail Side	2 x 2 x 100	3.1
10154724	SRSGR	Square Guide Rail	6.5 x 6.5 x 100	4.1
10154728	SRSSGRU	Stainless Steel Guide Rail	150 x 100	6.5
10154731	SRSSSPL	Swimming Pool Ss Ladder	50 x 100	4.5
10154736	SRSPRG	Side Pile Roller Guide 15x100cm	15 x 15 x 100	4.1
10154738	SRRPG	Roller Pile Guide Dia 35x50x50cm	35 x 50 x 50	7.1
10154743	SRRSB	Reinforced Side BaR (W100)	6.5 x 100 x 6.5	7
10154742	SRRSB	Reinforced Side Bar (W50)	6.5 x 50 x 6.5	4.5
10154739	SRSSCG	Stainless Steel Cleat (General)	9.3 x 9.3 x 28.3	4.7
10154733	SRTKKF	Tool Kit For K-Float	7 5x 95	3.1

RUBBER BOAT



RUBBER BOAT



- Features :**
- Material: PVC 0.9 mm (can made by order Hypalon/PVC)
 - Include 2 paddle
 - Include manual air pump



* Note : Custom design available please contact us

Article No.		10548059	10548060	10548061	10548062	10548063	10548064	10548065	10548066
Type	290	310	330	360	380	400	430	465	530
Spesification									
Lenght overall (cm)	290	310	330	360	380	400	430	465	530
Length inside (cm)	180	200	220	225	245	265	288	320	352
Widht overall (cm)	155	155	160	175	175	175	190	190	214
Width inside (cm)	70	70	75	80	85	85	90	90	109
Tube Diameter (cm)	42	42	42	45	45	45	50	50	55
Transom Hight (cm)	38	38	38	38	38	38	41	41	50
Compartments	2	2	2	3	3	3	4	4	4
Valve	3+1	3+1	3+1	4+1	4+1	4+1	5+1	5+1	5+1
weight (kg)	55	60	65	75	80	85	97	107	135
Capacity (Person)	3+1	4+1	5+1	6	6+1	7+1	8	10	12
Max. Load (Kg)	470	500	550	650	750	800	850	-	1300
Max. engine (hp)	10	10	15	25	25	30	35	50	50
Feature									
Deck	Deck Marine plywood								
Joiner	Aluminum								
Keel	Tube								
Lifting handle (pcs)	4	4	6	6	6	6	8	8	8
Oar holder (set)	2								
Rope holder	4	6	6	10	12	12	14	14	16
Row handle	1								
Steinless steel D-ring (pcs)	2								
Rubbig Strake (set)	1								
Splash guard (pcs)	2								
Automatic valve	3	3	3	4	4	4	5	5	5
Self bailing drain valve	2								
EQUIPMENT									
Bellow pump (set)	1								
Repair kit (set)	1								
Rope (mtrs)	10								
Telescopic paddle (pcs)	2								

VENTILATOR INDUSTRIAL



Features :

- Explosion proof
- Saving energy, strong wind power, convenient to move, make low noise and light weight due to die-casting aluminum alloy, the reasonable structure and the strong suction
- Extend quickly and easily when emergency ventilation is needed

Application:

- Application for confined space such as : underground cable maintenance, shipping making
- Blowing toxic gas when welding shipbuilding, bridge, etc
- Piping construction and in other violent working situation for ventilation

Certificate :
 Presafe 16 ATEX 8947X
 EN 60079-0:2012/A11: 2013 and EN 60079-1: 2014 and EN14986-1:2007

Article No.	10238970
Model No.	SRVPXP300
Description	Ventilator Industrial EX Proof
Specification	
Speed (r/min)	2800
Power (Watt)	500
Flow Rate (m3/min)	65
Static Pressure (Pa)	385
Noise (dB)	69
Measurement (m3/unit)	0.11
Dimension (cm)	44 x 39.5 x 40
Weight (kg)	18.5

DUCT FOR VENTILATOR



Features :

- Ex-proof, Easy to used
- Includes a swiveling claw clamp for tightening or loosening the nylon strap around a ventilator
- Durable & Lightweight

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10238972	SRVPXP300A	Duct For Ventilator EX proof 5M	500 x 30 x 30	5.6