

02

# AGRICULTURE





CULTIVATOR GASOLINE

Powered by  
**HONDA**  
**ENGINES**



INCLUDE:



RESISTANCE ROD



ROTARY BLADE J



RUBBER WHEELS

Feature:

- Powered by Honda GX160 engine with great output
- Make your field work easier
- Blade design special, stable with high quality
- Easy to operate with minimum vibration
- Excellent for land preparation



Article No.	10125328
Description	Cultivator Gasoline 4.8HP GX160
Specification	
Engine type	Gasoline, Honda GX160
Engine	Air-cooled, 4-cycle, single cylinder
Max. Power (kw(hp)/rpm)	3.6(4.8)/3600
Oil Capacity (L)	1.1
Tilling Width (mm)	1050
Tilling Depth (mm)	150-300
Gear Shifting	-1,0,2,1
Driving Model	Belt
Dimension (cm)	139x80x107
N.W / G.W (kg)	75 / 85

OPTIONAL ACCESSORIES CULTIVATOR GASOLINE



10193976  
Digger Potato K-3



10193977  
Plow Unilateral



10193787  
Ditcher K-1



10214745  
Ditcher  
Adjustable  
Adjuster



10193975  
Ditcher  
Adjustable K-2



10194007  
Iron Wheel



10238893  
Blade Anti-Wind

Article No.	Description
10193976	Digger Potato K-3
10193975	Ditcher Adjustable K-2
10193787	Ditcher K-1
10214745	Ditcher Adjustable Adjuster
10193977	Plow Unilateral
10194007	Iron Wheel
10238893	Blade Anti Wind



Gun Handle for Safety

**Feature:**

- Powered by diesel engine with great output
- Blade design special, stable with high quality
- Easy to operate with minimum vibration
- Excellent for land preparation

**INCLUDE:**



RESISTANCE ROD



ROTARY BLADE J



RUBBER WHEELS



Article No.	10125329
Description	Cultivator Diesel 6HP Complete Set
<b>Specification</b>	
Engine Type	Diesel Engine
Max. Power (kw(hp)/rpm)	4.5(6.0)/3600
Oil Capacity (L)	1.1
Tilling Width (mm)	800-1100
Tilling Depth (mm)	150-300
Gear Shifting	1,0,2,-1
Driving Model	Gear
Dimension (cm)	105x57x78
N.W / G.W (kg)	115 / 120

**OPTIONAL ACCESSORIES CULTIVATOR DIESEL**



10193976  
Digger Potato K-3



10193977  
Plow Unilateral



10193787  
Ditcher K-1



10214745  
Ditcher Adjustable Adjuster



10193975  
Ditcher Adjustable K-2

OPTIONAL ACCESSORIES CULTIVATOR DIESEL



10194007  
Iron Wheel



10193978  
Water Pump  
Small Plastic



10193981  
Water Pump 2"  
Aluminum



10238894  
Blade Anti Wind



10193982  
Trailer Set



10193980  
Ridger Set



10214744  
Ditcher -C RTH



10215368  
Reaper Harvest for 10125328



Article No.	Description
10193976	Digger Potato K-3
10193975	Ditcher Adjustable K-2
10193787	Ditcher K-1
10194007	Iron Wheel
10193977	Plow Unilateral
10214745	Ditcher Adjustable Adjuster

Article No.	Description
10193980	Ridger Set
10193982	Trailer Set
10193981	Water Pump 2Inch Aluminum
10193978	Water Pump Small Plastic
10214744	Ditcher -C RTH
10215369	Reaper Harvest for 10125328
10238894	Blade Anti Wind



WATER PUMP GASOLINE



- Feature:**
- Multi purpose engine pump
  - 2- in & 3-in input output diameter
  - Industrial and agriculture pump design
  - Easy starting by KRISBOW commercial engine

Article No.	10009324	10002508
Description	Water Pump Gasoline 6.5HP, 2"	Water Pump Gasoline 6.5HP, 3"
Specification		
Water Output Pipe Dia.	2" (50mm)	3" (80mm)
Max. Suction Lift	26ft (8m)	26ft (8m)
Max. Overhead lift	92ft (28mm)	98ft (30mm)
Max. Flow rate	158 GPM	220 GPM
Max. Engine	4.7kw (6.5HP)	4.7kw (6.5HP)
Revolution	3600 rpm	3600 rpm
Dimension (L x W x H) (cm)	47.4 x 39.6 x 39.1	54.1 x 44.4 x 48.2
Weight (kg)	29	29

WATER PUMP DIESEL



- Feature:**
- Powered by FAW Engine 45HP, 68Hp, and 81Hp
  - 8", 10", 12" input output diameter
  - Suitable for outdoor work
  - Wheeled chassis reserved traction device, may at any time to adjust vehicle balance
  - Uniaxial or biaxial trailer is optional, mechanical braking or automatic braking is also optional, meet many requirements
  - Convenient refueling system

Article No.	10201446	10201561	10201562
Description	Water Pump Diesel F400-15m 8"	Water Pump Diesel F500-15m 10"	Water Pump Diesel F800-13m 12"
Specification			
Engine Type	FAW 4DW91	FAW 4DW92	FAW 4DX21
Power kW (hp)	33 (45)	37 (50)	45 (60)
Flow rate (m3/h)	400	500	800
Head (m)	15	15	13
Inlet Size (")	8	10	12
Outlet Size (")	8	10	12
Vacuum Pump	Dry Self-Priming Function		
Trailer	2 Wheels		
Suction Head (m)	7		
Dimension (LxWxH) (mm)	2700 x 1000 x 1400		
Weight (kg)	950	1050	1250