



PACKAGING EQUIPMENT

STRAPPING

PLASTIC STRAPPING TOOLS



KW0102982



- Features :
- Heavy duty used
 - Made from iron steel
 - Profesional and easy to use



KW0102983

Article No.	KW0102982	KW0102983	KW0104112
Model No.	PRPST0919	PRPSC16	PRPSC19
Description	Plastic Strapping Tensioner 9-19mm	Plastic Strapping Clamping Tool 16mm	Plastic Strapping Clamping Tool 19mm
Specification			
Function	Tightening	Clamping	
Strap Material	Plastic strap (PP, PET)		
Strap Width (mm)	9 – 19	16	19
Strap Thicness (mm)	0.4 – 1.0	0.6 – 0.8	
Dimension (mm)	267 x 71 x 135	505 x 122 x 45	550 x 125 x 45
Weight (kg)	1.33	1.85	2

STEEL STRAPPING TOOLS



KW0101830



- Features :
- Heavy duty used
 - Made from iron steel
 - Profesional and easy to use



KW0102719

Article No.	KW0101830	KW0102719	KW0102720
Model No.	PRSST0919	PRSSC16	PRSSC19
Description	Steel Strap Tensioner 9-19mm	Steel Strap Clamping Tool 16mm	Steel Strap Clamping Tool 19mm
Specification			
Function	Tightening	Clamping	
Strap Material	Steel strap		
Strap Width (mm)	9 – 19	16	19
Strap Thicness (mm)	0.4 – 1.0	0.6 – 0.8	
Dimension (mm)	267 x 71 x 135	505 x 122 x 45	550 x 125 x 45
Weight (kg)	1.33	1.85	2

SEMI AUTO PLASTIC STRAPPING MACHINE



KW1500289



Features :

- Eco power due to auto stop motor
- Anti overheat element for less maintenance
- Adjustable strapping tension force



KW1500290

Article No.	KW1500289	KW1500290
Model No.	PRSTA4890	PRSTA7890
Description	Strapping Table Auto 480mm	Strapping Table Auto 780mm
Specification		
Power (W / V / Hz)	340 / 220 / 50	
Strap Material	Plastic strap (PP, PET)	
Strap Width (mm)	6 – 15	
Strap Thickness (mm)	0.8	
Strapping Tension (N)	40 – 480 N adjustable	
Working Table Height (mm)	480	780
Working Table Area (mm)	900 x 580	
Dimension (mm)	1500 x 580 x 480	900 x 580 x 780
Weight (kg)	90	100

AUTOMATIC PLASTIC STRAPPING MACHINE



Features:

- Aluminium rigid machine structure, durable for continuous operation
- Easy set-up loading with outside strapping roll dispenser
- Can be combined with other machine for automation system
- Adjustable strapping tension rate up to 600Nm
- Reliable PLC by Mitsubishi and Omron photoelectric switch
- Optimizing strapping speed up to 2 second per cycle

Article No.	10115840
Model No.	ASM-15
Description	Automatic Strapping Machine W80H60
Specification	
Power supply (Ph/VAC/Hz)	3 / 380 / 50-60
Power consumption (w)	400
Strap Material	Plastic strap (PP)
Strap Width (mm)	9, 12, 15
Strapping Tension (N)	40-600 adjustable
Strapping Speed (Sec/Strap)	2.18
Strap Type	Full Automatic A
Arch Size (mm)	800 × 600
Machine Size (mm)	1100 × 600 × 1540
Machine Weight (kg)	180

AUTO PALLET STRAPPING MACHINE



Features :

- Portable pallet strapping, flexible, efficient and less maintenance
- Rapid speed : 0.2 sec/ cycle, 30 cycle/min
- Easy set-up loading with outside strapping roll dispenser and operation

Article No.	10093522
Model No.	PRPS15
Description	Pallet Strapping Machine 15mm
Specification	
Power (W / V / Hz)	340 / 220 / 50
Strap Material	Plastic strap (PP)
Strap Width (mm)	9 – 15
Strapping Tension (N)	100 – 600
Strapping Speed (Sec/Strap)	2
Leg Chute Length (mm)	1000
Dimension (mm)	1860 x 560 x 1500
Weight (kg)	180



SEALER & VACUUM

PEDAL SEALER



10115838

Features :

- Impulse sealing with adjustable heating control
- Economic power usage with safety fuse, electricity power only used during sealing
- Foot pedal operation, let your both hands free to hold the plastic bags to be sealed

Article No.	10115727	10115838
Model No.	PRPS4505	PRSP6005
Description	Pedal Impulse Sealer 450mm	Pedal Impulse Sealer 600mm
Specification		
Power (W / V / Hz)	800 / 220-240 / 50-60	1000 / 220-240 / 50-60
Sealing Length (mm)	450	600
Sealing Width (mm)	2-5	
Dimension (mm)	550 x 520 x 880	900 x 580 x 780
Weight (kg)	21	24.5

PLASTIC SEALER



Features :

- Suitable for sealing all kind of PE, PP, combined plastic film and aluminium plastic film
- Simultaneously sealing and cutting

Article No.	KW2001071	KW2001072	KW2001070
Model No.	PRSC2002	PRSC3002	PRSC4002
Description	Sealer And Cutter Plastic 200mm	Sealer And Cutter Plastic 300mm	Sealer And Cutter Plastic 400mm
Specification			
Power (W / V / Hz)	300 / 220 / 50		
Sealing Length (mm)	200	300	400
Sealing Width (mm)	2		
Sealing Thickness (mm)	0.01 - 0.8		
Dimension (mm)	300 x 75 x 150	430 x 85 x 160	530 x 85 x 170
Weight (kg)	2.4	3.75	5.2

VACUUM PACKAGING



Article No.	KW1500998
Model No.	PRMVP28
Description	Mini Vacuum Packager 280mm
Specification	
Power (W / V / Hz)	150 / 220 / 50
Vacuum (Mpa)	0.045
Sealing Length (mm)	40 - 280
Dimension (mm)	350 x 140 x 70
Weight (kg)	2.4

THERMAL SHRINK PACKING MACHINE



Features :

- The machine adopts auto program control
- Vacuum time, gas flushing time, and sealing time are fully adjustable
- Adopt non-chamber mechanism with double gas nozzles.

Article No.	10115842
Model No.	PRTSP3516
Description	Thermal Shrink Packing Machine
Specification	
Power (V / Hz)	220 / 50
Heater Power (Kw)	6.5
Conveyor Speed (m/min)	0 - 15
Tunnel Size (mm)	1000 x 400 x 200
Product Size (mm)	350 x 160
Conveyor Loading Max (kg)	25
Tunnel Temperature Max (oC)	200
Shrink Film	POF, PVC, PP, PE
Dimension (mm)	1250 x 660 x 1320
Weight (kg)	90

SEALER & VACUUM

VACUUM PACKAGING



10112935



10089206

Features :

- For vacuum and sealing in one process
- Vacuum, hot sealing temperature and time can be adjusted easily
- Stable, reliable, good sealing strength, strong packing capacity, easy to use

Article No.	10112935	10089206
Model No.	PPVA3326	PPVA4034
Description	Vacuum Packager 330 x 260mm 1 Seal	Vacuum Packager 400 x 335mm 1 Seal
Specification		
Power (W / V / Hz)	400 / 220 / 50	900 / 220 / 50
Chamber Size (mm)	385 x 280 x 50	440 x 420 x 75
Sealing Bar Size (mm)	260 x 8	400 x 10
Sealing Bar Model)	Single	
Cycle Time (sec)	10-20	10 - 25
Capacity (m3/h)	10	20
Dimension (mm)	490 x 450 x 320	560 x 500 x 460

VERTICAL VACUUM SEALER



Features :

- The machine adopts auto program control
- Vacuum time, gas flushing time, and sealing time are fully adjustable
- Adopt non-chamber mechanism with double gas nozzles.

Article No.	10118706
Model No.	PPSVV6011
Description	Sealer Vacuum Vertical 600mm
Specification	
Power (V / Hz)	220 / 50
Compressor Power (w)	550
Vacuum Pump Power (w)	900
Sealing Bar Size (mm)	600 x 8
Height for Vertical Packing (mm)	1060
Vacuum Stroke Volume (m/h)	20
Dimension (mm)	800 x 900 x 1700
Weight (kg)	240

CONTINUOUS SEALER
WITH PRINT


10115724



10115725

Features :

- Adjustable heating and speed control
- Conveyor driven for continuous sealing with unlimited length
- Available with printing letters to print production or expired date (for 10115725)

Article No.	10115724	10115725
Model No.	PPCS0615	PPCSP0615
Description	Continuous Sealer 0.08 x 15-5kg	Continuous Sealer PR 0.08 x 15-5kg
Specification		
Operation	Horizontal	
Printing Letter	No Printing	30 letters ; 2 lines
Power (W / V / Hz)	500 / 220 / 50	600 / 220 / 50
Sealing Speed (m/min)	0 – 12	
Sealing Width (mm)	6 – 15	
Sealing Film Thickness (mm)	0.02 – 0.08	
Temperature Range (oC)	0 – 200	
Conveyor Capacity (kg)	5	
Dimension (mm)	900 x 480 x 380	950 x 480 x 380
Weight (kg)	35	45

CARTON SEALER

Features :

- Top and bottom drive belts, ensure stable movement
- Adjustable tape overlength
- Infeed and outfeed roller working table
- Manual adjustable top squeezer
- Manual adjustable side guide rail

Article No.	10115839	
Model No.	PPCS5060	
Description	Cartoon Sealer	
Specification		
Power (W / V / Hz)	2 x 90 / 220 / 50	
Conveyor Speed (m/min)	20	
Rang of Box Dimensions (cm)	L	10 ~
	W	15 – 50
	H	12 – 60
Tape Width (mm)	36, 48, 60	
Height of Conveyor Table (cm)	55 – 80	
Dimension (mm)	163 x 80 x 133	
Weight (kg)	120	

WRAPPING

WRAPPING MACHINE



- Features :
- OMRON PLC
 - Turn table soft start/soft stop, heavy duty chain drive
 - Variable carriage up/down speed

Article No.	KW0500908
Model No.	PPPWM20
Description	Pallet Wrapping Machine 2T
Specification	
Power (kW / V / Hz)	1.2 / 220 / 50
Max. Load Size (mm)	1200 x 1200 x 2400
Turntable Diameter (mm)	1650
Turntable Height (mm)	85
Turntable Capacity (kg)	2000
Turntable Speed (rpm)	3 - 12
Packing Efficiency	20 - 40 loads/h base on load
Dimension (mm)	2625 x 1650 x 2895
Weight (kg)	600



- Features :
- HMI digital display
 - Safety stop to avoid foot crush
 - Turn table soft start/soft stop, heavy duty chain drive

Article No.	10157241
Model No.	PPPWMGT20
Description	Pallet Wrapping Machine GT 2T
Specification	
Power (kW / V / Hz)	1.5 / 220 / 50
Material	Steel
Max. Load Size (mm)	1400 x 1400 x 2400
Turntable Diameter (mm)	2000
Turntable Height (mm)	78
Turntable Capacity (kg)	2000
Turntable Speed (rpm)	3 - 12
Packing Efficiency	20 - 40 loads/h base on load
Dimension (mm)	2745 x 2000 x 2860
Weight (kg)	650

PACKAGING PRODUCT SERIES

