



## ***PAINING AND COATING***

# SPRAY GUN

## SPRAY GUN



10168540



10168541



10168543



10168545

Article No	10168540	10168541	10168543	10168545
Model No.	RRSGS18	RRSGS14	RRSGG14	RRSGG13
Description	Spray Gun HVLP 1.8mm w/ cup	Spray Gun HVLP 1.4mm w/o cup	Spray Gun HVLP 1.4mm	Spray Gun Medium Pressure 1.3mm
<b>Specification</b>				
Nozzle Size (mm)	1.8	1.4	1.4	1.3
Air Pressure (Bar)	3.5		4	2
Air Consumption (ℓ/min)	200		200	128
Cup Capacity(cc)	1000	-	600	500
Feed Type	Suction	Pressure	Gravity	
Dimension (LxWxH) (cm)	18 x 13 x 27	13 x 6 x 22	22 x 13 x 29	23 x 12 x 33
Weight (kg)	1.2	1	1	

## AIR TOOL KIT



**KW1200093**

**Content :**

- 1pc air duster
- 1pc recoil hose 5m
- 1pc spray gun suction
- 1pc tyre inflating gun
- 1pc oil gun



**KW1200249**

**Content :**

- 1pc blow gun
- 1pc inflating gun
- 3pcs needle set
- 1pc air hose 5m length



**KW1200250**

**Content :**

- 1pc spray gun gravity
- 1pc blow gun
- 1pc air hose 5m length
- 1pc inflating gun
- 3pcs needle set

Article No	KW1200093	KW1200249	KW1200250
Model No.	RRATK5	RRATK6	RRATK7
Description	Air Tool Kit 5Pcs	Air Tool Kit 6Pcs	Air Tool Kit 7Pcs
<b>Specification</b>			
Dimension (LxWxH) (cm)	42 x 12 x 22	28.5 x 10 x 37	32 x 23 x 12
Weight (kg)	2	1	1.5

**SPRAY GUN WITH TANK**



<b>Article No</b>	10168542
<b>Model No.</b>	RRSGS18K
<b>Description</b>	Spray Gun Kit 1.8mm 2000CC cup
<b>Specification</b>	
<b>Nozzle Size (mm)</b>	1.8
<b>Air Pressure (Bar)</b>	4
<b>Air Consumption (ℓ/min)</b>	210
<b>Cup Capacity(cc)</b>	2000
<b>Feed Type</b>	Pressure
<b>Dimension (LxWxH) (cm)</b>	33 x 23 x 16
<b>Weight (kg)</b>	1.5



**Features :**

- The 2 ¼ gallon paint tank can hold air pressure to maximum of 80 psi
- This paint tank is equipped with an air regulator, gauge, safety valve, and fluid outlet
- The 2 ¼ gallon capacity enables you to handle most any size job

<b>Article No</b>	KW1200106
<b>Model No.</b>	RRPTI
<b>Description</b>	Paint Tank With Spray Gun
<b>Specification</b>	
<b>Nozzle Size (mm)</b>	1.7
<b>Air Pressure (Bar)</b>	3.5
<b>Air Consumption (ℓ/min)</b>	312
<b>Tank Capacity (gallon)</b>	2 1/4
<b>Air Inlet (inch)</b>	1/4
<b>Hose Size (inch)</b>	3/8
<b>Dimension (LxWxH) (cm)</b>	29.5 x 30 x 38
<b>Weight (kg)</b>	9

**AIR GLUE GUN BOTTOM**



**Features :**

- Equipped with Air tank, Air regulator, Safety valve, Outlet valve & Paint exit hole
- Stainless steel pressure tank
- Good application for large area

<b>Article No</b>	KW1200232
<b>Model No.</b>	RRAGB4
<b>Description</b>	Air Glue Gun Bottom Outlet 4L Tank
<b>Specification</b>	
<b>Fluid Nozzle (mm)</b>	1
<b>Air Consumption (CFM)</b>	12.5
<b>Working Pressure (Bar)</b>	3,5
<b>Air Inlet (inch)</b>	1/4
<b>Dimension (LxWxH) (cm)</b>	35 x 25 x 25
<b>Weight (kg)</b>	8

**TURBINE HIGH VOLUME LOW PRESSURE**



**Features :**

- Spray gun with aluminium cup and hose
- Best distribution of the inner pressure
- It satisfy the various high requirements of paint

<b>Article No</b>	<b>KW1200287</b>
<b>Model No.</b>	<b>RRTHV1</b>
<b>Description</b>	<b>HVLP Turbine Spray 1400W, 3 Stage</b>
<b>Specification</b>	
<b>Nozle Size (mm)</b>	1.3
<b>Input Power (W/V/Hz)</b>	1400 / 220 / 50
<b>Air Pressure (Bar)</b>	6
<b>Air Flow (ℓ/min)</b>	2800
<b>Cup Capacity (cc)</b>	1000
<b>Hose Length (m)</b>	8.5
<b>Dimension (LxWxH) (cm)</b>	32.5 x 25 x 32.5
<b>Weight (kg)</b>	8.5



**PRESSURE TANK**

**PRESSURE TANK**



**Features (KW1200022, KW1200023) :**

- Movable with castors
- Manual agitator
- Equipped with air regulator



**Features (KW1200024, KW1200025) :**

- Movable with castors
- Air agitator
- Equipped with air regulator



**Features (KW1200028) :**

- Movable with castors
- Air agitation
- Equipped with air regulator

Article No	KW1200022	KW1200023	KW1200024	KW1200025	KW1200028
<b>Model No.</b>	<b>RRPTA20</b>	<b>RRPTA40</b>	<b>RRPTA20</b>	<b>RRPTA40</b>	<b>RRPT20</b>
<b>Description</b>	<b>Agitation Press Tank 20L Manual</b>	<b>Agitation Press Tank 40L Manual</b>	<b>Air Agitator Pressure Tank 20L</b>	<b>Air Agitator Pressure Tank 40L</b>	<b>Air Pressure Tank 20L Bottom Out</b>
<b>Specification</b>					
<b>Tank Capacity (ℓ)</b>	20	40	20	40	20
<b>Working Pressure (Bar)</b>	1.5 - 3.5				
<b>Max Air Pressure (Bar)</b>	5.5				
<b>Dimension (LxWxH) (cm)</b>	42 x 36 x 71	41 x 36 x 86.5	41 x 36.5 x 71	41 x 36.5 x 86.5	42 x 36 x 71
<b>Agitator</b>	Manual		Air Agitator		Air Agitator
<b>Outlet Position</b>	Top				Bottom
<b>Weight (kg)</b>	26	30	28	30.5	28

**DIAPHRAGM PUMP AND PAINT HOSE**



KW1200019



- Features :**
- Double diaphragm
  - Manual agitator
  - Equipped with air regulator

<b>Article No</b>	KW1200019
<b>Model No.</b>	RRDP1
<b>Description</b>	Air Diaphragm Pump with Stand 4Way
<b>Specification</b>	
<b>Pressure ratio</b>	1:1
<b>Max. Air Pressure (Bar)</b>	5
<b>Min. / Max. Transmitting Capacity (ℓ/min)</b>	5 / 10.5
<b>Min. / Max Pump Speed (rpm)</b>	80 / 160
<b>Dimension (LxWxH) (cm)</b>	40 x 40 x 120
<b>Weight (kg)</b>	8



KW1200030

- Features :**
- Air hose for pressure tank
  - Paint hose for pressure tank
  - Equipped with connector

Article No	Description	Weight (kg)	Hose Length (m)
<b>Unique Code</b>	<b>RRPH1</b>		
<b>KW1200030</b>	Air Paint Hose 6.5 x 10mm x 7.5m with Fitting	0.3	7.5



# AIR AGITATOR



## AIR AGITATOR



KW1200031

**Feature :**

- Stationary type with stand
- Max capacity of agitation 20ℓ
- Triple piston air motor



WITH CLAMP

KW1200237

**Feature :**

- Stationary type with clamp
- Max capacity of agitation: 200ℓ
- Quiet and safety running



Article No	KW1200031	KW1200237
Model No.	RRAA1	RRAA2
Description	Air Agitator Stationary Type	Air Agitator 900Mm Clamp Type CA-5
<b>Specification</b>		
Agitator Motor Power (HP)	1/3	1/3 (with 5:7 reducer)
Paddle Length (mm)	550	790
Paddle Fan Diameter (mm)	100	162
Air Pressure (Bar)	6	
Air Consumption (L/Min)	19	16
No Load Speed (Rpm)	2780	556
Unit Dimension (LxWxH) (cm)	53.5 x 45.5 x 74.5	30 x 16.5 x 107.5
Gross Weight (kg)	7.8	9
Net Weight (kg)	9	10

## VISCOSITY CUP



**Feature :**

- Stainless steel cup and handle

Article No	KW1200050
Model No.	RRVC1
Description	Viscosity Cup Industrial
<b>Specification</b>	
Application	Painting
Volume (cc)	36
Hole Inside diameter (ID) (mm)	3.81 ± 0.05
Ideal Testing range ( Mpa.s) (sec)	10 - 60
Dimension (LxWxH) (cm)	26 x 7 x 5
Weight (kg)	0.31

# SAND BLASTING

## SAND BLASTING



KW1200169

**Feature :**

- Equipped with safety glove
- Include gun, nozzle, hose, filter, glass protection
- Application for cleaning, derusting, descaling, polishing, abrasive



KW1200170

**Feature :**

- Equipped with safety glove
- Include gun, nozzle, hose, filter, glass protection
- Application for cleaning, derusting, descaling, polishing, abrasive

Article No	KW1200169	KW1200170
Model No.	RRSBM1	RRSBM2
Description	Sand Blasting Machine	Sand Blasting Machine with Stand
<b>Specification</b>		
Working/Max. Pressure (Bar)	3 / 8	
Air Hose (cm)	70	
Sand Hose (cm)	65	
Nozzle Size (mm)	5 (ceramic)	
Working Space (cm)	58 x 48 x 35	86 x 55.5 x 55.5
Dimension (LxWxH) (cm)	58.5 x 48.5 x 49	89 x 56 x 138
Weight (kg)	20	51

## SAND BLASTING KIT



This tool is used for sandblasting work in outdoor area by connecting the gun with the compressor, then the suction hose is inserted into the sand container

**Feature :**

- Gun, nozzle and hose for sandblasting machine

Article No.	KW1200252
Model No.	RRSBK1
Description	Sand Blasting Kit
<b>Specification</b>	
Working/Max. Pressure (Bar)	3 / 8
Hose Length (m)	3
Air Consumption (ℓ/min)	150
Nozzle Size / Pipe Length (mm)	6
Air Orifices (mm)	2 / 3
Dimension (LxWxH) (cm)	34 x 22 x 5
Weight (kg)	1

# AIRLESS



## AIRLESS PISTON PUMP



10442108

**Feature :**

- Portable airless sprayer in hand carrying type
- Equipped with brushless motor smart controller & high pressure piston pump
- Use Resistance static pump design

**Package Consist of:**

- Airless Spray Gun
- Suction Tube
- Extension Wand 50 cm
- Repair Toolkit
- Pressure Hose 15 m

## AIRLESS DIAPHRAGM PUMP



10193172

**Feature :**

- Portable airless sprayer in hand-carrying type
- Equipped diaphragm pump
- Equipped 2-layers inlet filter & equipped hopper 5

**Package Consist of:**

- Airless Spray Gun
- Suction Tube
- Extension Wand 50 cm
- Pressure Gauge
- Pressure Hose 15 m
- Easy Wearing Part & Toolkit

Article No	10442108	10193172
Model No.	RRAP5	RRAP2
Description	Airless Piston Pump 1500W	Airless Diaphragm Pump 1100W
Specification		
Motor Power (W/HP/ V/Hz)	1500 / 2 / 220 / 50	1100 / 1.5 / 220 / 50
Max. Flow (ℓ/min)	3.0	2.1
Max.Pressure (Bar)	210	210
Suggest Nozzle (Inch)	0.019	0.017
Max. Nozzle (Inch)	0.023	0.019
Dimension (LxWxH) (cm)	51 x 43 x 52	52 x 45 x 64
Weight (kg)	24	31

## AIRLESS ROAD MARKING



**Feature :**

- Equipped 2-airless spray guns
- Equipped digital display
- Engine support by Honda

**Package Consist of:**

- 2 Airless Spray Gun
- Gun tip
- High Pressure Hose
- Repair Tool kit

Article No.	10193761
Model No.	RRARM1
Description	Airless Road Marking 6HP 210 Bar
Specification	
Motor Power (HP/V/Hz)	6/220/50
Working Flow Rate (ℓ/min)	5.0
Max. Tip Size (Inch) @ 2 Gun	0.023
Max. Pressure (Bar)	210
Dimension (LxWxH) (cm)	103 x 70 x 80
Weight (kg)	127
Stock Condition	Order by Request



**AIRLESS PNEUMATIC PUMP 30:1**



**Feature :**

- Pressured air as the power
- Steady and reliable so that malfunction ratio is extremely low
- Pressure conversion ratio 30:1

**Package Consist of:**

- Complete set of airless sprayer
- Airless spray gun
- Airless nozzle tip
- High pressure hose (dia. 6mm x 10m)

<b>Article No.</b>	<b>10193762</b>
<b>Model No.</b>	<b>RRAP3</b>
<b>Description</b>	<b>Airless Pneumatic Pump 30:1</b>
<b>Specification</b>	
<b>Pressure conversion ratio</b>	30 : 1
<b>No-load displacement (L/min)</b>	6
<b>Inlet pressure (Bar)</b>	3 - 6
<b>Air Consumption (l/min)</b>	180 - 2000
<b>Cylinder diameter (mm/Inch)</b>	125 / 4.92
<b>Dimension (LxWxH) (cm)</b>	62 x 60 x 103
<b>Weight (kg)</b>	52

**AIRLESS PNEUMATIC PUMP 45:1**



**Feature :**

- Pressured air as the power
- Steady and reliable so that malfunction ratio is extremely low
- Pressure conversion ratio 45:1

**Package Consist of:**

- Complete set of airless sprayer
- Airless spray gun
- Airless nozzle tip
- High pressure hose (dia. 8mm x 10m)
- High pressure hose (dia. 6mm x 10m)
- Transition joint (M14\* x 1)

<b>Article No.</b>	<b>10193763</b>
<b>Model No.</b>	<b>Model No.</b>
<b>Description</b>	<b>Airless Pneumatic Pump 45:1</b>
<b>Specification</b>	
<b>Pressure Conversion Ratio</b>	45 : 1
<b>No-load displacement (L/min)</b>	13.8
<b>Inlet pressure (Bar)</b>	3 - 6
<b>Air Consumption (L/min)</b>	220 - 2200
<b>Cylinder diameter (mm/Inch)</b>	Φ 220 / 8.7
<b>Dimension (LxWxH) (cm)</b>	62 x 60 x 113
<b>Weight (kg)</b>	72



# POWDER COATING

## ELECTROSTATIC POWDER COATING



### Feature :

- Automatic mode for flat painting, angle and repainting process
- Manual mode can be adjusted as needed
- Equipped trolley for easy movable

### Package Consist of:

- Control unit
- Trolley
- Powder coating gun
- Powder hose
- Injector powder
- Powder hopper 62ℓ
- Spare part replacement:
  - Flat nozzle
  - Round nozzle
  - Deflector cone: 16, 18, 25 mm
  - insert sleeve

<b>Article No.</b>	<b>10193616/ JG0000019</b>
<b>Model No.</b>	<b>RRPC1</b>
<b>Description</b>	<b>Electrostatic Powder Coating</b>
<b>Specification</b>	
<b>Power (W/V/Hz)</b>	50 / 220 / 50
<b>Temperatur Range in Use (°C)</b>	0 – 50
<b>Gun Weight (Kg)</b>	0.5
<b>Max. Output Current (µa)</b>	180
<b>Max. Output Voltage (kV)</b>	100
<b>Max Powder (gr/min)</b>	600
<b>Max. Input Air Pressure (Bar)</b>	8
<b>Optimum Input Air Pressure (Bar)</b>	4 – 6
<b>Powder Hopper (L)</b>	50
<b>Dimension (LxWxH) (cm)</b>	60 x 80 x 113.5
<b>Weight (kg)</b>	54

## POWDER COATING GUN and ACCESSORIES



10101395



10198231-10197051



10198233-10198234



10198236

Article No	Description	Dimension (L x W x H) CM	Weight kg
10101395	Powder Coating Gun For 10193616 RRPCG1	32 x 27.7 x 49	1.2
10198233	Flat Jet Nozzle For 10193616 RRFJN1	4 x 4 x 8	0.4
10198234	Round Jet Nozzle For 10193616 RRRJN1	4 x 4 x 8	0.5
10198231	Deflector 16Mm For 10193616 RRD16	4 x 1.6 x 1.6	0.25
10197050	Deflector 18Mm For 10193616 RRD18	4 x 1.8 x 1.8	0.3
10197051	Deflector 25Mm For 10193616 RRD25	4 x 2.5 x 2.5	0.35
10198236	Insert Sleeve For 10193616 RRS1	3 x 3 x 4	0.3

## RECIPROCATOR



\* Powder Coating Gun Not Include



### Feature :

- Japan mitsubishi inverter
- Digital Intellegent model, 80 storable programs
- Wheel back and forth movement - Travel 2 m ( 1,5 m/1,8 m/2,5m can be ordered )

<b>Article No.</b>	<b>10193760 / JG0000026</b>
<b>Model No.</b>	<b>RRRC1</b>
<b>Description</b>	<b>Reciprocator 2M Travel f/ 4 Guns</b>
<b>Specification</b>	
<b>Power (KW/V/Hz)</b>	750 / 220 / 50
<b>Sliding Range (m)</b>	2
<b>Sliding Speed</b>	5 – 30m/min
<b>Dimension (L x W x H) (cm)</b>	50 x 50 x 230
<b>Weight (kg)</b>	54

# ACCESSORIES



## AIRLESS SPRAY GUN EXCLUDE TIP



Article No.	10193769	Use For
Model No.	RRASG1	
Description	Airless Spray Gun Exclude Tip	
Specification		Airless Unit 10193171 - 10193172 and Airless Unit 10193761 - 10193763
Max. Pressure (Bar)	210	
Dimension (LxWxH) (cm)	25 x 15 x 25	
Weight (kg)	1	

## REPAIR KIT FOR AIRLESS SPRAY GUN



Seal Assembly

Diffuser  
7/8 Inch

10193773

Article No.	10193773	Use For
Description	Repair Kit For Airless Spray Gun	
Specification		Airless Spray Gun 10193769
Dimension (LxWxH) (cm)	25 x 15 x 25	
Weight (kg)	0.8	

## REVERSIBLE AIRLESS SPRAY GUN TIP



10193775 - 10193782

Description	Reversible Airless Spray Gun Tip			
Article No	Nozzle Marking	Bore (Inch)	Spray Angle	Spray Width (mm)
10193775	311	0.011	30°	150
10193776	313	0.013	30°	150
10193777	315	0.015	30°	150
10193778	411	0.011	40°	190
10193779	513	0.013	50°	225
10193780	515	0.015	50°	225
10193781	517	0.017	50°	225
10193782	519	0.019	50°	225

## TIP GUARD



Article No.	10193774	Use For
Description	Tip Guard For Airless Spray Gun	
Specification		Airless Spray Gun 10193769
Dimension (LxWxH) (cm)	10 x 7 x 7	
Weight (kg)	1.5	

**TIP EXTENSION**



Article No	Description	Dimension (LxWxH) (cm)	Weight (g)	Use For
10193764	Tip Extension 60cm Straight	70 x 10 x 10	220	Airless Spray Gun 10193769
10193765	Tip Extension 90cm Straight	100 x 10 x 10	250	
10193766	Tip Extension 60cm With Swivel Head	70 x 10 x 10	220	

**AIRLESS SPRAY GUN FILTER**



Article No	Description	Dimension (LxWxH) (cm)	Weight (g)	Use For
10193770	Gun Filter Mesh 60 White 10ea/set	15 x 5 x 5	75	Airless Spray Gun 10193769
10193771	Gun Filter Mesh 100 Yellow 10ea/set			
10193772	Gun Filter Mesh 150 Red 5ea/set			

**HIGH PRESSURE HOSE**



- Feature :
- Fiber, High pressurehose 10m, 1/4" NPS 3300Psi ( 22.8Mpa) (10193767)
  - Fiber, High pressure hose 15m, 1/4" NPS 3300Psi (22.8Mpa) (10193768)

Article No.	10193767	10193768
Description	High Pressure Hose Ø 6mm x 10m For Airless Spray Gun	High Pressure Hose Ø 6mm x 15m For Airless Spray Gun
Specification		
Dimension ( LxWxH ) (cm)	40 x 40 x 30	40 x 40 x 40
Weight (kg)	7	10

**POWDER COATING GUN and ACCESSORIES**



Article No	Description	Dimension ( L x W x H ) (cm)	Weight (Kg)	Use For
10010395	Powder Coating Gun For 10193616 RRPCG1	32 x 27.7 x 49	1.2	Electrostatic Powder Coating 10193616 / JG0000019
10198233	Flat Jet Nozzle For 10193616 RRFJN1	4 x 4 x 8	0.4	
10198234	Round Jet Nozzle For 10193616 RRRJN1	4 x 4 x 8	0.5	
10198231	Deflector 16Mm For 10193616 RRD16	4 x 1.6 x 1.6	0.25	
10197050	Deflector 18Mm For 10193616 RRD18	4 x 1.8 x 1.8	0.3	
10197051	Deflector 25Mm For 10193616 RRD25	4 x 2.5 x 2.5	0.35	
10198236	Insert Sleeve For 10193616 RRI1	3 x 3 x 4	0.3	

# P A I N T I N G A N D C O A T I N G S E R I E S

