

KRISBOW®

SAFETY AND PROTECTION EQUIPMENT



SCAN

FOR OUR LATEST VIDEO



SCAN

FOR BROCHURE & CATALOG



SCAN

FOR OUR STORE LOCATION

EYE PROTECTION



SPECTACLE



WITH NOSEPAD
KW1000545-KW1000547



INDOOR OUTDOOR
KW1000549



FLEXIBLE TEMPLE
KW1000539-KW1000541



CLEAR
KW1000542



WITH NOSEPAD
KW1000543-KW1000544



FIT FACE CLEAR
10051754



SPORT WITH NOSEPAD
10119708



SPORTY WARP CLEAR
10119710



WITH LED LIGHT
10119712



- Features:**
- Anti scratch
 - Fog Resistance
 - 99% UV protection

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000545	SREP109	Spectacle With Nosepad Clear	14.9 x 6.5 x 4.1	0.05
KW1000546	SREP100	Spectacle With Nosepad Silver	14.9 x 6.5 x 4.1	0.05
KW1000547	SREP101	Spectacle With Nosepad Smoke	14.9 x 6.5 x 4.1	0.05
KW1000549	SREP102	Spectacle Indoor Outdoor	14.5 x 7 x 4	0.05
KW1000539	SREP103	Spectacle Flexible Temple Clear	14.3 x 4.5 x 4.8	0.05
KW1000540	SREP104	Spectacle Flexible Temple Yellow	14.3 x 4.5 x 4.8	0.05
KW1000541	SREP105	Spectacle Flexible Temple Smoke	14.3 x 4.5 x 4.8	0.05
KW1000542	SREP106	Spectacle Clear	14.3 x 4.5 x 4.8	0.05
KW1000543	SREP107	Spectacle With Nosepad Golden	14.3 x 4.5 x 4.8	0.05
KW1000544	SREP108	Spectacle With Nosepad Blue	14.3 x 4.5 x 4.8	0.05
10051754	SREP110	Spectacle Fit Face Model Clear	14.2 x 5.1 x 4.5	0.026
10119325	SREP111	Spectacle Sport With Nosepad Clear	14.5 x 7 x 4	0.06
10119708	SREP115	Spectacle Sport With Nosepad Smoke	14.5 x 7 x 4	0.06
10119710	SREP112	Spectacle Sporty Warp Clear	14.5 x 7 x 4	0.06
10119711	SREP113	Spectacle Sporty Warp Smoke	14.5 x 7 x 4	0.06
10119712	SREP114	Spectacle With Led Light	14.5 x 7 x 4	0.06

GOGGLE CHEMICAL



KW1000326



KW1000799



KW1000325



KW1000550-KW1000551



- Features:**
- Anti scratch
 - Fog Resistance
 - 99% UV protection

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000326	SREP200	Goggle Chemical	16 x 8 x 5	0.112
KW1000799	SREP201	Goggle Chemical Heavy Duty	19 x 8 x 6	0.11
KW1000550	SREP300	Goggle Impact HD Clear Lens	18 x 8 x 5.5	0.112
KW1000551	SREP301	Goggle Impact HD Rainbow Lens	18 x 8 x 5.5	0.112
KW1000325	SREP302	Goggle Impact	16 x 8 x 5	0.09

GOGGLE WELDING



KW1000334



KW1000335



KW1000336



KW1000337

- Features:**
- Indirect ventilation, soft flexible vinyl frame lightweight
 - Lift front type holder round lens, square lens
 - Chipping operations, shade lens no.5

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000334	SREP400	Goggle Welding Round Flip Up	19 x 8 x 6	0.17
KW1000335	SREP401	Goggle Welding Square Flip Up	20 x 10 x 7	0.17
KW1000336	SREP402	Goggle Welding Round	16 x 7 x 8	0.09
KW1000337	SREP403	Goggle Welding Round Shape	19 x 6 x 6	0.08

FACE PROTECTION



WELDING HELMET CE

Auto Dark



10070177

Features:

- By the lithium battery and solar battery power supply, long life of 5000 hours.
- Internal or external control knob, can be realized on the shading 9-13, sensitivity and delay time control, welding / grinding functions can be selected.
- Photoelectric sensor technology, high-quality dual LCD and filter, ultraviolet ray protection grade up to DIN16.



10105719

Features:

- High quality optical filter with 16 layer coated for 99.9% filtration against UV IR.
- Battery & Solar Powered
- Adjustable and Delay Time For Different Welding Application

Article No.	10070177	10105719
Model No.	SRWH1	SRWH2
Description	Welding Helmet Auto Dark With Control	Welding Helmet Auto Dark Wide Lens
Specification		
Optical Class	1/1/1/2	1/1/1/2
Viewing Area (mm)	98 x 43	98 x 62
Arc Sensor	4	4
Light State	DIN 4	DIN 4
Dark State	Variable shade, 9 ~13	Variable shade, 9 ~13
Storing Tep (°C)	-20~+70	-20~+70
Dimension (cm)	24 x 23 x 33	24 x 23 x 33
Weight (kg)	1.01	1.13

Lightweight and Small Design

Erginomic design for optimal mobility and ease-of-use in confined spaceradiation and spatter

Audible and Visual Alarm

Electronic audible and visual alarm in case of low battery and or low air flow

Various Working Modes

Ideal for MMA, MIG/ MAG, TIG rating, cutting

Accessories:



Professional auto darkening welding filter



Particle filter Highly efficient filter captures hazardous dust, mist and other contaminants



Battery Rechargeable Li-ion battery Quick charge design



Flow meter
Low speed : 150+lpm
High speed : 200+lpm

Purifying Respirator Protection

Highly efficient filter capture hazardous dust, mist and fume plus options for nuisance level gases and vapours



Eye/ facial Protection

Protect welders from arc radiation and spatter

Intelligent Power Supply

Rechargeable Li-ion battery keep working for 8 hours

Easy Replaceable Cartridge Design

The welder can replace cartridge more convenient

Features:

- Provide all-day comfort through maximized airflow power
- Highly ecient filter captures hazardous dust, mist and fume plus options for nuisance level gases and vapours
- Switchable air flow in LOW speed 170L/min and HIGH speed 200L/min

Article No.	10196895
Model No.	SRWH3APR
Description	Welding Helmet Auto Dark (APR)
Specification	
Optical Class	1/1/1/2
Viewing Area (mm)	98 x 62
Arc Sensor	4
Light State	DIN 4
Dark State	Variable shade, 9 ~13
Storing Tep (°C)	-20~+70
Dimension (cm)	52,5 x 32,5 x 29
Weight (kg)	1.8



WELDING HANDSHIELD



WELDING HELMET



Features:

- Polypropylene straight shell
- For eye and full face protection from sparks and spatter
- With fixed front and Flip front lens 2" x 4-1/4", shade : 11



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000317	SRWH4	Welding Handshield Black	44 x 23 x 15	0.5
KW1000318	SRWH5	Welding Helmet Black	30 x 21 x 18	0.5

FACE SHIELD



10148057



10148098



KW1000315



VISOR CLEAR
KW1000411



KW1000409



KW1000413

Features:

- Visor material : High-impact polycarbonate lens with Headgear
- Provides protection against foreign particles, chemical splash, dust,Heat, High impact resistant, anti-UV & IR, Attachment (KW1000413), Mesh with Earmuff (KW1000309)
- Visor color : Clear Shading (#5) (10148098)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10148057	SRFS1	Face Shield With HeadGR Clear Visor	24 x 23 x 39	0.4
10148098	SRFS2	Face Shield With HeadGR Double Visor	24 x 23 x 39	0.4
KW1000315	SRFS3	Face Shield HeadGR With Clear Visor	26 x 18 x 6	0.4
KW1000413	SRFS4	Face Shield Clear Attach For Helmet	20 x 20 x 6	0.21
KW1000409	SRFS5	Face Shield Mesh With Earmuff	18 x 18 x 8	0.44
KW1000411	SRVC1	Visor Clear	20 x 30 x 1	0.13

HEAD PROTECTION



HELMET FULL BRIM



Available colours :



White



Yellow



Blue



Green



Orange

Features:


- 4 point tectonic harness
- Highly absorbent sweatband, Ratchet & push lock wheel suspension

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10178981	SRH20W	Helmet Full Brim White	31 x 21.5 x 16	0.5
10178986	SRH20Y	Helmet Full Brim Yellow		
10178987	SRH20R	Helmet Full Brim Red		
10178988	SRH20B	Helmet Full Brim Blue		
10178989	SRH20G	Helmet Full Brim Green		
10178990	SRH20O	Helmet Full Brim Orange		


HELMET FRONT BRIM VENTED



Available colours :



Optional Accessories :



Features:

- 6 point tectonic harness
- Highly absorbent sweatband, Ratchet & push lock wheel suspension
- Slotted sides to accommodate accessories such as: ear muff, Visor, etc

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000441	SRHV10W	Helmet Front Brim Vented White	28 x 22 x 16	0.46
KW1000442	SRHV10Y	Helmet Front Brim Vented Yellow		
KW1000443	SRHV10R	Helmet Front Brim Vented Red		
KW1000194	SRHV10B	Helmet Front Brim Vented Blue		
KW1000753	SRHV10G	Helmet Front Brim Vented Green		
KW1000754	SRHV10O	Helmet Front Brim Vented Orange	20 x 18 x 7	0.12
KW1000478	SRHS20V	Helmet Suspension For Helm Vented	18 x 8 x 2	0.03
10129217	SRCS2	Chinstrap 4 Point For All Helmet		



HELMET FRONT BRIM



Available colours :



Optional Accessories :



Features:

- 4 point tectonic harness
- Highly absorbent sweatband, Ratchet & push lock wheel suspension
- Slotted sides to accommodate accessories such as: ear muff, Visor, etc

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000319	SRH10W	Helmet Front Brim White	20 x 16 x 22	0.4
KW1000320	SRH10Y	Helmet Front Brim Yellow		
KW1000321	SRH10R	Helmet Front Brim Red		
KW1000322	SRH10B	Helmet Front Brim Blue		
KW1000323	SRH10G	Helmet Front Brim Green		
KW1000324	SRH10O	Helmet Front Brim Orange	23 x 19 x 12	0.106
KW1000404	SRHS10S	Helmet Suspension For Helm Std,Full	8 x 4 x 2	0.02
KW1000193	SRCS1	Chin Strap For Helm Std		



HELMET FRONT BRIM VENTED



Available colours :




- Features:**
- 4 points take advantage of tectonics
 - Ratchet wheel suspension

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10502766	SRHV40W	Helmet Front Brim Vented White	28 x 22 x 16	0.46
10502767	SRHV40Y	Helmet Front Brim Vented Yellow		
10502768	SRHV40R	Helmet Front Brim Vented Red		
10502769	SRHV40B	Helmet Front Brim Vented Blue		
10502770	SRHV40G	Helmet Front Brim Vented Green		
10502771	SRHV40O	Helmet Front Brim Vented Orange		

HELMET FRONT BRIM



Available colours :



- Features:**
- 4 points take advantage of tectonics
 - Ratchet wheel suspension

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10497833	SRH40W	Helmet Front Brim White	28 x 22 x 16	0.46
10497834	SRH40Y	Helmet Front Brim Yellow		
10497835	SRH40R	Helmet Front Brim Red		
10497836	SRH40B	Helmet Front Brim Blue		
10497837	SRH40G	Helmet Front Brim Green		
10497838	SRH40O	Helmet Front Brim Orange		

HELMET FRONT BRIM ECM



Available colours :



- Features:**
- 4 points take advantage of tectonics
 - Pin lock suspension

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10517030	SRHECM50W	Safety Helmet Front Brim Ecm White	29 x 23 x 13	0.40
10517031	SRHECM50Y	Safety Helmet Front Brim Ecm Yellow		
10517032	SRHECM50R	Safety Helmet Front Brim Ecm Red		
10517033	SRHECM50B	Safety Helmet Front Brim Ecm Blue		

WORKING CAP



ABS shell and foam spacer



See from bottom



Features :

- Designed for light protection against bumping or scraping with ABS shell and foam spacer
- Light weight fashionable item of work wear
- Ventilation holes provides users comfortable feelings

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000341	SRH30	Sports Working Cap (L) Black	29 x 19 x 15	0.32
KW1000343	SRH30	Sports Working Cap (M) Black	27 x 19 x 10	0.32

HEARING PROTECTION

EARMUFF



10054843



10054844



10054845



Features:

- Folding away design with telescopic arm
- With flexible reinforced plastic headband
- Adjustable, stainless steel headband

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10054843	SRHP200	Earmuff Luxury Headband 35 dB	15 x 10 x 20	0.7
10054844	SRHP201	Earmuff Foldable 30dB	14.5 x 11 x 13	0.35
10054845	SRHP202	Earmuff Helmet Cap Mounted 30dB	15 x 10 x 20	0.41

EAR PLUG (PU FOAM)



10069842



10069843



10121916

(PU FOAM WITH DISPENSER)



10146287



10146292



Features:

- Disposable and reusable ear plug providing extra comfortable, Case, Dispenser
- Noise reduction rating: 30, 34, 38 dB

(SILICONE)



10069844



KW1000314



10121974

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000314	SRHP100SL	Ear Plug with Extra 10PCS	23 x 18 x 2	0.06
10121916	SRHP101PU	Ear Plug PU 5 Pair with Case ORG	11.5 x 11.5 x 2.5	0.3
10146287	SRHP102PU	Ear Plug PU 250 PR with Dispenser	21.5 x 20 x 32	1.5
10146292	SRHP103PU	Ear Plug PU 500 PR with Dispenser	22 x 20 x 37	1.75
10051443	SRHP104PU	Ear Plug PU 38DB 200PRS	20.5 x 12 x 20	0.47
10051444	SRHP105PU	Ear Plug PU 38DB with Cord 100PRS	19 x 14 x 5	0.47
10051445	SRHP106SL	Ear Plug SLC 32DB with Cord 50PRS	13 x 11 x 15	0.62
10069842	SRHP104PU	Ear Plug PU without CORD 38DB	1 x 1 x 2	0.05
10069843	SRHP105PU	Ear Plug PU without 38DB	1 x 1 x 2	0.05
10069844	SRHP106SL	Ear Plug Silicon with Case 32DB	1 x 1 x 2	0.05
10121974	SRHP107SL	Ear Plug Silicon 5 PR with Case Yellow	11.5 x 11.5 x 2.5	0.3



MASK & RESPIRATOR



MASK DUST



KW1000301

MASK DUST ACTIVE CARBON



KW1000303

MASK 3 PLY



KW1000524

MASK KF94



10151101

MASK DUST FABRIC



10120728

REFILL FOR MASK DUST



10105358

REFILL FOR MASK ACTIVE CARBON FILTER



10105359



Features:

- Lightweight PE frame covered by polyester fiber
- Filter is replaceable
- Durable elastic headband

Features KW1000524:

- 3 ply layers of protection
- Pliable nose piece for best fit
- Kemenkes RI AKD : 21603021036

Features 10151101 :

- 4 ply layers of protection
- Ergonomic design feels more comfortable
- Kemenkes RI AKD : 20903121831

Features 10120728:

- Made from Material cotton
- Microfiber filter inside
- Elastic Strap with Velcro

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000301	SRRP1	Mask Dust	10 x 8 x 5	0.06
KW1000303	SRRP2	Mask Active Carbon Filter	10 x 8 x 5	0.06
10105358	SRRP11	Refill For Mask Dust (10pcs)	8 x 7 x 1	0.009
10105359	SRRP18	Refill For Mask Active Carbon Filter (10pcs)	8 x 7 x 1	0.009
KW1000524	SRRP6	Face Mask 3 Ply With Earloop (50pcs)	18 x 10 x 10	0.25
10451101	SRRP7	Mask Kf94 Disposable (20Pcs)	21 x 8.5 x 3	0.04
10120728	SRRP10	Dust Mask Microfiber	15 x 9.5 x 3.5	0.02

HALF MASK RESPIRATOR

SINGLE



KW1000299

DOUBLE



KW1000300



Features:

- Single and double cartridge respirator half mask
- Soft durable pliable rubber facepiece
- Durable elastic headbands, Comfortable seal and easy to exhale

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000299	SRRP20S	Half Mask Respirator Single	12.5 x 11.5 x 9	0.174
KW1000300	SRRP20D	Half Mask Respirator Double	9.5 x 16 x 13.5	0.225

HALF MASK RESPIRATOR SILICON 

SINGLE



10295160

DOUBLE



10295161

Features 10295160 & 10295161:

- Advance silicone material for increased comfort and greater durability
- Dual-mode head harness adjusts easily for either standard or drop-down mode
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging

FULL MASK RESPIRATOR SILICON 

Lens Material Polycarbonate



10295159



Features 10295159:

- Full-face respirators are newly designed to have excellent airtight ability, more comfortable and long lasting protection.
- Made by Non-Toxic rubber, soft and durable. Comfortable five-strap harness with roller buckles. Built-in speech diaphragm permits clear communication

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295159	SRRP40F	Full Mask Twin Cartridge	21 x 16 x 25	0.62
10295160	SRRP30	Half Mask Single Cartridge	22 x 17 x 6.5	0.115
10295161	SRRP40H	Half Mask Twin Cartridge	25 x 20 x 10	0.18

CARTRIDGE

INORGANIC

ORGANIC

DUST



KW1000017



KW1000018



KW1000019

FOR HALF MASK RESPIRATOR



KW1000299

KW1000300

Features:

- Against dust, mist, fume and asbestos (KW1000019)
- Against paint spray and organic vapors of low toxic (KW1000018)
- Against acid gas and inorganic vapors of low toxic (KW1000017)
- Size of cartridge 70x30 mm

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000017	SRRP200	Cartridge Acid Gas And Inorganic	7 x 7 x 3	0.05
KW1000018	SRRP201	Cartridge Organic Vapour & Paint	7 x 7 x 3	0.045
KW1000019	SRRP202	Cartridge Dust, Mist, Fume	7 x 7 x 3	0.04

FULL MASK AND DOUBLE CARTRIDGE

ORGANIC

ACIDIC

MULTIGAS

PARTICULATE



10295162



10295163



10295164



10295165



FOR HALF AND FULL MASK RESPIRATOR



10295161



10295159

Features :

- Low breathing resistance
- Excellent field of vision as a result of unique trapezoidal shape
- Bayonet fitting ensures precise & safety locking

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295162	SRRP400	Organic Vapour Cartridge	10.5 x 8.5 x 2.7	0.167
10295163	SRRP401	ACIDIC Gases & Vapour Cartridge	10.5 x 8.5 x 2.7	0.21
10295164	SRRP402	Multigas Filter Cartridge	10.5 x 8.5 x 2.7	0.26
10295165	SRRP403	Particulate Filter	10.5 x 10.5 x 1	0.025



SINGLE CARTRIDGE




FOR HALF MASK RESPIRATOR



- Features :**
- Low breathing resistance
 - Push lock fitting ensures precise & safety locking

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295167	SRRP300	Organic Vapours Cartridge	17 x 11 x 3	0.15
10295168	SRRP301	Inorganic Vapours Cartridge	17 x 11 x 3	0.15
10295169	SRRP302	Particulate Cartridge	14 x 10.3 x 3.4	0.05
10295170	SRRP600	Particulate Filter (10 PCS)		

PRE FILTER AND RETAINER



- Features :**
- Pollution originating from the processing of minerals, coal and other substances
 - Liquid or oil based particle pollution
 - Metal smoke pollution generated from welding, brazing

- Features :**
- Has a light weight
 - Elastic and strong
 - Filter installation to ensure precision & safer locking

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)	Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10295166	SRRP500	Pre Filter (10 PCS)	12 x 10 x 2	0.03	10398687	SRRP404	Retainer (10 PCS)	20 x 18 x 8	0.2
10398686	SRRP501	Pre Filter (10 PCS)	20 x 18 x 3	0.2	10398688	SRRP303	Retainer (10 PCS)	20 x 18 x 8	0.2



GLOVE WELDING



- Features :**
- Clute cut three ribs back
 - Full free lining

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000245	SRSG300	Glove Welding 16" Leather Blue	40 x 16 x 1	0.43
KW1000246	SRSG301	Glove Welding 14" Leather Red	36 x 16 x 1	0.43
KW1000419	SRSG302	Glove Welding TIG Leather 12" Gold	30 x 14 x 1	0.183

MECHANICAL GLOVE



LEATHER PALM

KW1000239 (M)
KW1000240 (L)



LEATHER PALM

KW1000241



LEATHER PALM

KW1000244



LEATHER PALM

KW1000418



SYNTHETIC LEATHER

10102102 (M)
10102103 (L)

Features:

- Leather palm wing-thumb
- Stretch spandex back (KW1000239 and KW1000240)
- Knuckle strap shirred elastic back (KW1000241)
- Stripe cotton upper (KW1000244)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000239	SRS200	Work Glove (M) Black Red Leather	26 x 10 x 1	0.07
KW1000240	SRS201	Work Glove (L) Black Red Leather	26 x 10 x 1	0.07
KW1000241	SRS204	Work Glove 10IN Gold Yellow Leather	25 x 15 x 1	0.183
KW1000244	SRS205	Work Glove Grey Blue Leather	34 x 14 x 1	0.171
KW1000418	SRS203	Work Glove Blue Leather	25 x 15 x 1	0.225
10102102	SRS510	Impact Glove (M) Synt Leather PVC	26 x 10X2	0.225
10102103	SRS511	Impact Glove (L) Synt Leather PVC	26 x 13X2	0.225

COATED GLOVE



POLYUTHERANE

10084237



NITRILE

10084238



LATEX

10084239



LATEX

10084240



NITRILE

10084331

Features:

- Cut resistant level 5 (10084331)
- Nylon glove with coated plam
- One size fits all

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10084237	SRS500	Glove Nylon Pu Mechanical Grip	24 x 10 x 1	0.1
10084238	SRS501	Glove Nylon Nitril Mechanical Greasy	24 x 10 x 1	0.1
10084239	SRS502	Glove Nylon Latex Mechanical Dry	24 x 10 x 1	0.1
10084240	SRS503	Glove Cotton Latex General Work	24 x 10 x 1	0.1
10084331	SRS504	Glove Hppe Nitrile Cut Resistant	24 x 10 x 1	0.1

COTTON GLOVE



KW1000395



PVC DOTS

KW1000396



PVC DOTS

KW1000401

Features :

- Material: Cotton
- One size fits all
- Comfort and ideal for heavy duty task

Article No.	Model No.	Description	Dimension (mm)	Weight (Kg)
KW1000395	SRS100	Glove Cotton (Natural TC)	20 x 12 x 0.3	0.6
KW1000396	SRS102	Glove Cotton PVC Dots Black	23 x 12 x 0.3	0.76
KW1000401	SRS101	Glove Cotton PVC Dots White	23 x 12 x 0.3	0.76



CHEMICAL GLOVE  



Features KW1000249:
 · Smooth finish with interlock line
 · Size 40 cm length

Features KW1000250, KW1000251, KW1000420, 10153727, 10153943, 10153738 & 10153991 :
 · Length 13", Available size M & L
 · Available color (Yellow, Black, Blue and Pink)

Features KW1000845 & KW1000846 :
 · Heavy duty neoprene, excellent for chemical handling (solvent, mild acids, oils and fats)
 · Compliance with: EN 374-1:-2003

Features KW1000847 & KW1000848 :
 · Nitrile formulating for more durability and enhanced chemical resistance
 · Compliance with: EN374-1:-2003

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000249	SRSG400	Glove PVC	40 x 13 x 1	0.26
KW1000250	SRSG403	Glove Latex Yellow (M)	33 x 12 x 0.7	0.108
KW1000251	SRSG404	Glove Latex Yellow (L)	33 x 13 x 0.7	0.108
KW1000420	SRSG402	Glove Latex Industrial	36 x 14 x 0.7	0.187
10153727	SRSG409	Work Glove Latex (M) Blue	33 x 12 x 0.7	0.108
10153943	SRSG411	Work Glove Latex (L) Blue	33 x 12 x 0.7	0.108
10153738	SRSG410	Work Glove Latex (M) Pink	33 x 13 x 0.7	0.108
10153991	SRSG412	Work Glove Latex (L) Pink	33 x 13 x 0.7	0.108
KW1000845	SRSG408	Glove Neoprene (M) Black	33x13.5x0.7	0.15
KW1000846	SRSG407	Glove Neoprene (L) Black	34 x 14 x 0.7	0.15
KW1000847	SRSG406	Glove Nitrile (M) Green	33 x 13.5 x 0.7	0.15
KW1000848	SRSG405	Glove Nitrile (L) Green	34 x 14 x 0.7	0.15

CHEMICAL GLOVE



Features :
 · High elastic and super soft, Natural rubber-like feel
 · Rolled rim, Texture in finger tips, Powder free glove inner coated
 · Chemical resistant, Food safe
KEMENKES RI AKL :
 · 10903126150 (10152298)
 · 10903126151 (10152299)
 · 10903126148 (10152286)
 · 10903126149 (10152287)
 · 10903126379 (10152285)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10152285	SRSG417	Disposable Glove Synthetic CLEAR	27 x 13.5 x 0.1	0.29
10152298	SRSG415	Disposable Glove Latex (M) PF 100	24 x 12 x 0.7	0.6
10152299	SRSG416	Disposable Glove Latex (L) PF 100	25 x 13 x 0.7	0.6
10152286	SRSG413	Gloves Disposable Nitrile Blue (M)	24 x 12 x 0.7	0.6
10152287	SRSG414	Gloves Disposable Nitrile Blue (L)	25 x 13 x 0.7	0.6

APPLICATION PRODUCT REFERENCE							
LATEX		PVC		NITRILE		NEOPRENE	
Application	Chemical	Application	Chemical	Application	Chemical	Application	Chemical
1. Household 2. Light duty 3. Delivery services 4. Masonry	1. Detergent 2. Perfume 3. Paint 4. Oil	1. Cold storage 2. Mechanical 3. MRO 4. Fishery 5. Laundry	1. Ammonia 2. Grease/fat 3. Oil	1. Chemical 2. Pharmaceutical 3. Restaurant 4. Painting 5. Automotive	1. Solvents 2. Grease/fat 3. Bleaching agent 4. Acid 5. Oil 6. Grease	1. Electronic 2. Glass manufacturing 3. Laboratory analysis 4. Painting & spray shops 5. Printing 6. Automotive	1. Methanol 2. Carbon disulphide 3. Sodium hydroxide 40% 4. Acetone 5. Sulphuric acid 90%

PROTECTIVE CLOTHING

SAFETY VEST



KW1000389

Available colours :

● KW1000390



KW1000400

Available colours :

● KW1000399



KW1000533 (M)

Available size : M -XL



KW1000859

Features :

- High visibility reflective vest Two reflective straps 63 x 65 cm Provides
- Maximum visibility for safety Lightweight And durable
- Color Black, Orange, Fluorescent yellow and fluorescent red available

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000389	SRSV4	Safety Vest All Size Orange	22 x 21 x 1	0.11
KW1000390	SRSV5	Safety Vest All Size Lime		
KW1000399	SRSV2	Safety Vest Mesh All Size Orange		
KW1000400	SRSV1	Safety Vest Mesh All Size Lime		
KW1000533	SRSV6	Safety Vest Mesh Size (M) PVC Reflective		
KW1000534	SRSV7	Safety Vest Mesh Size (L) PVC Reflective		
10051446	SRSV8	Safety Vest Mesh Size (XL) PVC Reflective		
KW1000859	SRSV3	Safety Vest With Two Reflective		

WEARPACK



10477550 (M)
10477551 (L)
10493162 (XL)

Colour:
Blue Navy



10477552 (M)
10477553 (L)
10493163 (XL)

Colour:
Red



10493164 (M)
10493165 (L)
10493166 (XL)

Colour:
Blue royal



10493167 (M)
10493168 (L)
10493169 (XL)

Colour:
Orange



Features :

- Material cotton drill (other material can made by order)
- Double protection zipper plastic button
- High quality zipper and velcro

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10477550	SRWPBL1	Wearpack Coverall Navy Blue (M)	38 x 28 x 3	0.8
10477551	SRWPBL2	Wearpack Coverall Navy Blue (L)	38 x 28 x 3	0.85
10493162	SRWPBL3	Wearpack Coverall Navy Blue (XL)	40 x 30 x 3	0.9
10477552	SRWPRD1	Wearpack Coverall Red (M)	38 x 28 x 3	0.8
10477553	SRWPRD2	Wearpack Coverall Red (L)	38 x 28 x 3	0.85
10493163	SRWPRD3	Wearpack Coverall Red (XL)	40 x 30 x 3	0.9
10493164	SRWPRB1	Wearpack Coverall Royal Blue (M)	38 x 28 x 3	0.8
10493165	SRWPRB2	Wearpack Coverall Royal Blue (L)	38 x 28 x 3	0.85
10493166	SRWPRB3	Wearpack Coverall Royal Blue (XL)	40 x 30 x 3	0.9
10493167	SRWPORG1	Wearpack Coverall Orange (M)	38 x 28 x 3	0.8
10493168	SRWPORG2	Wearpack Coverall Orange (L)	38 x 28 x 3	0.85
10493169	SRWPORG3	Wearpack Coverall Orange (XL)	40 x 30 x 3	0.9



WEARPACK



10451097 (M)
10451098 (L)
10451099 (XL)

Colour:
Blue Navy



10451095 (M)
10192302 (L)
10451096(XL)

Colour:
Red



Features :

- Long Sleeves plus Schotlite on arms, back and knees
- Patch side pocket model or use furing, back pocket model and side thigh patch pocket model
- Pockets for test pens, flat bottom shirts with tires

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10451097	SRWP4NB	Wearpack Two Piece Navy Blue (M)	159 x 51 x 0.5	0.8
10451098	SRWP5NB	Wearpack Two Piece Navy Blue (L)	162 x 54 x 0.5	0.8
10451099	SRWP6NB	Wearpack Two Piece Navy Blue (XL)	165 x 57 x 0.5	0.85
10451095	SRWP1R	Wearpack Two Piece Red Size (M)	159 x 51 x 0.5	0.8
10192302	SRWP2R	Wearpack Two Piece Red Size (L)	162 x 54 x 0.5	0.8
10451096	SRWP3R	Wearpack Two Piece Red Size (XL)	165 x 57 x 0.5	0.85

DISPOSABLE PROTECTIVE SUIT



Features :

- Breathable, Disposable
- Water Repellent
- ISO 16604:2004, Kemenkes RI AKD No : APD 21603121793
- TKDN : 47,62%



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10412814	SRCDPS	Disposable Protective Suit	40 x 32 x 2.5	0.309

RAINSUIT



KW1000529 (M)
KW1000530 (L)

Colour:
Blue Navy



10051723 (M)
10051755 (L)

Colour:
Yellow



Features :

- Concealed hood
- Storm front with zipper and buttons
- Two pockets with flaps, elastic cuff, Trousers with drawstring

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000529	SRRS11	Rainsuit PVC (M) Blue Navy	30 x 23 x 3	0.875
KW1000530	SRRS12	Rainsuit PVC (L) Blue Navy	30 x 26 x 5	1.05
10051723	SRRS13	Rainsuit PVC (M) Yellow	30 x 23 x 3	0.875
10051755	SRRS14	Rainsuit PVC (L) Yellow	30 x 26 x 5	1.05

BACK SUPPORT



Features :

- Durable lightweight spandex, powerful knit, woven elastic strap
- Fastens securely with hoop-and-loop fasteners
- Spring steel stays bend with body for optimal support of the spine



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000043	SRBSS	Back Support Size-S 28In-32In	22 x 14 x 5	0.38
KW1000044	SRBSM	Back Support Size-M 32In-38In	22 x 14 x 5	0.38
KW1000045	SRBSL	Back Support Size-L 38In-47In	22 x 14 x 5	0.38
KW1000403	SRBSXL	Back Support Size-XL 48In-56In	22 x 14 x 5	0.44

PVC APRON and SLEEVE COVER



KW1000470



Sleeve Cover PVC
KW1000471

Features :

- Thickness : 0.3 mm
- Size Apron : 90 X 120 cm
- Sleeve Length : 45.7 cm



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000470	SRAPRYL	Apron PVC	24 x 17 x 2	0.42
KW1000471	SRSCYL	Sleeve Cover PVC	21 x 17 x 1	0.19

WELDING APRON and SLEEVE COVER



KW1000480



Sleeve Leather
KW1000557

Features :

- Cow split leather, With elastic band
- Apron Length 120 cm
- Sleeve Length 40 cm



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000480	SRAPBRW	welding Apron Leather	31 x 22 x 3	0.6
KW1000557	SRSCBRW	welding Sleeve Leather	40 x 15 x 2	0.32

FIRE RESCUE

FIRE SUIT RESISTANT ALUMINIZED



Features :

- Material : Aluminium Foil - Fire-Proof Fabric
- Size : All Size
- Working Temp : 300°C - 800°C

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10111975	SRFSALUM	Fire Suit Resistant Aluminized	45 x 31 x 33	5.7

FIRE BLANKET



- Features :**
- Size : 1.5 x 1.8 M
 - Working Temp : 550°C
 - Color : Light Grey

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10111974	SRFBFG	Fire Blanket Fiberglass 150 x 180 cm	35.5 x 21.5 x 4.5	0.75

FIRE EXTINGUISHER POWDER



1 KG

10452825



3 KG

10452826



6 KG

10452827

- Features :**
- Material Powder, Seamless tank
 - Portable unit
 - Indicator Pressure Gauge
 - Fire class : A : Solid Substances
B : Flammable Liquid
C : Electrical

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10452825	SRFX1	Fire Extinguisher Powder 1KG	14 x 14 x 40	2.1
10452826	SRFX3	Fire Extinguisher Powder 3KG	16 x 16 x 52	5.6
10452827	SRFX6	Fire Extinguisher Powder 6KG	20 x 20 x 63	10.1

LIFE VEST

LIFE VEST



KW1000380 (S/M)
KW1000381 (L/XL)



KW1000382



KW1000383

Certified by :



- Features :**
- 200D x 118T nylon oxford
 - 00% PE foam flotation
 - Size available:
• (S/M) 28"-40" (KW1000380)
• (L/XL) 40"-50" (KW1000381)
• One size fit all (KW1000382 and KW1000383)

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000380	SRLVRNGS-M	Life Vest S-M Red/Grey	54 x 38 x 5	0.4
KW1000381	SRLVRNGL-XL	Life Vest L-XL Red/Grey	54 x 51 x 10	0.5
KW1000382	SRLVYALL	Life Vest All Size Yellow	51 x 46 x 6.5	0.5
KW1000383	SRLVRALL	Life Vest All Size Red	51 x 46 x 6.5	0.5



10120305 (L), 10120306 (XL)

- Features :**
- Fabric Polyester construction
 - EPE foam flotation
 - Two leg straps keep this life jacket from riding up or shifting
 - Attached with a whistle



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10120305	SRLVORGL	Life Vest Leg Strap Whistle L	65 x 43 x 10	0.7
10120306	SRLVORGXL	Life Vest Leg Strap Whistle XL	65 x 45 x 10	0.8

FALL PROTECTION



FULL BODY HARNESS



KW1000438

Features KW1000438:

- Belt : 45 mm nylon belt, Lanyard : Diameter 14 mm x 1.5 m
- 4 x buckle, 1 x dorsal "d" ring, 1 x double-lock snap hook, 1 x quick link, 4 x bundle of belt
- Max. load 100kg, Color: blue



KW1000439

Features KW1000439:

- Belt: 45 mm nylon belt, 1 x quick link, 6 x bundle of belt
- 6 x buckle, 3 x d ring, 1 x double-lock snap hook
- Max. load 100kg, Color: Red / black



10209835

Features 10209835:

- Sliding back D-ring for adjustability, Hip D-ring for positioning applications
- "Y" type harness with 5 points anchors
- Ergonomics back support pad, Adjustable leg strap with soft pad
- Soft and allowing ventilation waist pad

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000438	SRFA100	Full Body Harness With Lanyard	26 x 18 x 10	1.3
KW1000439	SRFA101	Full Body Harness Without Lanyard	26 x 18 x 10	1
10209835	SRFA102	Full Body Harness 5 Anchorage	30 x 22 x 20	1.6

LANYARD and SAFETY BELT



KW1000436

Features KW1000436 :

- Single hook absorber rope lanyard
- Standard length 1.5 m, Maximum length 1.8 m
- Max. load 100kg



KW1000440

Features KW1000440 :

- Single hook rope lanyard
- Length 1.5 m, Diameter 14 mm
- Max. load 100kg



10209717

Features 10209717 :

- Size & Weight :66 x 27 x 22.5cm & NW :1.8 Kg
- Lanyard rope shock absorber, double hooks 45mm wide x 1.5m
- Screw-lock carabiner, (Coating : white nice), Scaffolding hook, Energy absorberg



10209837

Features 10209717 :

- Length 1.5 m, Diameter 14 mm
- Single hook rope lanyard
- Max. load 100kg



SAFETY BELT
KW1000437

Features KW1000437 :

- Belt : 50 mm x 1.2 m nylon belt
- Rope : 14 mm x 1.5 m, 1 x adjusting loop
- Max. load 100kg



SAFETY BELT
10209836

Features 10209836 :

- Belt: 45mm Nylon belt.
- Rope: 14mmx 2M Nylon rope
- 1x buckle, 1x "D" ring, 1x tetragonal ring, 1x CE Mark Double-lock, Safety Hook (H-3101,Ø53mm)
- 1x bundle of belt, 1x sliding handle, 1x cushion belt

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000436	SRFA200	Lanyard Rope With Absorber	27.5 x 13 x 9	0.5
KW1000440	SRFA201	Lanyard Rope Positioning	27 x 12 x 9	0.5
10209717	SRFA202	Lanyard Rope Double With Absorber	27 x 14 x 12	1.9
10209837	SRFA203	Lanyard Rope Positioning Single	27 x 12 x 9	1.3
KW1000437	SRFA300	Safety Belt	26 x 18 x 10	1.1
10209836	SRFA301	Lineman Belt With Sliding Handle	26 x 18 x 10	1.3



CARABINER 



10489943



10489944

Features 10489943 :

- Material : Steel
- Finished : Zinc
- Strength : 20KN
- Lock : Twist Lock
- Opening : 15 mm
- Length : 107 mm
- Weight : 191 gram

Features 10489944 :

- Material : Steel
- Finished : Zinc
- Strength : 40KN
- Lock : Twist Lock
- Opening : 22 mm
- Length : 113 mm
- Weight : 238 gram

Article No.	Model No.	Description
10489943	SRFAC20	Carabiner Oval Twist Lock
10489944	SRFAC40	Carabiner D Twist Lock

LIFELINE 



10493065



10493066

Features 10493065 :

- Material : Polyester
- Length : 20M
- Thickness : 2.4mm
- Width : 38mm / 1.5"
- Color : Red
- Handle : 2" Ratchet

Features 10493066 :

- Material : Kernmantle Rope
- Diameter : 14mm
- Length : 15M
- Carabiner : Steel (Screw Lock)
- Hook : Steel
- Rope Grap : Steel (Dia 14mm)

Article No.	Model No.	Description
10493065	SRFAL20	Portable Webbing HRZ Lifeline
10493066	SRFAL15	Vertical & HRZ Lifeline Rope

TRIPOD WITH WINCH 



Features :

- Material : Steel and Aluminum Alloy
- Additional Part : Carabiner and Pully
- Height : 2.2M
- Weight : 23Kg
- WINCH : AUTOMATIC BRAKE WINCH
- Wire Length : 20M
- Load : 200KGF
- Lifting Capacity : 900LBS (410kgs)
- Pulling Capacity : 1.800LBS (820kgs)

Article No.	Model No.	Description
10493067	SRFAT20	Tripod With Winch

SELF-RETRACTING LIFELINES (SRL) WEBBING 



10490050

Features 10490050 :

- Webbing Width : 25mm
- Weight : 1 Kg
- User Load : 100 Kg



10490051

Features 10490051 :

- Webbing Width : 25mm
- Weight : 3.1 Kg
- User Load : 100 Kg



10490052

Features 10490052 :

- Webbing Width : 25mm
- Weight : 3.1 Kg
- User Load : 100 Kg



10490053

Features 10490053 :

- Webbing Width : 25mm
- Weight : 3.9 Kg
- User Load : 100 Kg

Article No.	Model No.	Description
10490050	SRFAW705	Self-Retracting Lifelines 1.5M Webbing
10490051	SRFAW706	Self-Retracting Lifelines 3M Webbing

Article No.	Model No.	Description
10490052	SRFAW707	Self-Retracting Lifelines 4M Webbing
10490053	SRFAW708	Self-Retracting Lifelines 6M Webbing

SELF-RETRACTING LIFELINES (SRL) CABLE 



10490054



10490055



10490056



10490057



10490058



10490059



10490060

Features 10490054 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 3.4 Kg
- User Load : 140 Kg

Features 10490055 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 4.4 Kg
- User Load : 140 Kg

Features 10490056 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 4.6 Kg
- User Load : 140 Kg

Features 10490057 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 8.3 Kg
- User Load : 140 Kg

Features 10490058 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 8.6 Kg
- User Load : 140 Kg

Features 10490059 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 9.1 Kg
- User Load : 100 Kg

Features 10490059 :

- Material : Steel
- Cable Dia : 4 mm
- Weight : 9.6 Kg
- User Load : 100 Kg

Article No.	Model No.	Description
10490054	SRFAC711	Self-Retracting Lifelines 3M Cable
10490055	SRFAC712	Self-Retracting Lifelines 6M Cable
10490056	SRFAC713	Self-Retracting Lifelines 10M Cable
10490057	SRFAC714	Self-Retracting Lifelines 15M Cable

Article No.	Model No.	Description
10490058	SRFAC715	Self-Retracting Lifelines 20M Cable
10490059	SRFAC716	Self-Retracting Lifelines 25M Cable
10490060	SRFAC717	Self-Retracting Lifelines 30M Cable



FOOT PROTECTION




APOLLO



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
KW1000481	SRSSAPL37	37/4	31 x 20 x 12	0.70
KW1000482	SRSSAPL38	38/5	31 x 20 x 12	0.75
KW1000483	SRSSAPL39	39/6	31 x 20 x 12	0.8
KW1000484	SRSSAPL40	40/6.5	31 x 20 x 12	0.85
KW1000485	SRSSAPL41	41/7	31 x 20 x 12	0.9
KW1000486	SRSSAPL42	42/8	31 x 20 x 12	0.95
KW1000487	SRSSAPL43	43/9	31 x 22 x 13	1.00
KW1000488	SRSSAPL44	44/10	31 x 22 x 13	1.05

TROJAN



Features :

- Steel Toe Cap
- Slip Resistant
- Oil Resistant
- Anti Static

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
KW1000451	SRSSSTRJ38	38/5	31 x 20 x 12	0.75
KW1000452	SRSSSTRJ39	39/6	31 x 20 x 12	0.8
KW1000453	SRSSSTRJ40	40/6.5	31 x 20 x 12	0.85
KW1000454	SRSSSTRJ41	41/7	31 x 20 x 12	0.9
KW1000455	SRSSSTRJ42	42/8	31 x 20 x 12	0.95
KW1000456	SRSSSTRJ43	43/9	31 x 22 x 13	1.00
KW1000457	SRSSSTRJ44	44/10	31 x 22 x 13	1.05

ARGON 4"



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10488152	SRSSARG438	38/5	33 x 20 x 12	0.75
10488153	SRSSARG439	39/6	33 x 20 x 12	0.75
10488154	SRSSARG440	40/6.5	33 x 20 x 12	0.75
10488155	SRSSARG441	41/7	33 x 20 x 12	0.75
10488156	SRSSARG442	42/8	33 x 20 x 12	0.75
10488157	SRSSARG443	43/9	33 x 20 x 12	0.75
10488158	SRSSARG444	44/10	35 x 21 x 12.5	0.95
10488159	SRSSARG445	45/11	35 x 21 x 12.5	0.95



Features :

- Steel Toe Cap
- Slip Resistant
- Oil Resistant
- Anti Static

ARGON 6"



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10488278	SRSSARG638	38/5	33 x 23.5 x 12	0.91
10488279	SRSSARG639	39/6	33 x 23.5 x 12	0.91
10488280	SRSSARG640	40/6.5	33 x 23.5 x 12	0.91
10488281	SRSSARG641	41/7	33 x 23.5 x 12	0.91
10488282	SRSSARG642	42/8	33 x 23.5 x 12	0.91
10488283	SRSSARG643	43/9	33 x 23.5 x 12	0.91
10488284	SRSSARG644	44/10	35 x 25 x 12.5	1.10
10488285	SRSSARG645	45/11	35 x 25 x 12.5	1.10

ARGUS 4"



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10520444	SRSSARGS438	38/5	33 x 20 x 12	0.75
10520445	SRSSARGS439	39/6	33 x 20 x 12	0.75
10520446	SRSSARGS440	40/6.5	33 x 20 x 12	0.75
10520447	SRSSARGS441	41/7	33 x 20 x 12	0.75
10520448	SRSSARGS442	42/8	33 x 20 x 12	0.75
10520449	SRSSARGS443	43/9	33 x 20 x 12	0.75
10520950	SRSSARGS444	44/10	35 x 21 x 12.5	0.95
10520951	SRSSARGS445	45/11	35 x 21 x 12.5	0.95

ARGUS 6"



Features :

- Steel Toe Cap
- Slip Resistant
- Oil Resistant
- Water Resistant Upper

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10521056	SRSSARGS638	38/5	33 x 23.5 x 12	0.91
10521057	SRSSARGS639	39/6	33 x 23.5 x 12	0.91
10520953	SRSSARGS640	40/6.5	33 x 23.5 x 12	0.91
10520954	SRSSARGS641	41/7	33 x 23.5 x 12	0.91
10520955	SRSSARGS642	42/8	33 x 23.5 x 12	0.91
10520956	SRSSARGS643	43/9	33 x 23.5 x 12	0.91
10520957	SRSSARGS644	44/10	35 x 25 x 12.5	1.10
10520958	SRSSARGS645	45/11	35 x 25 x 12.5	1.10

GLADIATOR



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10520970	SRSSGDR38	38/5	32.5 x 26 x 12	1.12
10520971	SRSSGDR39	39/6	32.5 x 26 x 12	1.13
10520972	SRSSGDR40	40/6.5	32.5 x 26 x 12	1.17
10520973	SRSSGDR41	41/7	32.5 x 26 x 12	1.2
10520974	SRSSGDR42	42/8	36 x 28 x 12.7	1.24
10520975	SRSSGDR43	43/9	36 x 28 x 12.7	1.28
10520976	SRSSGDR44	44/10	36 x 28 x 12.7	1.32
10520977	SRSSGDR45	45/11	36 x 28 x 12.7	1.36



Features :

- Steel Toe Cap
- Slip Resistant
- Oil Resistant
- Water Resistant Upper

VIKING




Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10520960	SRSSVKG38	38/5	32.5 x 26 x 12	1.12
10520961	SRSSVKG39	39/6	32.5 x 26 x 12	1.13
10520962	SRSSVKG40	40/6.5	32.5 x 26 x 12	1.17
10520963	SRSSVKG41	41/7	32.5 x 26 x 12	1.2
10520964	SRSSVKG42	42/8	36 x 28 x 12.7	1.24
10520965	SRSSVKG43	43/9	36 x 28 x 12.7	1.28
10520966	SRSSVKG44	44/10	36 x 28 x 12.7	1.32
10520967	SRSSVKG45	45/11	36 x 28 x 12.7	1.36

NYX



- Features :**
- Steel Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10478424	SRSSNYX38	38/5	31 x 20 x 12	0.75
10478425	SRSSNYX39	39/6	31 x 20 x 12	0.8
10478426	SRSSNYX40	40/6.5	31 x 20 x 12	0.85
10478427	SRSSNYX41	41/7	31 x 20 x 12	0.9
10478428	SRSSNYX42	42/8	31 x 20 x 12	0.95
10478429	SRSSNYX43	43/9	35 x 22 x 13	1
10478430	SRSSNYX44	44/10	35 x 22 x 13	1.05
10478431	SRSSNYX45	45/11	35 x 22 x 13	1.1
10478432	SRSSNYX46	46/12	35 x 22 x 13	1.15

NEMESIS



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static




Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10478433	SRSSNMS639	39/6	32.5 x 26 x 12	1.13
10478434	SRSSNMS640	40/6.5	32.5 x 26 x 12	1.17
10478435	SRSSNMS641	41/7	32.5 x 26 x 12	1.2
10478436	SRSSNMS642	42/8	36 x 28 x 12.7	1.24
10478437	SRSSNMS643	43/9	36 x 28 x 12.7	1.28
10478438	SRSSNMS644	44/10	36 x 28 x 12.7	1.32
10478439	SRSSNMS65	45/11	36 x 28 x 12.7	1.36

ARES



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10240099	SRSSARS439	39/6	32 x 20.5 x 11.5	0.76
10240100	SRSSARS440	40/6.5	32 x 20.5 x 11.5	0.78
10240101	SRSSARS441	41/7	32 x 20.5 x 11.5	0.78
10240102	SRSSARS442	42/8	34 x 22 x 12	0.79
10240103	SRSSARS443	43/9	34 x 22 x 12	0.79
10240104	SRSSARS444	44/10	34 x 22 x 12	0.8
10240105	SRSSARS445	45/11	34 x 22 x 12	0.8

HYDRA



- Features :**
- Composite Toe Cap
 - Slip Resistant
 - Oil Resistant
 - Anti Static




Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10240106	SRSSHYD439	39/6	32 x 20.5 x 11.5	0.95
10240107	SRSSHYD440	40/6.5	32 x 20.5 x 11.5	0.95
10240108	SRSSHYD441	41/7	32 x 20.5 x 11.5	0.98
10240109	SRSSHYD442	42/8	34 x 22 x 12	0.99
10240110	SRSSHYD443	43/9	34 x 22 x 12	0.99
10240111	SRSSHYD444	44/10	34 x 22 x 12	1
10240112	SRSSHYD445	45/11	34 x 22 x 12	1

THOOSA




- Features :**
- Composite Toe Cap
 - Light Weight
 - Slip Resistant
 - Oil Resistant



Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10132568	SRSSTHO39	39/6	32 x 20.5 x 11.5	1.1
10132571	SRSSTHO40	40/6.5	32 x 20.5 x 11.5	1.1
10132573	SRSSTHO41	41/7	32 x 20.5 x 11.5	1.1
10132576	SRSSTHO42	42/8	34 x 22 x 12	1.1
10132578	SRSSTHO43	43/9	34 x 22 x 12	1.15
10132579	SRSSTHO44	44/10	34 x 22 x 12	1.15

AUXO



- Features :**
- Composite Toe Cap
 - Light Weight
 - Slip Resistant
 - Oil Resistant

Article No.	Model No.	Size	Dimension (cm)	Weight (Kg)
10240113	SRSSAUX39	39/6	32 x 20.5 x 11.5	0.9
10240114	SRSSAUX40	40/6.5	32 x 20.5 x 11.5	1.1
10240115	SRSSAUX41	41/7	32 x 20.5 x 11.5	1.1
10240116	SRSSAUX42	42/8	34 x 22 x 12	1.1
10240117	SRSSAUX43	43/9	34 x 22 x 12	1.15
10240118	SRSSAUX44	44/10	34 x 22 x 12	1.15

SHOE COVER WITH STEEL TOE



- Features :**
- Fully padded with genuine leather lining
 - Sole with sandwiched flat rubber out sole
 - Leather rear cover for pull-over with 1.5: elastic
 - Unisex style, can be used over formal, casual, slip-on etc
 - Available size 36-48

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10179481	SRSCST1	Shoes Cover With Steel Toe	23 x 17 x 7	0.67

BOOTS



10149401 (M)
10149402 (L)
10149403 (XL)



10095004 (M)
10095005 (L)
10095006 (XL)



10095007 (M)
10095008 (L)
10095009 (XL)



10157982 (M)
10157983 (L)
10157984 (XL)



- Features :**
- Material: PVC
 - Toe cap and Steel mid sole
 - Oil resistant, Anti slip sole, Heat resistant, Chemical resistant



- Features :**
- Material: PVC
 - Toe cap with Beam Port
 - Oil resistant, Anti slip sole, Heat resistant, Chemical resistant



- Features :**
- Material: PVC
 - Toe cap
 - Oil resistant, Anti slip sole, Heat resistant, Chemical resistant

- Features :**
- Material: PVC
 - Oil resistant, Anti slip sole
 - Heat resistant, Chemical resistant

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10149401	SRSB40MBLK	Boots With Steel Midsole M Black	27 x 10.5 x 41	2.1
10149402	SRSB40LBLK	Boots With Steel Midsole L Black	27 x 10.5 x 42	2.15
10149403	SRSB40XLBLK	Boots With Steel Midsole XI Black	27 x 11 x 43	2.2
10095004	SRSB30MO	Safety Boots (M) Orange With Beam Port	27 x 10.5 x 37	2.1
10095005	SRSB30LO	Safety Boots (L) Orange With Beam Port	28 x 10.5 x 37	2.15
10095006	SRSB30XLO	Safety Boots (XL) Orange With Beam Port	29 x 11 x 38	2.2
10095007	SRSB20MY	Safety Boots (M) 39-40 Yellow	27 x 10.5 x 41	2.1
10095008	SRSB20LY	Safety Boots (L) 41-42 Yellow	28 x 10.5 x 42	2.15
10095009	SRSB20XLY	Safety Boots (XL) 43-44 Yellow	29 x 11 x 43	2.2
10157982	SRSB10MG	Safety Boots (M) 39-40 Green	27 x 10.5 x 41	2.1
10157983	SRSB10LG	Safety Boots (L) 41-42 Green	28 x 10.5 x 42	2.15
10157984	SRSB10XLG	Safety Boots (XL) 43-44 Green	29 x 11 x 43	2.2

LOCKOUT TAGOUT



LOCKOUT TAGOUT PADLOCK



SHORT STEEL 10078778 **LONG STEEL** 10078777 **SHORT NYLON** 10078776 **LAMINATED STEEL** 10078779 **LAMINATED STEEL** 10078780 **WIRE STEEL** 10078801


Keyed Differ System (KD)




Keyed Alike System (KA)



Differ & Master Key System (MD)



Alike & Master Key System (MA)



Features:

- Material: ABS, nylon, and steel
- Short, medium and long shackle in stainless steel, nylon and Wire
- Impact and corrosion resistance, insulation resin, spark proof
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations
- Includes "danger" and "property of" on padlock labels

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10078778	SRPSSSR	Padlock Short Steel Red (KD)	45 x 38 x 38	0.11
10078777	SRPLSSR	Padlock Long Steel Red (KD)	45 x 38 x 76	0.13
10078776	SRPSSNYR	Padlock Short Nylon Red (KD)	45 x 38 x 38	0.07
10078779	SRPLSS	Padlock Laminated Short (KD)	29 x 49 x 28	0.23
10078780	SRPLLS	Padlock Laminated Long (KD)	33 x 42 x 48	0.23
10078801	SRPWR	Padlock Wire Dia3.2mm x 150mm Red KD	45 x 38 x 38	0.09

LOCKOUT TAGOUT ELECTRICAL



PLUG LOCKOUT 10085924 **PLUG LOCKOUT** 10078806 **MCB PIN OUT** 10078807 **MCB PIN IN** 10078808 **MCCB SMALL** 10083312
MCCB MEDIUM 10078809 **MCCB BIG** 10078810 **MULTI BREAKER** 10432622 **MULTI BREAKER** 10432623

Features:

- Material Polypropylene
- Non-conductive, non-sparking
- Can be used for locking out service temperature for 110-220/380v
- Made of high quality insulation resin, which is resistant to the chemical

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10085924	SRPLF/C13	Plug Lockout For Cable	10x 9.5 x 6	0.075
10078806	SRPLWP	Plug Lockout Waterproof 16A-125A	50 x 80 x 50	0.015
10078807	SRMCBPO	Mini Circuit Lockout Pin Out	4.4 x 2.4 x 2.4	0.005
10078808	SRMCBPI	Mini Circuit Lockout Pin In	4.4 x 2.4 x 2.4	0.005
10083312	SRCBSM18	Circuit Breaker MCCB Small	4.5 x 3 x 2.5	0.03
10078809	SRCBMD42	Circuit Breaker MCCB Medium	7.5 x 5.7 x 5.5	0.05
10078810	SRCBBG72	Circuit Breaker Big MCCB	9.2 x 9.5 x 6.5	0.095
10432622	SRCBM83	Circuit Breaker Multi 83 mm	2.1 x 2.1	0.055
10432623	SRCBM85	Circuit Breaker Multi 85 mm	85 x 2.2 x 3.5	0.09

LOCKOUT TAGOUT ELECTRICAL 



MULTI BREAKER
10085909



MULTI BREAKER
10085910



MULTI BREAKER
10434559



PUSH BUTTON
10078811



PUSH BUTTON
10078812



PUSH BUTTON
10085906

LOCKOUT TAGOUT MECHANICAL 



GATE VALVE
10085896 - 901



GATE VALVE
10078813



BALL VALVE
10085927



BALL VALVE
10078814



UNIVERSAL VALVE
10078815



RETRACTABLE
10078816



MULTIPURPOSE
10078817



STANDARD CABLE
10078818



HASP ALUMINUM
10078802



HASP NYLON
10078803



HASP STEEL
10078804




HASP STEEL
10078805

Features:

- Material ABS and PE
- Non-conductive, non-sparking, dielectric tested
- Can be used for locking out service temperature for 110-220/380v
- Made of high quality insulation resin, which is resistant to the chemical
- Be fit for using in the enclosure place, such as chemical, military, mining, power and inflammable and explosive locations

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10085909	SRMFCB	Multi-Function Circuit Breaker	6 x 4 x 4	0.015
10085910	SRMFMCB	Multi-Function Miniature Breaker	6 x 3 x 4	0.012
10434559	SRMFADJ	Multi Function Adjust Breaker	5 x 2.7 x 1.4	0.015
10078811	SRPBLO22	Push Button Lockout	7 x 5 x 2.7	0.02
10078812	SRPBLO30	Push Button Lockout	7 x 5 x 2.7	0.02
10085906	SRESLT	Emergency Stop Lockout Tube SRESLT	7 x 6 x 6.7	0.04
10085896	SRGVLO1-2.5	Gate Valve Lockout	2.5 x 2.5 x 5.4	0.3
10085897	SRGVLO2.5-5	Gate Valve Lockout	6.3 x 6.3 x 5.4	0.3
10085898	SRGVLO5-6.5	Gate Valve Lockout	12.7 x 12.7 x 5.4	0.4
10085899	SRGVLO6.5-10	Gate Valve Lockout	16.5 x 16.5 x 5.4	0.4
10085900	SRGVLO10-13	Gate Valve Lockout	25.4 x 25.4 x 5.4	0.5
10085901	SRGVLO13-18	Gate Valve Lockout	45.7 x 45.7 x 5.4	0.6
10078813	SRGVADJ1-6.5	Gate Valve Lockout Adjust	20.5 x 13 x 5.2	0.235
10085927	SRBVSTDI/4-1	Ball Valve Standard Lockout	10 x 8 x 8	0.101
10078814	SRBVSTDI.5-3	Ball Valve Standard Lockout	22 x 12 x 7.5	0.36
10078815	SRUVLO	Universal Valve Lockout	20 x 9.2 x 26.5	0.54
10078816	SRCLRET	Cable Lockout Retractable	10 x 10 x 3.5	0.2
10078817	SRCLMLTP	Cable Lockout Multipurpose	17.5 x 7.5 x 2.1	0.21
10078818	SRCLSTD	Cable Lockout Standard	12 x 4 x 1	0.235
10078802	SRHPALU6	Hasp Aluminum Label Red	17.8 x 7.7 x 0.5	0.15
10078803	SRHPNY6	Hasp Isolation Nylon	19.2 x 4.1 x 1	0.025
10078804	SRHPST1	Hasp Steel With Hook Lock 6 Holes	11.6 x 4.5 x 1	0.085
10078805	SRHPST1.5	Hasp Steel With Hook Lock 6 Holes	12.9 x 6.1 x 1	0.095

LOCKOUT TAGOUT STATION



- Features:**
- Lock station material is ABS resin
 - Door material is polycarbonate
 - Shock resistance

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10019711	SRST4PD	Station 4 Padlock	48.5 x 28 x 10	1.5
10085053	SRST10PD	Station 10 Padlock	65 x 59 x 10	2
10086553	SRST20PD	Station 20 Padlock	65 x 59 x 10	2.5
10096461	SRLSMCH	Lockout Station Mechanical	65 x 59 x 10	-
10096462	SRLS4WHP	Lock Station 4 Padlock With Hasp	48.5 x 28 x 10	3.8
10096463	SRLS10WHP	Lock Station 10 Padlock With Hasp	65 x 59 x 10	4.5
10096464	SRLS20WHP	Lock Station 20 Padlock With Hasp	65 x 59 x 10	4.9

LOCKOUT TAGOUT GENERAL



- Features :**
- Material PVC
 - Light weight
 - Strong & Durable

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10083985	SRTG	Tagout General	14.5 x 7.5 x 0.01	0.02



10178664 10178665-10178666 10178667 10178668 10178669 10178670



PROTECTIVE CASE



Features :

- Light weight, water resistance, shockproof and Anti-corrosion
- Filled with pre cut foam and easy to customize compartment for your valuable equipment.
- Manual pressure adjustment, Snap latches

Article No.	Model No.	Description	Dimension (cm)		Weight (Kg)
			Inner	Outer	
10178664	SRPC1BK	Protective Case 265 x 225 x 125 mm	23.5 x 18.1 x 10.5	26.5 x 22.5 x 12.5	1.6
10178665	SRPC2BK	Protective Case 339 x 295 x 152 mm	30 x 22.5 x 13.2	33.9 x 29.5 x 15.2	1.9
10178666	SRPC3BK	Protective Case 406 x 330 x 174 mm	37.1 x 25.8 x 15.2	40.6 x 33 x 17.4	2.2
10178667	SRPC4BK	Protective Case 510 x 400 x 188 mm	45.9 x 32.7 x 17.1	51 x 40 x 18.8	2.9
10178668	SRPC5BK	Protective Case 524 x 428 x 206 mm	48 x 36.5 x 19.3	52.4 x 42.8 x 20.6	5.1
10178669	SRPC6BK	Protective Case 549 x 438 x 124 mm	50 x 40 x 10	54.9 x 43.8 x 12.4	3.9
10178670	SRPC7BK	Protective Case 720 x 430 x 180 mm	64.7 x 35 x 12	72 x 43 x 18	9.6
10178671	SRPC8BK	Protective Case 560 x 455 x 265 mm	51.7 x 39.2 x 22.9	56 x 45.5 x 26.5	8.6
10178672	SRPC9BK	Protective Case 616 x 493 x 250 mm	54.4 x 41.9 x 20	61.6 x 49.3 x 25	6.1
10178673	SRPC10BK	Protective Case 626 x 492 x 330 mm	54.5 x 41.7 x 31.8	62.6 x 49.2 x 33	10.1
10178674	SRPC11BK	Protective Case 790 x 595 x 365 mm	72 x 52 x 33	79 x 59.5 x 36.5	14.1
10178675	SRPC12BK	Protective Case 1140 x 643 x 420 mm	104 x 60 x 40	114 x 64.3 x 42	21.1
10178676	SRPC13BK	Protective Case 1220 x 406 x 155 mm	102 x 38 x 12.5	122 x 40.6 x 15.5	10.7
10178677	SRPC14BK	Protective Case 1346 x 406 x 155 mm	110 x 38 x 12.5	134.6 x 40.6 x 15.5	11.1
10178725	SRPC15BK	Protective Case 559 x 351 x 229 mm	50.1 x 27.9 x 19.3	55.9 x 35.1 x 22.9	6.1

SAFETY CABINET

COMBUSTIBLE CABINET



10175051-10175054

10175050

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with with adjustable legs and grounding wires

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10175049	SRSCOMB4	Combustible Cabinet 15L 1DR	43 x 43 x 56	1	40
10175050	SRSCOMB22	Combustible Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175051	SRSCOMB30	Combustible Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175052	SRSCOMB60	Combustible Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175053	SRSCOMB90	Combustible Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175054	SRSCOMB110	Combustible Cabinet 410L 2DR	150 x 86 x 165	2	280



FLAMMABLE CABINET 

CORROSIVE CABINET 



10178196

10175040-10175043



10175045

10175046-10175048

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with adjustable legs and grounding wires

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10175133	SRSCFLM12	Flammable Cabinet 45L 1 DR	59 x 46 x 89	1	48
10178196	SRSCFLM22	Flammable Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175040	SRSCFLM30	Flammable Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175041	SRSCFLM60	Flammable Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175042	SRSCFLM90	Flammable Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175043	SRSCFLM110	Flammable Cabinet 410L 2 DR	150 x 86 x 165	2	280
10175044	SRSCCOR12	Corrosive Cabinet 45L 1 DR	59 x 46 x 89	1	48
10175045	SRSCCOR22	Corrosive Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175046	SRSCCOR30	Corrosive Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175047	SRSCCOR60	Corrosive Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175048	SRSCCOR110	Corrosive Cabinet 410L 2 DR	150 x 86 x 165	2	280

PESTICIDES CABINET 

TOXIC CABINET 



10175055-10175060



10175061-10175067



Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10179672	SRSCTRCOR	PP Tray Corrosive 49 x 36 x 3.5cm	50 x 37 x 3.6	1	2
10175055	SRSCPES4	Pesticides Cabinet 15L 1 DR	43 x 43 x 56	1	40
10175056	SRSCPES12	Pesticides Cabinet 45L 1 DR	59 x 46 x 89	1	48
10175057	SRSCPES22	Pesticides Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175058	SRSCPES30	Pesticides Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175059	SRSCPES90	Pesticides Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175060	SRSCPES110	Pesticides Cabinet 410L 2 DR	150 x 86 x 165	2	280
10175061	SRSCTOX4	Toxic Cabinet 15L 1 DR	43 x 43 x 56	1	40
10175062	SRSCTOX12	Toxic Cabinet 45L 1 DR	59 x 46 x 89	1	48
10175063	SRSCTOX22	Toxic Cabinet 83L 1 DR	59 x 46 x 165	2	90
10175064	SRSCTOX30	Toxic Cabinet 114L 2 DR	109 x 46 x 112	1	110
10175065	SRSCTOX60	Toxic Cabinet 227L 2 DR	86 x 86 x 165	2	179
10175066	SRSCTOX90	Toxic Cabinet 340L 2 DR	109 x 86 x 165	2	200
10175067	SRSCTOX110	Toxic Cabinet 410L 2 DR	150 x 86 x 165	2	280

ACID & CORROSIVE CABINET



10165709-10165715

Features :

- Safety cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2" (38-mm) of insulating air space for fire resistance.
- Galvanized steel shelves direct spills to back and bottom of a leak proof 50mm/150mm bottom sump.
- Durable lead-free epoxy/polyester powder-coat finish provides excellent chemical resistance capacity.
- Three-point stainless steel bullet latching system makes it work safely every time. Equipped with adjustable legs and grounding wires

PPE CABINET



10175068-10175069



Features :

- The cabinet is made of high quality CRS plates, durable lead-free epoxy powder-coat finish provides excellent chemical resistance capacity.
- Standard double doors, designed with long visible windows, easy to identify equipment and utensils contained in the cabinets.
- Adjustable shelves to store different sized objects.
- T-shape compartment, suitable for storage of protective suits.

Article No.	Model No.	Description	Dimension WXDxH(cm)	Shelving	Weight (Kg)
10165709	SRSCACD15	Cabinet For Acid Corrosive 15L	43 x 43 x 56	1	14
10165710	SRSCACD45	Cabinet For Acid Corrosive 45L	59 x 46 x 89	1	29
10165711	SRSCACD100	Cabinet For Acid Corrosive 100L	91 x 60 x 90	2	51
10165712	SRSCACD114	Cabinet For Acid Corrosive 114L	109 x 46 x 112	1	56
10165713	SRSCACD170	Cabinet For Acid Corrosive 170L	109 x 46 x 165	2	80
10165714	SRSCACD227	Cabinet For Acid Corrosive 227L	86 x 86 x 165	2	88
10165715	SRSCACD340	Cabinet For Acid Corrosive 340L	109 x 86 x 165	2	130
10175068	SRSCPPE120	PPE Cabinet 2 DR	120 x 90 x 50	2	45
10175069	SRSCPPE192	PPE Cabinet 2 DR	192 x 90 x 50	2	60

SPILL CONTROL

SPILL PALLETS



32GL



10176864

58GL



10176865

68GL



10176866



Features :

- Made with HDPE, with good UV, rust, corrosion and most chemical resistance
- Oversized sump holds 2-drums (55Gal/200L per drum) to contain leakage in the event of leak or rupture, and keeps storage area clean and safe.
- Removable, easy-to-assemble and anti-skid grates can be lifted out for quick access to maintenance, cleaning and decontamination.
- Two-way forklift entries allow easy movement.

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10176864	SRSP120	Spill Pallet 32 GL 2 Drum	130 x 66 x 30	20
10176865	SRSP220	Spill Pallet 58 GL 2 Drum	131 x 67 x 45	25
10176866	SRSP260	Spill Pallet 68 GL 4 Drum	130 x 128 x 30	39



SPILL DECK 



10176867*



10176868



10176869

Features :

- Made with HDPE, with good UV, rust, corrosion and most chemical resistance
- contain leakage in the event of leak or rupture, and keeps storage area clean and safe.
- Removable, easy-to-assemble and anti-skid grates can be lifted out for quick access to maintenance, cleaning and decontamination.

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10176867	SRS42	Spill Deck 11 GL 1 Drum	68 x 68 x 16	8
10176868	SRS80	Spill Deck 21 GL 2 Drum	130 x 68 x 16	17.5
10176869	SRS150	Spill Deck 40 GL 4 Drum	130 x 128 x 16	32

SPILL KIT



10188523



10188521

OIL ONLY

Features :

- Dedicated to absorption of oil, instead of water
- With a variety of adsorption materials, help you respond quickly to unexpected incidents.
- Can isolate hazardous waste and contaminants with the spill drum to prevent secondary Leakage hazard, which is suitable for large-scale spill

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10188523	SRSK105	Portable Spill Kit 11.5 GL	65 x 50 x 20	3
10188521	SRSK106	Drum Overpack Spill Kit 21.5 GL	57 x 57 x 60	113



10188524



10188522

HAZMAT

Features :

- Dedicated to absorption of Chemical, instead of water
- With a variety of adsorption materials, help you respond quickly to unexpected incidents.
- Can isolate hazardous waste and contaminants with the spill drum to prevent secondary Leakage hazard, which is suitable for large-scale spill

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10188524	SRSK205	Portable Spill Kit 11.5 GL	65 x 50 x 20	3
10188522	SRSK206	Drum Overpack Spill Kit 21.5 GL	57 x 57 x 60	11.3



10176881



10176875

UNIVERSAL

Features :

- Dedicated to absorption of Chemical, instead of water
- With a variety of adsorption materials, help you respond quickly to unexpected incidents.
- Can isolate hazardous waste and contaminants with the spill drum to prevent secondary Leakage hazard, which is suitable for large-scale spill

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10176881	SRSK305	Portable Spill Kit 11.5 GL	65 x 50 x 20	3
10176875	SRSK306	Drum Overpack Spill Kit 21.5 GL	57 x 57 x 60	11.3

ABSORBENT PAD

ABSORBENT SOCK

ABSORBENT PILLOW

ABSORBENT ROLL

OIL ONLY

Oil only absorbent absorbing oil, not for water, specially used for petroleum, hydrocarbons and hydrocarbons, etc

HAZMAT

Hazmat absorbent, anti-acid and alkali, can absorb the vast majority of corrosive or dangerous chemicals

Features :

- Melt blown polypropylene (MBPP) have high absorbent rate, rapid absorption, Good cleaning effect, which don't react with polar, toxic, hazardous chemical, and is safe to use, causing no harm to personal health.
- waste disposal is low in cost, and clean up of spilled liquid is simple.



10178713



10178716



10178719



10178722



10178714



10178717



10178720



10178723

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10178713	SRAP101	Absorbent Pad 50 x 40 cm (100PCS)	51 x 42 x 22	4.7
10178716	SRAS102	Absorbent Sock 7.6 x 120cm (12PCS)	53 x 43 x 31	4.3
10178719	SRAP103	Absorbent Pillow 45 x 45 x 5 cm 10PCS	46 x 46 x 51	5.9
10178722	SRAR104	Absorbent Roll 4572 x 38.1 cm	45 x 45 x 50	6.2
10178714	SRAP201	Absorbent Pad 50 x 40 cm (100PCS)	51 x 42 x 22	4.7
10178717	SRAS202	Absorbent Sock 7.6 x 120cm (12PCS)	53 x 43 x 31	4.3
10178720	SRAP203	Absorbent Pillow 45 x 45 x 5cm 10PCS	46 x 46 x 51	5.9
10178723	SRAR204	Absorbent Roll 4572 x 38.1 cm	45 x 45 x 50	6.2

SAFETY CAN



GASOLINE

10178701
10178708



DIESEL

10178704
10178710



KEROSENE

10178706
10178712

Features :

- Fixed and rounded carrying handle enable to accompany with clamp to open lid without any Secondary linkages, bring a convenience in carrying and using
- Positive press relief cap, leaktight, automatically vent vapor between 0.2 and 0.35 bar to prevent explosion in Event of fire, spring loaded, it close autoamatically after filling or pouring.
- The reinforcement support shaft-design and centrosymmetric rib-design of the bottom,Help to balance the can's interior force
- Seamless design for combination of the top and the body of the can
- Baked on lead-free epoxy paint finish, minimizing effects on corrosion and humidity

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10178701	SRC2.5R	Safety Can Gasoline (9.5L)	29 x 29 x 26	2
10178708	SRC5R	Safety Can Gasoline (19L)	32 x 32 x 43	2.6
10178704	SRC2.5Y	Safety Can Diesel (9.5L)	29 x 29 x 26	2
10178710	SRC5Y	Safety Can Diesel (19L)	32 x 32 x 43	2.6
10178706	SRC2.5B	Safety Can Kerosene (9.5L)	29 x 29 x 26	2
10178712	SRC5B	Safety Can Kerosene (19L)	32 x 32 x 43	2.6

SAFETY TRAFFIC

CONE



Features :

- Material : Soft PVC (body), PCV reinforced by rubber (base)
- Weight : 1.5 kg (10051435), 3.1 kg (10107301, KW1000477)
- Height : 45 cm (10051435), 70 cm (10107301, KW1000477)
- High durability and foldable capability
- Strong visibility with two reflective
- Heavy body, have a good stability

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10107301	SRTC70BB	Traffic Cone 70Cm PVC Blackbase	30 x 30 x 70	3.1
KW1000477	SRTC70	Traffic Cone 70cm Orange PVC	30 x 30 x 70	4
10051435	SRTC45	Traffic Cone 45cm with Reflective	26 x 26 x 45	1.08

WATER BARRIER



Features :

- Material : PE
- Capacity :150L
- High Visibility Reflector



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10474951	SRWB100	Water Barrier PE	120 x 48 x 80	13

TRAFFIC POST



10051434



Features 10051434 :

- Made in high quality PE, flexible but good performance of weather resistance
- UV-resistant, good performance in fading and aging resistance
- Used for temporary traffic control, traffic guidance and channelize
- Post/stem with handle design

TRAFFIC WARNING



10051438



Features 10051438 :

- With LDR (Light Dependent Resistor) Sensor
- Yellow color
- Battery power

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051434	S RTP115R	Traffic Post 115cm Rubber Base	40 x 3 x 115	1.5
10051438	SRTWLBP	Traffic Warning Light	35 x 18 x 4.5	0.32

CONE BAR



10051436

**CONE MOUNT
RETRACTABLE BARRIER**



10152430

PLASTIC CHAIN STRAIGHT LINK



10051437

10091278

HOOK FOR PLASTIC CHAIN



10090519

Features 10051436 :

- Retractable cone bar up to 7 and 8 feet
- Cone bar designed for use with trackable traffic cones and T-Tops & bollards
- Conical rods are very portable and lightweight

Features 10152430 :

- Material : HDPE
- Long tape : 2 M
- Type : Retractable
- Used pin lock

Features 10051437 & 10091278 :

- Plastic chain is available in diameter of 6 mm
- 1 Roll = 40m & 20m

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051436	SRCBRETBY	Cone Bar Retractable 1.3-2.15M	128 x 10 x 4.5	0.38
10152430	SRCMRETI	Cone Mount Retractable Barrier	10 x 8.5 x 23	0.25
10051437	SRPC40Y	Plastic Chain Straight Link 6mm	25.5 x 25.5 x 18	2.6
10091278	SRPC20R	Plastic Chain Straight Link 6mm	15 x 15 x 18	1.5
10090519	SRHPC01	Hook For Plastic Chain	6 x 2 x 2	0.11

REFLECTIVE TAPE



10181468
10376203



10181469
10376202



10181470
10376204

Features :

- Weather resistance ability: 3-5 years for outdoor activities
- Adhesive Ingredients : permanent pressure-sensitive adhesive
- Suitable substrate for decals: Aluminum, steel
- Operation temperature: 18 deg ~28 deg
- Working temperature: -20 deg ~60 deg
- High weather resistance ability

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10181468	SRRT50Y	Reflective Tape Yellow 5cm x 50m	22 x 21 x 6	1.3
10181469	SRRT50R	Reflective Tape Red 5cm x 50m	22 x 21 x 6	1.3
10181470	SRRT50W	Reflective Tape White 5cm x 50m	22 x 21 x 6	1.3
10376203	SRRT15Y	Reflective Tape Yellow 5cm x 15m	18 x 12.5 x 5.5	0.9
10376202	SRRT15R	Reflective Tape Red 5cm x 15m	18 x 12.5 x 5.5	0.9
10376204	SRRT15W	Reflective Tape White 5cm x 15m	18 x 12.5 x 5.5	0.9

BARRICADE TAPE



Features :

- Non adhesive polyethylene material
- UV resistance

BARRICADE TAPE "CAUTION"



10051440

ANTI SLIP



10440548

10440549

Features :

- Water and oil resistant
- Strong grid material
- Easy to clean
- Easy to apply on clean and dry surfaces

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051440	SRBT200YB	Barricade Tape 75mmx200m	12 x 12 x 7.8	0.48
10051441	SRBT200RW	Barricade Tape 75mmx200m	12 x 12 x 7.8	0.48
KW1000503	SRBT100RW	Barricade Tape Red/White	10 x 10 x 7.5	0.26
KW1000504	SRBT100YB	Barricade Tape Yellow/Black	10 x 10 x 7.5	0.26
10051442	SRBT200C	Barricade Caution Do Not Enter	12 x 12 x 10	0.62
10440548	SRAST20B	Anti Slip Tape 2"x20m Black	17.5 x 5 x 17.5	0.3
10440549	SRAST20BNY	Anti Slip Tape 2"x20m Black and Yellow	17.5 x 5 x 17.5	0.3

FLOOR SIGN



Features KW1800001, KW1800108 & KW1800114 :

- Made of strong plastic material
- Foldable
- Available message caution wet floor, awas lantai licin, maintenance in progress

CONE SIGN



Features KW1800091, KW1800274 & KW1800275 :

- Made of strong plastic material
- Available message caution wet floor, no entry, no parking
- Holes for pinning rope barrier

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1800001	SRFS1	Floor Sign Caution Wet Floor	30 x 2 x 63	0.83
KW1800108	SRFS2	Floor Sign Awas Lantai Licin	30 x 2 x 63	0.83
KW1800114	SRFS3	Floor Sign Maintenance In Progress	30 x 2 x 63	0.83
KW1800091	SRFSC1	Cone Sign 117cm Caution Wet Floor	20 x 20 x 117	1.8
KW1800274	SRFSC2	Cone Sign 117cm No Entry	20 x 20 x 117	1.8
KW1800275	SRFSC3	Cone Sign 117cm No Parking	20 x 20 x 117	1.8

SPEED BUMP



Features 10051430, 10051431 & 10051432 :

- Speed bumps are designed for drivers to slow down in pedestrian areas, such as parking lots, crosswalks and other pedestrian areas
- Modular tongue-in-groove sections will fit most road dimensions, and allow flexibility in installation
- **Size of dynabolt ϕ 10 x 100mm (not included)**

CABLE RAMPS



Features 10507113 :

- Material : PVC + Rubber
- Cable chute size: 3 channels W55 x H65mm"


RUMBLE BAR



Features 10051428 & 10051429 :

- Surface mounted unit which warns the rider of dangerous conditions ahead
- Suitable for center line, medium, edge marking and traffic island line marking
- **Size of dynabolt ϕ 8 x 60mm (not included)**

SPEED BUMP PORTABLE



Features 10509610

- Material: Moulded PP & Rubber Padding
- Type : Portable

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051430	SRSH50Y	Speed Bump Middle 50x35x5cm	50 x 35 x 5	8
10051431	SRSH50B	Speed Bump Middle 50x35x5cm	50 x 35 x 5	8
10051432	SRSHCAP	Speed Hump End Cap 19.5x35x5cm	19.5 x 35 x 5	2.1
10507113	SRCR3C	Cable Ramps 3 Channels	90 x 50 x 7.5	13
10051428	SRRB100Y	Rumble Bar 100x10x1.5 cm Yellow	100 x 10 x 1.5	1.8
10051429	SRRB100B	Rumble Bar 100x10x1.5 cm Black	100 x 10 x 1.5	1.8
10509610	SRSBYLW	Speed Bump Portable 300x23x4.5 cm	300 x 23 x 4.5	12

WHEEL STOP




10157810




Features 10157810 :

- Material: Rubber
- With 6 reflective tapes
- Packing: 6pcs/carton
- Size of dynabolt # ϕ 10 x 100-150mm (not included)

WHEEL CHOCK



10157597



10157809



Features 10157597 :

- Material: Rubber
- Size (LXWXH): 200x100x150mm
- With handle for easy taking.
- Packing: 8pcs/carton

Features 10157809 :

- Material: Rubber
- Size (LXWXH): 250x200x150mm
- With eye bolts for easy taking
- Packing: 6 pcs/pkg

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10157810	SRWSWR	Wheel Stoper 55x15x10cm	55 x 15 x 10	5
10157597	SRWC20B	Wheel Chock 200x100x150 mm Black	20 x 10 x 15	2.25
10157809	SRWC25B	Wheel Chock 250x200x150 mm Black	25 x 20 x 15	4.5

TRAFFIC BATON



10051439



Features 10051439 :

- The traffic batons offer both flashing or constant light modes in single and multicolor configurations
- Length : 540mm
- Diameter : 40mm
- LED qty LEDs : 6 + 1
- Function : Flash-steady-top light
- Batteries : 2D batteries

CORNER PROTECTOR



10051433



Features :

- Corner Protector absorbs and minimizes damage when a vehicle or forklift hits the wall
- It not only protects the structure and appearance of the building but also prevents dings and scratches on the vehicle
- Made from heavy duty rubber and can be used on indoor and outdoor, also resistant to extreme temperature variation, oil, moisture and UV light

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10051439	SRTBLEDR	Traffic Baton LED 3 Function	54 x 5.5 x 5	0.3
10051433	SRCP80BNY	Corner Protector 80x10x0.8cm	80x10x0.8	3.3

VENTILATOR INDUSTRIAL



Inlet Diameter
Ø300mm



KW1000818

Inlet Diameter
Ø450mm



KW1000647

Inlet Diameter
Ø700mm



KW1000881

Features :

- Saving energy, strong wind power, convenient to move, make low noise and light weight due to die-casting aluminum alloy, the reasonable structure and the strong suction
- Extend quickly and easily when emergency ventilation is needed

Application:

- Application for confined space such as : underground cable maintenance, shipping making
- Blowing toxic gas when welding shipbuilding, bridge, etc
- Piping construction and in other violent working situation for ventilation

Article No.	KW1000818	KW1000647	KW1000881
Model No.	SRVP300	SRVP450	SRVP700
Description	Ventilator Industrial	Ventilator Industrial	Ventilator Industrial
Specification			
Speed (r/min)	2900	1400	1400
Power (Watt)	500	700	2200
Flow Rate (m3/min)	65	110	260
Static Pressure (Pa)	385	350	450
Noise (dB)	69	70	72
Measurement (m3/unit)	0.11	0.3	0.65
Dimension (cm)	38 x 38 x 42.5	48 x 67.5 x 77	57 x 87.5 x 97
Weight (kg)	16.5	35	76

VENTILATOR INDUSTRIAL



Features :

- Ducting with black rubber-encased coil steel frame for long lasting durability
- Includes a swiveling claw clamp for tightening or loosening the nylon strap around a ventilator
- Nylon swatch for patchin

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000788	SRVP300A	Duct Ventilator Industrial 10M	1000 x 30 x 30	10.2
KW1000790	SRVP450A	Duct Ventilator Industrial 10M	1000 x 45 x 45	16.7
10000820	SRVP700A	Duct Ventilator Industrial 10M	1000 x 70 x 70	22.5

EYE WASH



EYE AND FACE



ANSI 358.1.2004



KW1000414



KW1000415



KW1000416

Material : 304 Stainless steel
 Coating : Immersed plastic ABS
 Pedestal : Cast iron

Features :

- Shower can provide 76 liters of water per minute, deliver 11,5 liters of water per minute
- Connect unit to uninterruptible water supply delivering at 3GPM
- Outlet heads position meets 89/686/EEC and ANSI Z2358.1-2004, DIN 1289 EN15154 standard

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
KW1000414	SRWS3	Eye And Face Safety Shower	73 x 32 x 223.5	16
KW1000415	SRWS2	Eye And Face Wash Standing	32 x 32 x 113	8
KW1000416	SRWS1	Eye And Face Wash Wall Mounted	46.8 x 32 x 26.4	5

EYE WASH



10028141



10079962



10088550

Features 10028141 & 10079962:

- Material Tank Polyethylene (NonToxic).
- Flow Control 2L/Min.
- Using gravity to supply a continuous flow of clean water
- Ideal for remote locations

Features 10088550 :

- Material: Stainless Steel, resists most laboratory acids and corrosives
- Spray Head: ABS Plastic, soft the water spray for eye protection.
- Water locking Switch: Automatic trigger locking for hand-free uses.
- Flow Control Valve: Flow control to avoid secondary damage
- Wall Mounted Bracket: Stainless Steel with Nylon Clips
- Hose: 1.5 meter reinforce PVC hose

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10028141	SRWS16	Eye Wash Station Portable Yellow	55 x 49.6 x 58.2	7.8
10079962	SRWS9	Eye Wash Portable 9 Gallons Yellow	61 x 28 x 39	4.8
10088550	SRWS4	Eye Wash Drench Hose	36 x 15 x 9	2.7



FLOATING CUBE

MODULAR FLOATING DOCK



10154657



10154698



10154721

Features :

- Live Load (Kg/Ea / Kg/m²) 93 / 372
- Material High Density Polyethylene (HDPE)
- Tensile Strength More than 20.000 N (2Tons)



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10154657	SRKFDOT	K-Float For Deck On Top	50 x 50 x 40	7
10154698	SRKFBASIC	K-Float Basic 50x50x40cm	50 x 50 x 40	7
10154721	SRBS	Boat Slide 50x100x40cm	50 x 100 x 40	11

ACCESSORY MODULAR FLOATING DOCK



10154705

Features :

- Dimension : Ø 18.6xL23cm
- Material : High Density Polyethylene (HDPE)



10154707

Features :

- Dimension : Ø 18.6xL63cm
- Material : High Density Polyethylene (HDPE)



10154709

Features :

- Dimension : Ø 8.5xL13.5cm
- Material : High Density Polyethylene (HDPE)



10154715

Features :

- Dimension : Ø 9.5xT3.2cm
- Material : High Density Polyethylene (HDPE)



10154717

Features :

- Dimension : Ø 9.5xT17cm
- Material : High Density Polyethylene (HDPE)



10154719

Features :

- Dimension : L90xW500xH220mm
- Material : High Density Polyethylene (HDPE)



10154744

Features :

- Dimension : Ø 280xH540mm
- Material : High Density Polyethylene (HDPE)



10156191

Features :

- Dimension : Over H100cm
- Material : Stainless
- Type : Short pin type

ACCESSORY MODULAR FLOATING DOCK

10154726
Features :

- Dimension : Over H100cm
- Material : Stainless
- Type : Side fix type


10154724
Features :

- Dimension : Over 100cm
- Material : Polyethylene
- Type : Short pin type


10154733
Features :


- Dimension : W150 x H100cm
- Material : Stainless


10154728
Features :


- Dimension : W500 x H1000mm
- Material : Stainless


10154731
Features :

- Dimension : W150 x H100cm
- Material : Stainless


10154736
Features :

- Dimension : L500 x H500 x Ø 350
- Material : Stainless


10154738
Features :

- Dimension : W1000mm
- Material : Stainless


10154743
Features :

- Dimension : W500mm
- Material : Stainless


10154742
Features :

- Dimension : Ø 50 x H282mm
- Material : Stainless


10154739
Features :

- Dimension : H950 x W750mm
- Material : Stainless



Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10154707	SRLCP	Long Connector Pin	9.3 x 9.3 x 63	1.2
10154709	SRSFSWNT	Short Fixation Side Pin With Nut	8.5 x 8.5 x 13.5	0.191
10154715	SRDISSD	Distance Span Disc	9.5 x 9.5 x 3.2	0.06
10154717	SRYCWNUT	Yacht Cleat With Nut	9.5 x 4.5 x 17	0.06
10154719	SRSD	Side Bumper 90x50x22cm	22 x 50 x 9	1.7
10154744	SRBUMPE	Bumper Eva	28 x 28 x 54	2
10156191	SRSSGR	Stainless Steel Guide Rail	9.3 x 9.3 x 100	3.1
10154726	SRSSGRS	Stainless Steel Guide Rail Side	2 x 2 x 100	3.1
10154724	SRSGR	Square Guide Rail	6.5 x 6.5 x 100	4.1
10154728	SRSSGRU	Stainless Steel Guide Rail	150 x 100	6.5
10154731	SRSSSPL	Swimming Pool Ss Ladder	50 x 100	4.5
10154736	SRSPRG	Side Pile Roller Guide 15x100cm	15 x 15 x 100	4.1
10154738	SRRPG	Roller Pile Guide Dia 35x50x50cm	35 x 50 x 50	7.1
10154743	SRRSB	Reinforced Side BaR (W100)	6.5 x 100 x 6.5	7
10154742	SRRSB	Reinforced Side Bar (W50)	6.5 x 50 x 6.5	4.5
10154739	SRSSCG	Stainless Steel Cleat (General)	9.3 x 9.3 x 28.3	4.7
10154733	SRTKKF	Tool Kit For K-Float	7 5x 95	3.1

VENTILATOR INDUSTRIAL



Features :

- Explosion proof
- Saving energy, strong wind power, convenient to move, make low noise and light weight due to die-casting aluminum alloy, the reasonable structure and the strong suction
- Extend quickly and easily when emergency ventilation is needed

Application:

- Application for confined space such as : underground cable maintenance, shipping making
- Blowing toxic gas when welding shipbuilding, bridge, etc
- Piping construction and in other violent working situation for ventilation

Article No.	10238970
Model No.	SRVPXP300
Description	Ventilator Industrial EX Proof
Specification	
Speed (r/min)	2800
Power (Watt)	500
Flow Rate (m3/min)	65
Static Pressure (Pa)	385
Noise (dB)	69
Measurement (m3/unit)	0.11
Dimension (cm)	44 x 39.5 x 40
Weight (kg)	18.5

Certificate :

Presafe 16 ATEX 8947X
EN 60079-0:2012/A11: 2013 and EN 60079-1: 2014 and EN14986-1:2007

DUCT FOR VENTILATOR



Features :

- Ex-proof, Easy to used
- Includes a swiveling claw clamp for tightening or loosening the nylon strap around a ventilator
- Durable & Lightweight

Article No.	Model No.	Description	Dimension (cm)	Weight (Kg)
10238972	SRVPXP300A	Duct For Ventilator EX proof 5M	500 x 30 x 30	5.6

KRISBOW®

Distributed by: